


NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Left Hand usage; Position: (90°,35°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 10.0, Dy = 10.0, Dz = 10.0

SAR (1g): 0.0578 mW/g, SAR (10g): 0.0259 mW/g




30 degrees, Left Hand

Figure 8.

NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Right Hand usage; Position: (70°,65°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30 \text{ mho/m}$ $\epsilon_r = 41.0$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

SAR (1g): 0.0425 mW/g, SAR (10g): 0.0189 mW/g




Touch, Right Hand

Figure 9.

NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Right Hand usage; Position: (80°,65°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

SAR (1g): 0.0702 mW/g, SAR (10g): 0.0331 mW/g



Intended, Right Hand

Figure 10.