


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.13	26.61	9.32	54.00	-17.87	100	92	Average	Horizontal	
2	11160.00	49.89	40.57	9.32	74.00	-24.11	100	92	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.32	27.00	9.32	54.00	-17.68	100	104	Average	Vertical	
2	11160.00	50.45	41.13	9.32	74.00	-23.55	100	104	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.13	27.67	9.46	54.00	-16.87	200	316	Average	Horizontal	
2	11400.00	50.71	41.25	9.46	74.00	-23.29	200	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.09	27.63	9.46	54.00	-16.91	100	246	Average	Vertical	
2	11400.00	50.90	41.44	9.46	74.00	-23.10	100	246	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.46	35.05	9.41	54.00	-9.54	100	60	Average	Horizontal	
2	11490.00	58.26	48.85	9.41	74.00	-15.74	100	60	Peak	Horizontal	
3	17238.00	61.50	52.85	8.65	68.20	-6.70	100	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	51.62	42.21	9.41	54.00	-2.38	252	91	Average	Vertical	
2	11490.00	65.67	56.26	9.41	74.00	-8.33	252	91	Peak	Vertical	
3	17238.00	61.71	53.06	8.65	68.20	-6.49	100	159	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	46.24	36.86	9.38	54.00	-7.76	100	25	Average	Horizontal	
2	11570.00	59.98	50.60	9.38	74.00	-14.02	100	25	Peak	Horizontal	
3	17355.00	63.29	54.52	8.77	68.20	-4.91	100	56	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	51.10	41.72	9.38	54.00	-2.90	100	88	Average	Vertical	
2	11570.00	64.39	55.01	9.38	74.00	-9.61	100	88	Peak	Vertical	
3	17355.00	61.94	53.17	8.77	68.20	-6.26	100	67	Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	45.31	35.87	9.44	54.00	-8.69	100	45	Average	Horizontal
2	11650.00	59.42	49.98	9.44	74.00	-14.58	100	45	Peak	Horizontal
3	17475.00	62.60	53.85	8.75	68.20	-5.60	100	60	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	52.65	43.21	9.44	54.00	-1.35	100	92	Average	Vertical
2	11650.00	57.87	48.43	9.44	74.00	-16.13	100	92	Peak	Vertical
3	17475.00	60.91	52.16	8.75	68.20	-7.29	100	60	Peak	Vertical


802.11ax HE5

CH 148 (Horizontal)

CH 148 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	44.74	35.32	9.42	54.00	-9.26	100	63	Average	Horizontal	
2	11480.00	58.92	49.50	9.42	74.00	-15.08	100	63	Peak	Horizontal	
3	17220.00	60.32	51.65	8.67	68.20	-7.88	100	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	52.04	43.52	9.42	54.00	-1.06	100	90	Average	Vertical	
2	11480.00	68.98	59.56	9.42	74.00	-5.02	100	90	Peak	Vertical	
3	17220.00	59.71	51.04	8.67	68.20	-8.49	100	65	Peak	Vertical	


802.11ax HE5

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11580.00	47.32	37.95	9.37	54.00	-6.68	100	77 Average	Horizontal	
2	11580.00	61.51	52.14	9.37	74.00	-12.49	100	77 Peak	Horizontal	
3	17370.00	61.89	53.67	8.82	68.20	-6.31	100	60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11580.00	52.43	43.06	9.37	54.00	-1.57	100	90 Average	Vertical	
2	11580.00	68.42	59.05	9.37	74.00	-5.58	100	90 Peak	Vertical	
3	17370.00	59.76	50.94	8.82	68.20	-8.44	100	59 Peak	Vertical	


802.11ax HE5

CH 169 (Horizontal)

CH 169 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11690.00	50.01	40.51	9.50	54.00	-3.99	270	157	Average	Horizontal	
2	11690.00	64.57	55.07	9.50	74.00	-9.43	270	157	Peak	Horizontal	
3	17535.00	61.52	52.75	8.77	68.20	-6.68	200	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11690.00	52.61	43.11	9.50	54.00	-1.39	100	91	Average	Vertical	
2	11690.00	68.03	58.53	9.50	74.00	-5.97	100	91	Peak	Vertical	
3	17535.00	63.64	54.87	8.77	68.20	-4.56	200	97	Peak	Vertical	


802.11ax HE10

CH 148 (Horizontal)

CH 148 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	41.14	31.72	9.42	54.00	-12.86	100	64	Average	Horizontal	
2	11480.00	56.58	47.16	9.42	74.00	-17.42	100	64	Peak	Horizontal	
3	17220.00	52.10	43.43	8.67	68.20	-16.10	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	52.57	43.15	9.42	54.00	-1.43	233	96	Average	Vertical	
2	11480.00	67.86	58.44	9.42	74.00	-6.14	233	96	Peak	Vertical	
3	17220.00	56.04	47.37	8.67	68.20	-12.16	100	62	Peak	Vertical	


802.11ax HE10

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11580.00	47.57	38.20	9.37	54.00	-6.43	112	61	Average	Horizontal	
2	11580.00	62.71	53.34	9.37	74.00	-11.29	112	61	Peak	Horizontal	
3	17378.00	64.72	55.90	8.82	68.20	-3.48	166	58	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11580.00	52.49	43.12	9.37	54.00	-1.51	180	89	Average	Vertical	
2	11580.00	66.79	57.42	9.37	74.00	-7.21	180	89	Peak	Vertical	
3	17378.00	66.35	57.53	8.82	68.20	-1.85	286	120	Peak	Vertical	


802.11ax HE10

CH 169 (Horizontal)

CH 169 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11690.00	49.81	40.31	9.50	54.00	-4.19	100	45 Average	Horizontal	
2	11690.00	64.81	54.51	9.50	74.00	-9.09	100	45 Peak	Horizontal	
3	17535.00	66.87	58.10	8.77	68.20	-1.33	100	59 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11690.00	51.88	42.38	9.50	54.00	-2.12	177	329 Average	Vertical	
2	11690.00	65.75	56.25	9.50	74.00	-8.25	177	329 Peak	Vertical	
3	17535.00	66.89	58.12	8.77	68.20	-1.31	100	64 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.51	35.10	9.41	54.00	-9.49	100	61	Average	Horizontal	
2	11490.00	59.74	50.33	9.41	74.00	-14.26	100	61	Peak	Horizontal	
3	17235.00	63.36	54.72	8.64	68.20	-4.84	100	61	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	49.86	40.45	9.41	54.00	-4.14	100	88	Average	Vertical	
2	11490.00	63.42	54.01	9.41	74.00	-10.55	100	88	Peak	Vertical	
3	17235.00	62.91	54.27	8.64	68.20	-5.29	100	59	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	47.40	38.02	9.38	54.00	-6.60	100	60 Average	Horizontal	
2	11570.00	61.61	52.23	9.38	74.00	-12.39	100	60 Peak	Horizontal	
3	17355.00	64.56	55.79	8.77	68.20	-3.64	100	59 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	51.11	41.73	9.38	54.00	-2.89	100	94 Average	Vertical	
2	11570.00	65.38	56.00	9.38	74.00	-8.62	100	94 Peak	Vertical	
3	17355.00	62.66	53.89	8.77	68.20	-5.54	100	66 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	46.60	37.16	9.44	54.00	-7.40	100	158	Average	Horizontal	
2	11659.00	59.49	50.05	9.44	74.00	-14.51	100	158	Peak	Horizontal	
3	17475.00	66.28	57.53	8.75	68.20	-1.92	100	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	50.53	41.09	9.44	54.00	-3.47	100	89	Average	Vertical	
2	11659.00	63.96	54.52	9.44	74.00	-10.04	100	89	Peak	Vertical	
3	17475.00	63.89	55.14	8.75	68.20	-4.31	100	61	Peak	Vertical	

<Partial RU>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1


802.11ax HE20_RU106

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5116.58	55.52	46.70	8.82	74.00	-18.48		316	55	Peak	Horizontal	
2 *	5180.00	109.24	100.32	8.92	68.20	41.04		316	55	Peak	Horizontal	
3	5363.00	55.50	46.68	8.82	74.00	-18.50		316	55	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4933.00	56.29	47.37	8.92	74.00	-17.71		217	73	Peak	Vertical	
2 *	5180.00	117.35	108.43	8.92	68.20	49.15		217	73	Peak	Vertical	
3	5437.00	56.64	47.60	9.04	74.00	-17.36		217	73	Peak	Vertical	


802.11ax HE20_RU106

CH 36 (Horizontal) Average

CH 36 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	41.91	33.13	8.78	54.00	-12.09	316	55	Average	Horizontal	
2 *	5180.00	97.28	88.36	8.92	54.00	43.28	316	55	Average	Horizontal	
3	5401.50	42.32	33.03	9.29	54.00	-11.68	316	55	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	43.09	34.31	8.78	54.00	-10.91	217	73	Average	Vertical	
2 *	5180.00	106.06	97.14	8.92	54.00	52.06	217	73	Average	Vertical	
3	5402.50	43.09	33.80	9.29	54.00	-10.91	217	73	Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4881.50	54.78	46.31	8.47	74.00	-19.22	197	59	Peak	Horizontal	
2 *	5260.00	104.62	95.84	8.78	68.20	36.42	197	59	Peak	Horizontal	
3	5392.00	54.96	45.75	9.21	74.00	-19.04	197	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.50	54.98	46.17	8.81	74.00	-19.02	267	52	Peak	Vertical	
2 *	5260.00	117.93	109.15	8.78	68.20	49.73	267	52	Peak	Vertical	
3	5409.00	56.89	47.64	9.25	74.00	-17.11	267	52	Peak	Vertical	


802.11ax HE20_RU106

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	41.76	32.98	8.78	54.00	-12.24	197	59	Average	Horizontal	
2 *	5260.00	94.07	85.29	8.78	54.00	40.07	197	59	Average	Horizontal	
3	5413.00	42.30	33.09	9.21	54.00	-11.70	197	59	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	42.75	33.97	8.78	54.00	-11.25	267	52	Average	Vertical	
2 *	5260.00	106.55	97.77	8.78	54.00	52.55	267	52	Average	Vertical	
3	5402.00	42.99	33.70	9.29	54.00	-11.01	267	52	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal) Peak


CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_RU106

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.50	42.36	33.07	9.29	54.00	-11.64	228	44	Average	Horizontal	
2 *	5500.00	95.82	86.73	9.09	54.00	41.82	228	44	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	43.43	34.17	9.26	54.00	-10.57	246	70	Average	Vertical	
2 *	5500.00	107.67	98.58	9.09	54.00	53.67	246	70	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11ax HE20_RU106

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5544.50	55.58	46.67	8.91	68.20	-12.62	277	62 Peak	Horizontal	
2	5658.00	55.78	47.00	8.78	74.14	-18.36	277	62 Peak	Horizontal	
3	5718.00	72.05	63.14	8.91	110.24	-38.19	277	62 Peak	Horizontal	
4	5724.00	69.97	61.01	8.96	130.16	-60.19	277	62 Peak	Horizontal	
5	5745.00	120.76	111.64	9.12	135.00	-14.24	277	62 Peak	Horizontal	
6	5850.50	55.78	46.72	9.06	132.58	-76.80	277	62 Peak	Horizontal	
7	5865.50	56.20	47.12	9.08	107.86	-51.66	277	62 Peak	Horizontal	
8	5889.00	56.39	47.26	9.13	94.81	-38.42	277	62 Peak	Horizontal	
9	5973.00	56.43	47.15	9.28	68.20	-11.77	277	62 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5577.50	57.94	49.11	8.83	68.20	-10.26	248	64 Peak	Vertical	
2	5693.00	61.69	52.91	8.78	100.04	-38.35	248	64 Peak	Vertical	
3	5719.00	83.19	74.27	8.92	110.52	-27.33	248	64 Peak	Vertical	
4	5724.50	84.22	75.25	8.97	132.58	-48.36	248	64 Peak	Vertical	
5	5745.00	131.12	122.00	9.12	135.00	-3.88	248	64 Peak	Vertical	
6	5851.00	58.51	49.45	9.06	130.16	-71.65	248	64 Peak	Vertical	
7	5868.50	60.50	51.49	9.09	107.82	-46.44	248	64 Peak	Vertical	
8	5892.00	59.40	50.27	9.13	92.58	-33.18	248	64 Peak	Vertical	
9	5931.50	57.05	47.90	9.15	68.20	-11.15	248	64 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11ax HE20_RU106

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	49.67	48.20	9.47	68.20	-18.53	100	277	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	50.09	48.62	9.47	68.20	-18.11	100	315	Peak	Vertical		

U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	35.71	26.15	9.56	54.00	-18.29	100	233	Average	Horizontal	
2	10520.00	49.28	39.72	9.56	68.20	-18.92	100	233	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	35.64	26.08	9.56	54.00	-18.36	100	360	Average	Vertical	
2	10520.00	48.67	39.31	9.56	68.20	-19.33	100	360	Peak	Vertical	

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.28	25.94	9.34	54.00	-18.72	100	46	Average	Horizontal
2	11000.00	48.92	39.58	9.34	74.00	-25.00	100	46	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.40	26.06	9.34	54.00	-18.60	100	237	Average	Vertical
2	11000.00	49.59	40.25	9.34	74.00	-24.41	100	237	Peak	Vertical

U-NII-3


802.11ax HE20_RU106

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	44.48	35.87	9.41	54.00	-9.52	188	63	Average	Horizontal	
2	11490.00	57.83	48.42	9.41	74.00	-16.17	188	63	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	50.44	41.03	9.41	54.00	-3.56	215	98	Average	Vertical	
2	11490.00	64.87	55.46	9.41	74.00	-9.13	215	98	Peak	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
1	0.15	25.33	15.70	9.63	55.79	-30.46 Average	line1	
2	0.15	49.03	39.40	9.63	65.79	-16.76 QP	line1	
3	0.37	28.00	18.37	9.63	48.59	-20.59 Average	line1	
4	0.37	40.41	30.78	9.63	58.59	-18.18 QP	line1	
5	0.80	13.90	4.26	9.64	46.00	-32.10 Average	line1	
6	0.80	23.49	13.85	9.64	56.00	-32.51 QP	line1	
7	4.94	12.11	2.41	9.70	46.00	-33.89 Average	line1	
8	4.94	23.41	13.71	9.70	56.00	-32.59 QP	line1	
9	9.12	11.12	1.38	9.74	50.00	-38.88 Average	line1	
10	9.12	19.73	9.99	9.74	60.00	-40.27 QP	line1	
11	25.83	36.99	27.29	9.70	50.00	-13.01 Average	line1	
12	25.83	42.37	32.67	9.70	60.00	-17.63 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
1	0.16	25.17	15.53	9.64	55.63	-30.46 Average	neutral	
2	0.16	49.00	39.36	9.64	65.63	-16.63 QP	neutral	
3	0.36	30.82	21.19	9.63	48.63	-17.81 Average	neutral	
4	0.36	43.35	33.72	9.63	58.63	-15.28 QP	neutral	
5	0.54	10.55	0.92	9.63	46.00	-35.45 Average	neutral	
6	0.54	19.67	10.04	9.63	56.00	-36.33 QP	neutral	
7	4.72	11.82	2.11	9.71	46.00	-34.18 Average	neutral	
8	4.72	22.62	12.91	9.71	56.00	-33.38 QP	neutral	
9	7.89	10.32	0.56	9.76	50.00	-39.68 Average	neutral	
10	7.89	19.05	9.29	9.76	60.00	-40.95 QP	neutral	
11	25.83	37.09	27.25	9.84	50.00	-12.91 Average	neutral	
12	25.83	42.34	32.50	9.84	60.00	-17.66 QP	neutral	