

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5083.50	55.41	46.75	8.66	74.00	-18.59	103	215	Peak	Horizontal	
2 *	5180.00	102.54	93.62	8.92	68.20	34.34	103	215	Peak	Horizontal	
3	5416.50	55.04	45.86	9.18	74.00	-18.96	103	215	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5018.00	55.41	46.65	8.76	74.00	-18.59	114	66	Peak	Vertical	
2 *	5180.00	113.95	105.03	8.92	68.20	45.75	114	66	Peak	Vertical	
3	5384.50	55.41	46.31	9.10	74.00	-18.59	114	66	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	42.01	33.23	8.78	54.00	-11.99	103	215	Average	Horizontal	
2 *	5180.00	92.34	83.42	8.92	54.00	38.34	103	215	Average	Horizontal	
3	5436.50	42.48	33.43	9.05	54.00	-11.52	103	215	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.61	33.83	8.78	54.00	-11.39	114	66	Average	Vertical	
2 *	5180.00	104.35	95.43	8.92	54.00	50.35	114	66	Average	Vertical	
3	5413.00	42.73	33.52	9.21	54.00	-11.27	114	66	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.50	55.87	47.06	8.81	74.00	-18.13	118	218	Peak	Horizontal	
2 *	5200.00	101.70	92.67	9.03	68.20	33.50	118	218	Peak	Horizontal	
3	5381.50	55.92	46.85	9.07	74.00	-18.08	118	218	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5035.50	55.77	46.88	8.89	74.00	-18.23	100	66	Peak	Vertical	
2 *	5200.00	112.98	103.95	9.03	68.20	44.78	100	66	Peak	Vertical	
3	5419.00	56.17	46.99	9.18	74.00	-17.83	100	66	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5128.50	42.26	33.46	8.80	54.00	-11.74	118	218	Average	Horizontal	
2 *	5200.00	95.25	86.22	9.03	54.00	41.25	118	218	Average	Horizontal	
3	5404.50	42.63	33.36	9.27	54.00	-11.37	118	218	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	42.67	33.89	8.78	54.00	-11.33	100	66	Average	Vertical	
2 *	5200.00	104.00	95.05	8.95	54.00	50.00	100	66	Average	Vertical	
3	5396.50	43.01	33.75	9.26	54.00	-10.99	100	66	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5026.50	55.04	46.22	8.82	74.00	-18.96	110	219	Peak	Horizontal	
2 *	5240.00	102.09	93.35	8.74	68.20	33.89	110	219	Peak	Horizontal	
3	5400.50	55.77	46.47	9.30	74.00	-18.23	110	219	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5054.50	56.69	47.72	8.97	74.00	-17.31	200	66	Peak	Vertical	
2 *	5240.00	115.74	107.00	8.74	68.20	47.54	200	66	Peak	Vertical	
3	5389.00	56.55	47.39	9.16	74.00	-17.45	200	66	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.18	33.38	8.80	54.00	-11.82	110	219	Average	Horizontal	
2 *	5240.00	93.45	84.71	8.74	54.00	39.45	110	219	Average	Horizontal	
3	5485.50	42.71	33.44	9.27	54.00	-11.29	110	219	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5085.00	43.15	34.27	8.88	54.00	-10.85	288	66	Average	Vertical	
2 *	5240.00	106.36	97.62	8.74	54.00	52.36	288	66	Average	Vertical	
3	5399.00	43.61	34.32	9.29	54.00	-10.39	288	66	Average	Vertical	


802.11ax HE5

CH 35 (Horizontal) Peak

CH 35 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4955.50	55.80	46.86	8.94	74.00	-18.20	329	213	Peak	Horizontal	
2 *	5175.00	100.71	91.81	8.90	68.20	32.51	329	213	Peak	Horizontal	
3	5423.50	55.36	46.22	9.14	74.00	-18.64	329	213	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4933.50	55.21	46.29	8.92	74.00	-18.79	183	67	Peak	VERTICAL	
2 *	5175.00	114.00	105.18	8.90	68.20	45.88	183	67	Peak	VERTICAL	
3	5374.00	55.62	46.65	8.97	74.00	-18.38	183	67	Peak	VERTICAL	

802.11ax HE5

CH 35 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.50	41.83	33.03	8.80	54.00	-12.17	329	213	Average	Horizontal	
2 *	5175.00	89.10	80.28	8.80	54.00	35.18	329	213	Average	Horizontal	
3	5395.50	42.31	33.06	9.25	54.00	-11.69	329	213	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.26	33.48	8.78	54.00	-11.74	183	67	Average	VERTICAL	
2 *	5175.00	102.63	93.73	8.90	54.00	48.63	183	67	Average	VERTICAL	
3	5404.00	42.52	33.25	9.27	54.00	-11.48	183	67	Average	VERTICAL	


802.11ax HE5

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4501.00	55.36	47.60	7.76	74.00	-18.64	115	215	Peak	Horizontal	
2 *	5210.00	101.67	92.72	8.95	68.20	33.47	115	215	Peak	Horizontal	
3	5397.50	55.41	46.13	9.28	74.00	-18.59	115	215	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.50	54.94	46.12	8.82	74.00	-19.06	100	61	Peak	Vertical	
2 *	5210.00	112.69	103.74	8.95	68.20	44.49	100	61	Peak	Vertical	
3	5457.00	56.21	47.24	8.97	74.00	-17.79	100	61	Peak	Vertical	


802.11ax HE5

CH 42 (Horizontal) Average

CH 42 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	41.98	33.28	8.70	54.00	-12.02	115	215	Average	Horizontal	
2 *	5210.00	88.53	79.58	8.95	54.00	34.53	115	215	Average	Horizontal	
3	5404.00	42.37	33.10	9.27	54.00	-11.63	115	215	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.50	42.14	33.34	8.80	54.00	-11.86	100	61	Average	Vertical	
2 *	5210.00	102.20	93.25	8.95	54.00	48.20	100	61	Average	Vertical	
3	5404.50	42.42	33.15	9.27	54.00	-11.58	100	61	Average	Vertical	


802.11ax HE5

CH 49 (Horizontal) Peak

CH 49 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	55.96	47.18	8.78	74.00	-18.04	111	218	Peak	Horizontal	
2 *	5245.00	100.90	92.20	8.70	68.20	32.70	111	218	Peak	Horizontal	
3	5443.00	56.13	47.14	8.99	74.00	-17.87	111	218	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.50	56.17	47.34	8.83	74.00	-17.63	274	106	Peak	Vertical	
2 *	5245.00	112.71	104.01	8.70	68.20	44.51	274	106	Peak	Vertical	
3	5378.50	55.61	46.58	9.03	74.00	-18.39	274	106	Peak	Vertical	

802.11ax HE5

CH 49 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	41.85	33.06	8.79	54.00	-12.15	111	218	Average	Horizontal	
2 *	5245.00	89.45	80.75	8.70	54.00	35.45	111	218	Average	Horizontal	
3	5431.00	42.36	33.28	9.08	54.00	-11.64	111	218	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	41.93	33.15	8.78	54.00	-12.07	274	106	Average	Vertical	
2 *	5245.00	101.10	92.40	8.70	54.00	47.10	274	106	Average	Vertical	
3	5400.00	42.68	33.38	9.30	54.00	-11.32	274	106	Average	Vertical	


802.11ax HE10

CH 35 (Horizontal) Peak

CH 35 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	54.77	45.98	8.79	74.00	-19.23	286	156	Peak	Horizontal	
2 *	5175.00	103.58	94.68	8.90	68.20	35.38	286	156	Peak	Horizontal	
3	5424.50	55.59	46.46	9.13	74.00	-18.41	286	156	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	55.46	46.63	8.83	74.00	-18.54	185	66	Peak	Vertical	
2 *	5175.00	117.42	108.52	8.90	68.20	49.22	185	66	Peak	Vertical	
3	5428.00	56.07	46.90	9.17	74.00	-17.93	185	66	Peak	Vertical	

802.11ax HE10


CH 35 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE10

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5115.50	55.69	46.88	8.81	74.00	-18.31	100	151	Peak	Horizontal	
2 *	5218.00	102.51	93.56	8.95	68.20	34.31	100	151	Peak	Horizontal	
3	5426.00	55.95	46.84	9.11	74.00	-18.05	100	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5078.00	55.80	46.90	8.90	74.00	-18.20	100	66	Peak	Vertical	
2 *	5218.00	117.91	108.96	8.95	68.20	49.71	100	66	Peak	Vertical	
3	5433.50	56.15	47.08	9.07	74.00	-17.85	100	66	Peak	Vertical	

802.11ax HE10

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	42.07	33.26	8.81	54.00	-11.93	100	151	Average	Horizontal	
2 *	5210.00	92.69	83.74	8.95	54.00	38.69	100	151	Average	Horizontal	
3	5404.50	42.61	33.34	9.27	54.00	-11.39	100	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.66	33.86	8.80	54.00	-11.34	100	66	Average	Vertical	
2 *	5210.00	105.64	96.69	8.95	54.00	51.64	100	66	Average	Vertical	
3	5407.50	43.24	33.98	9.26	54.00	-10.76	100	66	Average	Vertical	


802.11ax HE10

CH 49 (Horizontal) Peak

CH 49 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4976.50	54.70	45.91	8.79	74.00	-19.30	100	151	Peak	Horizontal	
2 *	5245.00	102.91	94.21	8.70	68.20	34.71	100	151	Peak	Horizontal	
3	5424.50	55.18	46.05	9.13	74.00	-18.82	100	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.00	55.72	46.92	8.80	74.00	-18.28	100	65	Peak	Vertical	
2 *	5245.00	118.11	109.41	8.70	68.20	49.91	100	65	Peak	Vertical	
3	5415.50	56.51	47.32	9.19	74.00	-17.49	100	65	Peak	Vertical	

802.11ax HE10

CH 49 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	42.12	33.32	8.80	54.00	-11.88	100	151	Average	Horizontal	
2 *	5245.00	93.01	84.31	8.70	54.00	39.01	100	151	Average	Horizontal	
3	5398.00	42.62	33.34	9.28	54.00	-11.38	100	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	42.83	34.05	8.78	54.00	-11.17	100	65	Average	Vertical	
2 *	5245.00	105.51	96.81	8.70	54.00	51.51	100	65	Average	Vertical	
3	5412.00	43.27	34.05	9.22	54.00	-10.73	100	65	Average	Vertical	


802.11ax HE20

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.51	55.34	46.56	8.78	74.00	-18.66	100	150	Peak	Horizontal	
2 *	5180.00	103.13	94.21	8.92	68.20	34.93	100	150	Peak	Horizontal	
3	5355.28	56.09	47.37	8.72	74.00	-17.91	100	150	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	56.85	48.07	8.78	74.00	-17.15	212	70	Peak	Vertical	
2 *	5180.00	119.18	110.26	8.92	68.20	50.98	212	70	Peak	Vertical	
3	5368.00	55.92	47.03	8.89	74.00	-16.88	212	70	Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal) Average

CH 36 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.16	42.19	33.39	8.80	54.00	-11.81	100	150	Average	Horizontal	
2 *	5180.00	92.47	83.55	8.92	54.00	38.47	100	150	Average	Horizontal	
3	5404.56	42.68	33.41	9.27	54.00	-11.32	100	150	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	45.21	36.43	8.78	54.00	-8.79	212	70	Average	Vertical	
2 *	5180.00	100.00	99.17	8.92	54.00	54.00	212	70	Average	Vertical	
3	5399.00	43.42	34.13	9.29	54.00	-10.58	212	70	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4912.00	55.44	46.60	8.84	74.00	-18.56	100	151	Peak	Horizontal	
2 *	5200.00	104.02	94.99	9.03	68.20	35.82	100	151	Peak	Horizontal	
3	5417.50	55.57	46.39	9.18	74.00	-18.43	100	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5043.50	56.24	47.30	8.94	74.00	-17.76	222	71	Peak	Vertical	
2 *	5200.00	119.25	110.22	9.03	68.20	51.05	222	71	Peak	Vertical	
3	5385.50	56.17	47.05	9.12	74.00	-17.83	222	71	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	42.05	33.27	8.78	54.00	-11.95	100	151	Average	Horizontal	
2 *	5200.00	92.46	83.43	9.03	54.00	38.46	100	151	Average	Horizontal	
3	5406.00	42.63	33.37	9.26	54.00	-11.37	100	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5046.00	43.77	34.81	8.96	54.00	-10.23	222	71	Average	Vertical	
2 *	5200.00	100.25	99.22	9.03	54.00	54.25	222	71	Average	Vertical	
3	5396.50	43.42	34.16	9.26	54.00	-10.58	222	71	Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.00	56.23	47.38	8.85	74.00	-17.77	100	151	Peak	Horizontal	
2 *	5249.00	105.20	96.46	8.74	68.20	37.00	100	151	Peak	Horizontal	
3	5417.00	56.02	46.84	9.18	74.00	-17.98	100	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.00	55.53	46.66	8.87	74.00	-18.47	229	65	Peak	Vertical	
2 *	5249.00	119.48	110.74	8.74	68.20	51.28	229	65	Peak	Vertical	
3	5419.50	56.88	47.71	9.17	74.00	-17.12	229	65	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	42.04	33.25	8.79	54.00	-11.96	100	151	Average	Horizontal	
2 *	5240.00	92.87	84.13	8.74	54.00	38.87	100	151	Average	Horizontal	
3	5422.50	42.54	33.39	9.15	54.00	-11.46	100	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.50	43.10	34.29	8.81	54.00	-10.90	229	65	Average	Vertical	
2 *	5240.00	100.02	99.28	8.74	54.00	54.02	229	65	Average	Vertical	
3	5394.00	43.90	34.67	9.23	54.00	-10.10	229	65	Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak


CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.50	42.23	33.43	8.80	54.00	-11.77	100	152	Average	Horizontal	
2 *	5260.00	91.67	82.89	8.78	54.00	37.67	100	152	Average	Horizontal	
3	5396.50	42.84	33.58	9.26	54.00	-11.16	100	152	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.50	43.41	34.60	8.81	54.00	-10.59	213	72	Average	Vertical	
2 *	5260.00	106.59	97.81	8.78	54.00	52.59	213	72	Average	Vertical	
3	5408.50	44.07	34.82	9.25	54.00	-9.93	213	72	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	55.34	46.54	8.80	74.00	-18.66	100	74	Peak	Horizontal	
2 *	5300.00	102.46	93.25	9.21	68.20	34.26	100	74	Peak	Horizontal	
3	5420.00	55.25	46.68	9.17	74.00	-18.75	100	74	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	55.00	47.11	8.79	74.00	-18.10	215	71	Peak	Vertical	
2 *	5300.00	116.99	107.78	9.21	68.20	48.79	215	71	Peak	Vertical	
3	5409.50	55.66	46.43	9.23	74.00	-18.34	215	71	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	42.19	33.39	8.80	54.00	-11.81	100	74	Average	Horizontal	
2 *	5300.00	92.18	82.97	9.21	54.00	38.18	100	74	Average	Horizontal	
3	5485.00	42.75	33.48	9.27	54.00	-11.25	100	74	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	43.55	34.77	8.78	54.00	-10.45	215	71	Average	Vertical	
2 *	5300.00	107.78	98.57	9.21	54.00	53.78	215	71	Average	Vertical	
3	5397.50	43.93	34.65	9.28	54.00	-10.67	215	71	Average	Vertical	


802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.50	56.00	47.21	8.79	74.00	-18.00	109	152	Peak	Horizontal	
2 *	5320.00	101.61	92.62	8.99	68.20	33.41	109	152	Peak	Horizontal	
3	5410.50	56.00	46.77	9.23	74.00	-18.00	109	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5064.00	56.99	48.05	8.94	74.00	-17.01	232	65	Peak	Vertical	
2 *	5320.00	117.31	108.32	8.99	68.20	49.11	232	65	Peak	Vertical	
3	5391.50	56.76	47.56	9.20	74.00	-17.24	232	65	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.50	42.31	33.51	8.80	54.00	-11.69	109	152	Average	Horizontal	
2 *	5320.00	91.94	82.95	8.99	54.00	37.94	109	152	Average	Horizontal	
3	5418.50	42.70	33.52	9.18	54.00	-11.30	109	152	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5050.50	43.45	34.46	8.99	54.00	-10.55	232	65	Average	Vertical	
2 *	5320.00	107.62	98.63	8.99	54.00	53.62	232	65	Average	Vertical	
3	5350.00	43.79	35.13	8.66	54.00	-10.21	232	65	Average	Vertical	


802.11ax HE5

CH 51 (Horizontal) Peak

CH 51 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5087.50	56.60	47.73	8.87	74.00	-17.40	273	153	Peak	Horizontal	
2 *	5255.00	102.68	93.95	8.73	68.20	34.48	273	153	Peak	Horizontal	
3	5402.00	55.59	46.30	9.29	74.00	-18.41	273	153	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4911.50	56.18	47.34	8.84	74.00	-17.82	274	64	Peak	Vertical	
2 *	5255.00	116.68	107.95	8.73	68.20	49.48	274	64	Peak	Vertical	
3	5441.00	56.04	47.03	9.01	74.00	-17.96	274	64	Peak	Vertical	

802.11ax HE5


CH 51 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE5

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4966.50	55.84	46.98	8.86	74.00	-18.16	302	67	Peak	Horizontal	
2 *	5298.00	103.00	93.98	9.10	68.20	34.88	302	67	Peak	Horizontal	
3	5386.50	55.43	46.30	9.13	74.00	-18.57	302	67	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.00	55.63	46.77	8.86	74.00	-18.37	225	64	Peak	Vertical	
2 *	5298.00	119.00	109.98	9.10	68.20	50.88	225	64	Peak	Vertical	
3	5413.50	55.80	46.59	9.21	74.00	-18.20	225	64	Peak	Vertical	


802.11ax HE5

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	42.72	33.94	8.78	54.00	-11.28	302	67	Average	Horizontal	
2 *	5298.00	93.92	83.92	9.10	54.00	39.92	302	67	Average	Horizontal	
3	5402.50	43.23	33.94	9.29	54.00	-10.77	302	67	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5050.00	42.93	33.94	8.99	54.00	-11.07	225	64	Average	Vertical	
2 *	5298.00	100.47	99.37	9.10	54.00	54.47	225	64	Average	Vertical	
3	5403.00	43.23	33.95	9.28	54.00	-10.77	225	64	Average	Vertical	


802.11ax HE5

CH 65 (Horizontal) Peak

CH 65 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4938.50	55.58	46.65	8.93	74.00	-18.42	223	223	Peak	Horizontal	
2 *	5325.00	103.36	94.42	8.94	68.20	35.16	223	223	Peak	Horizontal	
3	5392.00	55.46	46.25	9.21	74.00	-18.54	223	223	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4949.00	55.58	46.61	8.97	74.00	-18.42	226	64	Peak	Vertical	
2 *	5325.00	110.05	100.91	8.94	68.20	58.65	226	64	Peak	Vertical	
3	5401.00	56.58	47.29	9.29	74.00	-17.42	226	64	Peak	Vertical	

802.11ax HE5

CH 65 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.00	42.58	33.79	8.79	54.00	-11.42	223	223	Average	Horizontal	
2 *	5325.00	91.51	82.57	8.94	54.00	37.51	223	223	Average	Horizontal	
3	5395.50	43.18	33.93	9.25	54.00	-10.82	223	223	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	42.96	34.18	8.78	54.00	-11.04	226	64	Average	Vertical	
2 *	5325.00	100.03	99.09	8.94	54.00	54.03	226	64	Average	Vertical	
3	5398.00	43.35	34.07	9.28	54.00	-10.65	226	64	Average	Vertical	


802.11ax HE10

CH 51 (Horizontal) Peak

CH 51 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.50	55.29	46.42	8.87	74.00	-18.71	116	152	Peak	Horizontal	
2 *	5255.00	103.29	94.56	8.73	68.20	35.09	116	152	Peak	Horizontal	
3	5401.50	56.41	47.12	9.29	74.00	-17.59	116	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4930.00	56.82	47.92	8.90	74.00	-17.18	100	64	Peak	Vertical	
2 *	5255.00	117.64	109.11	8.73	68.20	49.64	100	64	Peak	Vertical	
3	5441.50	56.63	47.62	9.01	74.00	-17.37	100	64	Peak	Vertical	

802.11ax HE10

CH 51 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.00	42.00	33.20	8.80	54.00	-12.00	116	152	Average	Horizontal	
2 *	5255.00	92.40	83.67	8.73	54.00	38.40	116	152	Average	Horizontal	
3	5406.00	42.68	33.42	9.26	54.00	-11.32	116	152	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	42.87	34.08	8.79	54.00	-11.13	100	64	Average	Vertical	
2 *	5255.00	105.60	96.87	8.73	54.00	51.60	100	64	Average	Vertical	
3	5403.00	43.23	33.95	9.28	54.00	-10.77	100	64	Average	Vertical	


802.11ax HE10

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5074.50	56.10	47.20	8.90	74.00	-17.90	102	151	Peak	Horizontal	
2 *	5290.00	104.64	95.54	9.10	68.20	36.44	102	151	Peak	Horizontal	
3	5429.00	55.63	46.53	9.10	74.00	-18.37	102	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.50	56.27	47.47	8.80	74.00	-17.73	238	64	Peak	Vertical	
2 *	5290.00	119.71	110.61	9.10	68.20	51.51	238	64	Peak	Vertical	
3	5361.00	56.48	47.69	8.79	74.00	-17.52	238	64	Peak	Vertical	

802.11ax HE10

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	42.15	33.36	8.79	54.00	-11.85	102	151	Average	Horizontal	
2 *	5296.00	92.90	83.00	9.10	54.00	38.90	102	151	Average	Horizontal	
3	5397.50	42.68	33.40	9.28	54.00	-11.32	102	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5182.50	43.12	34.30	8.82	54.00	-10.88	238	64	Average	Vertical	
2 *	5296.00	100.38	99.25	9.10	54.00	54.38	238	64	Average	Vertical	
3	5423.00	43.65	34.51	9.14	54.00	-10.35	238	64	Average	Vertical	


802.11ax HE10

CH 65 (Horizontal) Peak

CH 65 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5189.00	55.22	46.40	8.82	74.00	-18.78	100	81	Peak	Horizontal	
2 *	5325.00	104.15	95.21	8.94	68.20	35.95	100	81	Peak	Horizontal	
3	5382.00	55.61	46.54	9.07	74.00	-18.39	100	81	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	56.29	47.50	8.79	74.00	-17.71	217	65	Peak	Vertical	
2 *	5325.00	120.40	111.46	8.94	68.20	52.20	217	65	Peak	Vertical	
3	5410.00	56.75	47.52	9.23	74.00	-17.25	217	65	Peak	Vertical	

802.11ax HE10


CH 65 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.00	55.78	46.94	8.84	74.00	-18.22	100	151	Peak	Horizontal	
2 *	5260.00	105.30	96.52	8.78	68.20	37.10	100	151	Peak	Horizontal	
3	5398.00	56.26	46.98	9.28	74.00	-17.74	100	151	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5074.50	56.62	47.72	8.90	74.00	-17.38	241	64	Peak	Vertical	
2 *	5260.00	119.16	110.38	8.78	68.20	50.96	241	64	Peak	Vertical	
3	5438.50	56.18	47.15	9.03	74.00	-17.82	241	64	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	42.07	33.28	8.79	54.00	-11.93	100	151	Average	Horizontal	
2 *	5268.00	92.61	83.83	8.78	54.00	38.61	100	151	Average	Horizontal	
3	5400.00	42.66	33.36	9.30	54.00	-11.34	100	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5074.50	43.53	34.63	8.90	54.00	-10.47	241	64	Average	Vertical	
2 *	5268.00	107.74	98.96	8.78	54.00	53.74	241	64	Average	Vertical	
3	5398.00	43.65	34.37	9.28	54.00	-10.35	241	64	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4943.00	55.38	46.42	8.96	74.00	-18.62	100	150	Peak	Horizontal	
2 *	5300.00	105.39	96.18	9.21	68.20	37.19	100	150	Peak	Horizontal	
3	5413.50	55.43	46.22	9.21	74.00	-18.57	100	150	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5019.00	56.21	47.44	8.77	74.00	-17.79	237	64	Peak	Vertical	
2 *	5300.00	118.66	109.45	9.21	68.20	50.45	237	64	Peak	Vertical	
3	5399.50	56.58	47.29	9.29	74.00	-17.42	237	64	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	42.32	33.53	8.79	54.00	-11.68	100	150	Average	Horizontal	
2 *	5300.00	93.05	83.84	9.21	54.00	39.05	100	150	Average	Horizontal	
3	5401.50	42.76	33.47	9.29	54.00	-11.24	100	150	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.50	43.48	34.69	8.79	54.00	-10.52	237	64	Average	Vertical	
2 *	5300.00	100.48	99.27	9.21	54.00	54.48	237	64	Average	Vertical	
3	5404.50	43.49	34.22	9.27	54.00	-10.51	237	64	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4859.00	55.60	47.02	8.58	74.00	-18.40	295	152	Peak	Horizontal	
2 *	5330.00	104.11	95.12	8.99	68.20	35.91	295	152	Peak	Horizontal	
3	5387.00	55.94	46.80	9.14	74.00	-18.06	295	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	56.43	47.65	8.78	74.00	-17.57	235	65	Peak	Vertical	
2 *	5330.00	120.66	111.67	8.99	68.20	52.46	235	65	Peak	Vertical	
3	5353.50	57.14	48.43	8.71	74.00	-16.86	235	65	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.00	42.18	33.38	8.80	54.00	-11.82	295	152	Average	Horizontal	
2 *	5320.00	91.66	82.67	8.99	54.00	37.66	295	152	Average	Horizontal	
3	5409.50	42.58	33.35	9.23	54.00	-11.42	295	152	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	43.12	34.34	8.78	54.00	-10.88	235	65	Average	Vertical	
2 *	5320.00	100.99	100.00	8.99	54.00	46.99	235	65	Average	Vertical	
3	5350.50	44.23	35.56	8.67	54.00	-9.77	235	65	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.00	55.34	46.06	9.28	74.00	-18.66	195	38 Peak	Horizontal	
2	5463.50	54.56	45.57	8.99	68.20	-13.64	195	38 Peak	Horizontal	
3 *	5508.00	101.91	92.82	9.09	68.20	33.71	195	38 Peak	Horizontal	
4	6112.50	57.42	47.60	9.82	68.20	-10.78	195	38 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	56.26	47.04	9.22	74.00	-17.74	100	80 Peak	Vertical	
2	5462.00	55.97	46.98	8.99	68.20	-12.23	100	80 Peak	Vertical	
3 *	5508.00	114.23	105.14	9.09	68.20	46.93	100	80 Peak	Vertical	
4	6641.00	57.48	48.19	9.29	68.20	-10.72	100	80 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5391.50	43.15	33.95	9.20	54.00	-10.85	195	38	Average	Horizontal	
2 *	5419.50	92.84	83.75	9.09	54.00	38.84	195	38	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.50	43.98	34.81	9.17	54.00	-10.02	100	80	Average	Vertical	
2 *	5500.00	105.34	96.25	9.09	54.00	51.34	100	80	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5431.50	55.54	46.47	9.07	74.00	-18.46	112	45	Peak	Horizontal
2	5465.00	54.50	45.51	8.99	68.20	-13.70	112	45	Peak	Horizontal
3 *	5588.00	101.32	92.50	8.82	68.20	33.12	112	45	Peak	Horizontal
4	6098.50	56.84	47.03	9.81	68.20	-11.16	112	45	Peak	Horizontal

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.50	56.60	47.50	9.10	74.00	-17.40	100	99	Peak	Vertical
2	5464.50	55.95	46.96	8.99	68.20	-12.25	100	99	Peak	Vertical
3 *	5588.00	114.78	105.96	8.82	68.20	46.58	100	99	Peak	Vertical
4	6810.00	57.58	48.13	9.45	68.20	-10.62	100	99	Peak	Vertical

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.00	43.07	33.90	9.17	54.00	-10.93	112	45	Average	Horizontal	
2 *	5598.00	91.38	82.56	8.82	54.00	37.58	112	45	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.50	43.98	34.70	9.28	54.00	-10.02	100	99	Average	Vertical	
2 *	5598.00	106.13	97.31	8.82	54.00	52.13	100	99	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5402.50	55.24	45.95	9.20	74.00	-18.76	129	155 Peak	Horizontal	
2	5469.50	55.07	46.06	9.01	68.20	-13.13	129	155 Peak	Horizontal	
3 *	5700.00	102.48	93.71	8.77	68.20	34.28	129	155 Peak	Horizontal	
4	6096.50	57.31	47.52	9.79	68.20	-10.89	129	155 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5386.00	55.66	46.54	9.12	74.00	-18.34	245	60 Peak	Vertical	
2	5469.00	56.36	47.36	9.00	68.20	-11.84	245	60 Peak	Vertical	
3 *	5700.00	116.50	107.73	8.77	68.20	48.30	245	60 Peak	Vertical	
4	5899.50	57.59	48.44	9.15	68.20	-10.61	245	60 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5484.58	43.38	34.83	9.27	54.00	-10.78	129	155	Average	Horizontal	
2 *	5700.00	93.20	84.43	8.77	54.00	39.20	129	155	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.00	43.58	34.38	9.28	54.00	-10.42	245	60	Average	Vertical	
2 *	5700.00	107.26	96.49	8.77	54.00	53.26	245	60	Average	Vertical	


802.11ax HE5

CH 99 (Horizontal) Peak

CH 99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.50	55.37	46.21	9.16	74.00	-18.63	266	64 Peak	Horizontal	
2	5463.50	54.40	45.41	8.99	68.20	-13.80	266	64 Peak	Horizontal	
3 *	5495.00	102.94	93.86	9.08	68.20	34.74	266	64 Peak	Horizontal	
4	6868.00	56.12	48.73	9.39	68.20	-10.08	266	64 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5381.00	56.18	47.12	9.06	74.00	-17.82	100	101 Peak	Vertical	
2	5467.00	56.12	47.12	9.00	68.20	-12.08	100	101 Peak	Vertical	
3 *	5495.00	118.10	109.02	9.08	68.20	49.90	100	101 Peak	Vertical	
4	5764.00	57.40	48.26	9.14	68.20	-10.00	100	101 Peak	Vertical	


802.11ax HE5

CH 99 (Horizontal) Average

CH 99 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5409.00	43.11	33.86	9.25	54.00	-10.89	266	64	Average	Horizontal	
2 *	5495.00	91.64	82.56	9.08	54.00	37.64	266	64	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5416.50	43.30	34.12	9.18	54.00	-10.70	100	101	Average	Vertical	
2 *	5495.00	105.69	96.61	9.08	54.00	51.69	100	101	Average	Vertical	


802.11ax HE5

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.50	56.66	47.48	9.18	74.00	-17.34	310	156 Peak	Horizontal	
2	5460.00	54.85	45.87	8.98	74.00	-19.15	310	156 Peak	Horizontal	
3 *	5580.00	100.82	92.00	8.82	68.20	32.62	310	156 Peak	Horizontal	
4	6113.50	57.04	47.22	9.82	68.20	-11.16	310	156 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.00	56.34	47.15	9.19	74.00	-17.66	100	100 Peak	Vertical	
2	5460.00	55.60	46.60	9.00	68.20	-12.60	100	100 Peak	Vertical	
3 *	5580.00	117.35	108.53	8.82	68.20	49.15	100	100 Peak	Vertical	
4	6034.00	57.59	48.15	9.44	68.20	-10.61	100	100 Peak	Vertical	

802.11ax HE5

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.50	43.25	34.09	9.16	54.00	-10.75	310	156	Average	Horizontal	
2 *	5580.00	90.15	81.33	8.82	54.00	36.15	310	156	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.50	43.29	34.12	9.17	54.00	-10.71	100	100	Average	Vertical	
2 *	5580.00	104.65	96.04	8.62	54.00	50.65	100	100	Average	Vertical	


802.11ax HE5

CH 143 (Horizontal) Peak

CH 143 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5419.50	56.77	47.60	9.17	74.00	-17.23	100	155	Peak	Horizontal
2	5463.00	55.72	46.73	8.99	68.20	-12.48	100	155	Peak	Horizontal
3 *	5715.00	101.64	92.75	8.89	68.20	33.44	100	155	Peak	Horizontal
4	6923.50	57.90	48.46	9.44	68.20	-10.30	100	155	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5419.50	56.35	47.16	9.19	74.00	-17.65	234	60	Peak	VERTICAL
2	5463.50	54.99	46.00	8.99	68.20	-13.21	234	60	Peak	VERTICAL
3 *	5715.00	117.84	108.95	8.89	68.20	49.64	234	60	Peak	VERTICAL
4 !	5725.00	66.65	57.68	8.97	68.20	-1.55	234	60	Peak	VERTICAL


802.11ax HE5

CH 143 (Horizontal) Average

CH 143 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5407.00	43.22	33.96	9.26	54.00	-10.78	100	155	Average	Horizontal	
2 *	5715.00	90.14	81.25	8.89	54.00	36.14	100	155	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5396.00	43.26	34.01	9.25	54.00	-10.74	234	60	Average	VERTICAL	
2 *	5715.00	106.89	96.80	8.89	54.00	52.89	234	60	Average	VERTICAL	