





802.11ax HE5-Channel 49




**802.11ax HE5-Channel 51**


802.11ax HE5-Channel 58




**802.11ax HE5-Channel 65**



**802.11ax HE5-Channel 99**




**802.11ax HE5-Channel 116**




802.11ax HE5-Channel 143




**802.11ax HE5-Channel 148**



**802.11ax HE5-Channel 158**




**802.11ax HE5-Channel 169**




**802.11ax HE10**

| Band     | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/MHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/MHz) | Maximum<br>Limit<br>(dBm/MHz) | Pass / Fail |
|----------|---------|--------------------|--------------------------------------|---------|---------|---------|-----------------------------------------------|-------------------------------|-------------|
|          |         |                    | Chain 0                              | Chain 1 | Chain 2 | Chain 3 |                                               |                               |             |
| U-NII-1  | 35      | 5175               | 0.18                                 | 0.14    | 0.89    | 1.87    | 7.52                                          | 7.70                          | Pass        |
|          | 42      | 5210               | 0.24                                 | 0.22    | 0.93    | 2.10    | 7.64                                          | 7.70                          | Pass        |
|          | 49      | 5245               | 0.15                                 | 0.21    | 0.79    | 2.28    | 7.64                                          | 7.70                          | Pass        |
| U-NII-2A | 51      | 5255               | -0.22                                | -0.43   | 0.20    | 1.61    | 7.06                                          | 7.31                          | Pass        |
|          | 58      | 5290               | 0.03                                 | 0.11    | 0.17    | 1.74    | 7.27                                          | 7.31                          | Pass        |
|          | 65      | 5325               | 0.18                                 | 0.14    | 0.30    | 1.41    | 7.23                                          | 7.31                          | Pass        |
| U-NII-2C | 99      | 5495               | 0.58                                 | 0.82    | 0.11    | 0.86    | 7.30                                          | 7.39                          | Pass        |
|          | 116     | 5580               | 0.23                                 | 0.36    | 0.43    | 1.42    | 7.33                                          | 7.39                          | Pass        |
|          | 143     | 5715               | -0.18                                | -0.05   | 0.87    | 1.35    | 7.24                                          | 7.39                          | Pass        |


| Band    | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/500kHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/500kHz) | Maximum<br>Limit<br>(dBm/500kHz) | Pass / Fail |
|---------|---------|--------------------|-----------------------------------------|---------|---------|---------|--------------------------------------------------|----------------------------------|-------------|
|         |         |                    | Chain 0                                 | Chain 1 | Chain 2 | Chain 3 |                                                  |                                  |             |
| U-NII-3 | 148     | 5740               | 1.36                                    | 1.89    | 2.95    | 2.62    | 8.94                                             | 26.39                            | Pass        |
|         | 158     | 5790               | 2.56                                    | 1.57    | 2.04    | 1.97    | 8.74                                             | 26.39                            | Pass        |
|         | 169     | 5845               | 3.20                                    | 1.60    | 3.95    | 1.13    | 9.32                                             | 26.39                            | Pass        |

**802.11ax HE10-Channel 35**



**802.11ax HE10-Channel 42**




**802.11ax HE10-Channel 49**




**802.11ax HE10-Channel 51**




**802.11ax HE10-Channel 58**




**802.11ax HE10-Channel 65**




**802.11ax HE10-Channel 99**



**802.11ax HE10-Channel 116**




**802.11ax HE10-Channel 143**




**802.11ax HE10-Channel 148**



**802.11ax HE10-Channel 158**




**802.11ax HE10-Channel 169**



**802.11ax HE20**

| Band     | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/MHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/MHz) | Maximum<br>Limit<br>(dBm/MHz) | Pass / Fail |
|----------|---------|--------------------|--------------------------------------|---------|---------|---------|-----------------------------------------------|-------------------------------|-------------|
|          |         |                    | Chain 0                              | Chain 1 | Chain 2 | Chain 3 |                                               |                               |             |
| U-NII-1  | 36      | 5180               | 0.24                                 | -0.01   | 0.95    | 1.84    | 7.53                                          | 7.70                          | Pass        |
|          | 40      | 5200               | 0.07                                 | -0.08   | 0.98    | 1.83    | 7.48                                          | 7.70                          | Pass        |
|          | 48      | 5240               | 0.32                                 | 0.00    | 0.78    | 2.09    | 7.59                                          | 7.70                          | Pass        |
| U-NII-2A | 52      | 5260               | -0.61                                | -0.54   | 0.06    | 1.49    | 6.90                                          | 7.31                          | Pass        |
|          | 60      | 5300               | -0.32                                | -0.64   | 0.04    | 1.60    | 6.98                                          | 7.31                          | Pass        |
|          | 64      | 5320               | -0.39                                | -0.20   | -0.24   | 1.08    | 6.82                                          | 7.31                          | Pass        |
| U-NII-2C | 100     | 5500               | 0.08                                 | 0.69    | 0.00    | 0.24    | 6.98                                          | 7.39                          | Pass        |
|          | 116     | 5580               | -0.57                                | -0.23   | 0.62    | 0.92    | 6.94                                          | 7.39                          | Pass        |
|          | 140     | 5700               | -0.78                                | -0.50   | 0.79    | 1.66    | 7.12                                          | 7.39                          | Pass        |


| Band | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/500kHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/500kHz) | Maximum<br>Limit<br>(dBm/500kHz) | Pass / Fail |
|------|---------|--------------------|-----------------------------------------|---------|---------|---------|--------------------------------------------------|----------------------------------|-------------|
|      |         |                    | Chain 0                                 | Chain 1 | Chain 2 | Chain 3 |                                                  |                                  |             |
|      | 149     | 5745               | 8.31                                    | 8.66    | 9.91    | 9.77    | 15.93                                            | 26.39                            | Pass        |
|      | 157     | 5785               | 8.87                                    | 7.66    | 9.83    | 9.02    | 15.63                                            | 26.39                            | Pass        |
|      | 165     | 5825               | 8.56                                    | 7.33    | 9.86    | 8.15    | 15.29                                            | 26.39                            | Pass        |

**802.11ax HE20-Channel 36**





**802.11ax HE20-Channel 40**


802.11ax HE20-Channel 48





802.11ax HE20-Channel 52




**802.11ax HE20-Channel 60**


**802.11ax HE20-Channel 64**




**802.11ax HE20-Channel 100**



802.11ax HE20-Channel 116





802.11ax HE20-Channel 140



802.11ax HE20-Channel 149



**802.11ax HE20-Channel 157**



**802.11ax HE20-Channel 165**


**<Partial RU>**
**802.11ax HE20\_26RU**


| Band     | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/MHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/MHz) | Maximum<br>Limit<br>(dBm/MHz) | Pass / Fail |
|----------|---------|--------------------|--------------------------------------|---------|---------|---------|-----------------------------------------------|-------------------------------|-------------|
|          |         |                    | Chain 0                              | Chain 1 | Chain 2 | Chain 3 |                                               |                               |             |
| U-NII-1  | 36      | 5180               | -2.84                                | -2.46   | -0.98   | -0.43   | 5.15                                          | 7.70                          | Pass        |
|          | 40      | 5200               | -2.77                                | -2.39   | -1.19   | -0.62   | 5.06                                          | 7.70                          | Pass        |
|          | 48      | 5240               | -1.48                                | -0.85   | -1.76   | -0.93   | 5.48                                          | 7.70                          | Pass        |
| U-NII-2A | 52      | 5260               | -0.84                                | -1.09   | -1.73   | -0.47   | 5.71                                          | 7.31                          | Pass        |
|          | 60      | 5300               | -1.00                                | -0.89   | -1.82   | -1.00   | 5.55                                          | 7.31                          | Pass        |
|          | 64      | 5320               | -1.35                                | -1.38   | -2.53   | -1.50   | 5.05                                          | 7.31                          | Pass        |
| U-NII-2C | 100     | 5500               | -1.15                                | -1.67   | -1.86   | -1.05   | 5.30                                          | 7.39                          | Pass        |
|          | 116     | 5580               | -0.90                                | -1.86   | -1.98   | -1.16   | 5.26                                          | 7.39                          | Pass        |
|          | 140     | 5700               | -2.53                                | -0.98   | -0.87   | -0.56   | 5.54                                          | 7.39                          | Pass        |

| Band    | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/500kHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/500kHz) | Maximum<br>Limit<br>(dBm/500kHz) | Pass / Fail |
|---------|---------|--------------------|-----------------------------------------|---------|---------|---------|--------------------------------------------------|----------------------------------|-------------|
|         |         |                    | Chain 0                                 | Chain 1 | Chain 2 | Chain 3 |                                                  |                                  |             |
| U-NII-3 | 149     | 5745               | 8.29                                    | 8.18    | 8.88    | 7.74    | 15.01                                            | 26.39                            | Pass        |
|         | 157     | 5785               | 9.12                                    | 8.54    | 9.22    | 7.55    | 15.37                                            | 26.39                            | Pass        |
|         | 165     | 5825               | 8.40                                    | 8.29    | 9.16    | 7.63    | 15.12                                            | 26.39                            | Pass        |


**802.11ax HE20-Channel 36**




**802.11ax HE20-Channel 40**




**802.11ax HE20-Channel 48**




**802.11ax HE20-Channel 52**




**802.11ax HE20-Channel 60**




**802.11ax HE20-Channel 64**




**802.11ax HE20-Channel 100**




**802.11ax HE20-Channel 116**




**802.11ax HE20-Channel 140**




**802.11ax HE20-Channel 149**



**802.11ax HE20-Channel 157**




**802.11ax HE20-Channel 165**




**802.11ax HE20\_52RU**

| Band     | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/MHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/MHz) | Maximum<br>Limit<br>(dBm/MHz) | Pass / Fail |
|----------|---------|--------------------|--------------------------------------|---------|---------|---------|-----------------------------------------------|-------------------------------|-------------|
|          |         |                    | Chain 0                              | Chain 1 | Chain 2 | Chain 3 |                                               |                               |             |
| U-NII-1  | 36      | 5180               | -5.16                                | -5.03   | -3.96   | -3.25   | 2.44                                          | 7.70                          | Pass        |
|          | 40      | 5200               | -5.54                                | -5.48   | -3.81   | -3.14   | 2.35                                          | 7.70                          | Pass        |
|          | 48      | 5240               | -4.23                                | -3.15   | -4.41   | -3.72   | 2.87                                          | 7.70                          | Pass        |
| U-NII-2A | 52      | 5260               | -3.78                                | -3.61   | -4.31   | -3.33   | 2.97                                          | 7.31                          | Pass        |
|          | 60      | 5300               | -3.70                                | -4.08   | -4.45   | -3.61   | 2.77                                          | 7.31                          | Pass        |
|          | 64      | 5320               | -4.46                                | -4.05   | -5.43   | -4.54   | 2.12                                          | 7.31                          | Pass        |
| U-NII-2C | 100     | 5500               | -3.18                                | -4.32   | -4.34   | -4.45   | 2.68                                          | 7.39                          | Pass        |
|          | 116     | 5580               | -3.20                                | -4.27   | -4.03   | -4.09   | 2.84                                          | 7.39                          | Pass        |
|          | 140     | 5700               | -5.41                                | -3.70   | -3.42   | -3.45   | 2.79                                          | 7.39                          | Pass        |


| Band    | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/500kHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/500kHz) | Maximum<br>Limit<br>(dBm/500kHz) | Pass / Fail |
|---------|---------|--------------------|-----------------------------------------|---------|---------|---------|--------------------------------------------------|----------------------------------|-------------|
|         |         |                    | Chain 0                                 | Chain 1 | Chain 2 | Chain 3 |                                                  |                                  |             |
| U-NII-3 | 149     | 5745               | 9.14                                    | 8.91    | 9.33    | 9.26    | 15.88                                            | 26.39                            | Pass        |
|         | 157     | 5785               | 8.51                                    | 8.19    | 8.62    | 8.19    | 15.10                                            | 26.39                            | Pass        |
|         | 165     | 5825               | 8.20                                    | 8.17    | 8.64    | 8.23    | 15.03                                            | 26.39                            | Pass        |

**802.11ax HE20-Channel 36**



**802.11ax HE20-Channel 40**




**802.11ax HE20-Channel 48**




**802.11ax HE20-Channel 52**




**802.11ax HE20-Channel 60**




**802.11ax HE20-Channel 64**




**802.11ax HE20-Channel 100**



**802.11ax HE20-Channel 116**




**802.11ax HE20-Channel 140**




**802.11ax HE20-Channel 149**



**802.11ax HE20-Channel 157**



**802.11ax HE20-Channel 165**




**802.11ax HE20\_106RU**


| Band     | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/MHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/MHz) | Maximum<br>Limit<br>(dBm/MHz) | Pass / Fail |
|----------|---------|--------------------|--------------------------------------|---------|---------|---------|-----------------------------------------------|-------------------------------|-------------|
|          |         |                    | Chain 0                              | Chain 1 | Chain 2 | Chain 3 |                                               |                               |             |
| U-NII-1  | 36      | 5180               | 0.25                                 | -0.14   | 0.91    | 1.57    | 7.41                                          | 7.70                          | Pass        |
|          | 40      | 5200               | 0.03                                 | -0.08   | 0.73    | 1.66    | 7.36                                          | 7.70                          | Pass        |
|          | 48      | 5240               | 0.16                                 | -0.03   | 0.46    | 2.08    | 7.47                                          | 7.70                          | Pass        |
| U-NII-2A | 52      | 5260               | -0.29                                | -0.88   | -0.11   | 1.54    | 6.88                                          | 7.31                          | Pass        |
|          | 60      | 5300               | -0.58                                | -0.59   | -0.83   | 1.07    | 6.55                                          | 7.31                          | Pass        |
|          | 64      | 5320               | -0.57                                | -0.33   | -0.21   | 0.61    | 6.61                                          | 7.31                          | Pass        |
| U-NII-2C | 100     | 5500               | 0.23                                 | 0.68    | -0.17   | -0.26   | 6.85                                          | 7.39                          | Pass        |
|          | 116     | 5580               | -0.67                                | -0.55   | -0.07   | 0.00    | 6.40                                          | 7.39                          | Pass        |
|          | 140     | 5700               | -0.74                                | -0.95   | 0.70    | 1.33    | 6.91                                          | 7.39                          | Pass        |

| Band    | Channel | Frequency<br>(MHz) | PSD without Duty Factor<br>(dBm/500kHz) |         |         |         | Total PSD<br>with<br>Duty Factor<br>(dBm/500kHz) | Maximum<br>Limit<br>(dBm/500kHz) | Pass / Fail |
|---------|---------|--------------------|-----------------------------------------|---------|---------|---------|--------------------------------------------------|----------------------------------|-------------|
|         |         |                    | Chain 0                                 | Chain 1 | Chain 2 | Chain 3 |                                                  |                                  |             |
| U-NII-3 | 149     | 5745               | 8.55                                    | 8.68    | 8.91    | 9.86    | 15.75                                            | 26.39                            | Pass        |
|         | 157     | 5785               | 8.51                                    | 8.58    | 8.53    | 8.97    | 15.37                                            | 26.39                            | Pass        |
|         | 165     | 5825               | 8.26                                    | 8.36    | 8.93    | 8.52    | 15.24                                            | 26.39                            | Pass        |


**802.11ax HE20-Channel 36**




**802.11ax HE20-Channel 40**




**802.11ax HE20-Channel 48**




**802.11ax HE20-Channel 52**




**802.11ax HE20-Channel 60**




**802.11ax HE20-Channel 64**




**802.11ax HE20-Channel 100**



**802.11ax HE20-Channel 116**




**802.11ax HE20-Channel 140**



**802.11ax HE20-Channel 149**



**802.11ax HE20-Channel 157**



**802.11ax HE20-Channel 165**

