

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.61	47.00	42.20	4.80	54.00	-7.00	262	159 Average	Horizontal	
2 *	2412.00	116.48	111.51	4.97	54.00	62.48	262	159 Average	Horizontal	
3	2499.54	41.16	36.00	5.16	54.00	-12.84	262	159 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.99	47.07	43.05	4.02	54.00	-6.13	104	265 Average	Vertical	
2 *	2412.00	115.57	110.69	4.97	54.00	61.57	104	265 Average	Vertical	
3	2487.46	41.58	36.42	5.16	54.00	-12.42	104	265 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.94	42.32	37.94	4.38	54.00	-11.68	256	162	Average	Horizontal
2 *	2437.00	116.90	111.82	5.08	54.00	62.90	256	162	Average	Horizontal
3	2483.66	42.51	37.35	5.16	54.00	-11.49	256	162	Average	Horizontal

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2318.04	43.46	39.08	4.38	54.00	-10.54	100	105	Average	Vertical
2 *	2437.00	117.18	112.10	5.08	54.00	63.18	100	105	Average	Vertical
3	2484.99	41.58	36.42	5.16	54.00	-12.42	100	105	Average	Vertical

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2320.07	61.63	57.23	4.40	74.00	-12.37	281	158 Peak	Horizontal	
2 *	2462.00	120.24	115.10	5.14	74.00	46.24	281	158 Peak	Horizontal	
3	2483.89	62.00	56.84	5.16	74.00	-12.00	281	158 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2317.07	60.97	56.56	4.41	74.00	-13.03	187	109 Peak	Vertical	
2 *	2462.00	119.83	114.69	5.14	74.00	45.83	187	109 Peak	Vertical	
3	2490.04	59.52	54.36	5.16	74.00	-14.48	187	109 Peak	Vertical	

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.95	70.22	65.40	4.82	74.00	-3.78	296	158 Peak	Horizontal	
2 *	2412.00	119.60	114.63	4.97	74.00	45.60	296	158 Peak	Horizontal	
3	2486.85	55.43	50.27	5.16	74.00	-18.57	296	158 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.34	68.72	63.91	4.81	74.00	-5.28	100	263 Peak	Vertical	
2 *	2412.00	118.64	113.87	4.97	74.00	44.64	100	263 Peak	Vertical	
3	2486.66	57.92	52.76	5.16	74.00	-16.08	100	263 Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	52.69	47.87	4.82	54.00	-1.31	296	158	Average	Horizontal		
2	2412.00	109.09	104.12	4.97	54.00	55.09	296	158	Average	Horizontal		
3	2497.42	41.16	36.00	5.16	54.00	-12.84	296	158	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	51.80	46.98	4.82	54.00	-2.20	100	263	Average	Vertical		
2	2412.00	109.27	104.30	4.97	54.00	55.27	100	263	Average	Vertical		
3	2487.99	41.01	35.85	5.16	54.00	-12.99	100	263	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.65	56.96	52.14	4.82	74.00	-17.04	254	63 Peak	Horizontal	
2 *	2437.00	121.57	116.49	5.08	74.00	47.57	254	63 Peak	Horizontal	
3	2486.05	55.69	50.53	5.16	74.00	-18.31	254	63 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.15	56.26	51.45	4.81	74.00	-17.74	148	33 Peak	Vertical	
2 *	2437.00	122.99	117.91	5.08	74.00	48.99	148	33 Peak	Vertical	
3	2489.70	54.72	49.56	5.16	74.00	-19.28	148	33 Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Limit					
		Factor							
		dB/m	dB/m	dB	cm	deg			
1	2387.90	42.83	38.02	4.81	54.00	-11.17	254	63	Average
2	2437.00	112.44	107.36	5.08	54.00	58.44	254	63	Average
3	2484.50	41.91	36.75	5.16	54.00	-12.09	254	63	Average

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Limit					
		Factor							
		dB/m	dB/m	dB	cm	deg			
1	2389.08	42.31	37.50	4.81	54.00	-11.69	148	33	Average
2	2437.00	113.47	108.39	5.08	54.00	59.47	148	33	Average
3	2489.09	42.02	36.86	5.16	54.00	-11.98	148	33	Average

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.61	58.23	53.85	4.38	74.00	-15.77	100	69 Peak	Horizontal	
2 *	2462.00	120.97	115.83	5.14	74.00	46.97	100	69 Peak	Horizontal	
3	2483.58	59.42	54.26	5.16	74.00	-14.58	100	69 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.36	56.21	51.83	4.38	74.00	-17.79	100	38 Peak	Vertical	
2 *	2462.00	122.99	117.85	5.14	74.00	48.99	100	38 Peak	Vertical	
3	2483.51	61.70	56.54	5.16	74.00	-12.30	100	38 Peak	Vertical	

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2316.00	43.66	39.26	4.40	54.00	-10.34	100	69	Average	Horizontal	
2 *	2462.00	113.67	106.53	5.14	54.00	57.67	100	69	Average	Horizontal	
3	2483.51	46.13	40.97	5.16	54.00	-7.87	100	69	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2311.44	42.57	38.19	4.38	54.00	-11.43	100	38	Average	Vertical	
2 *	2462.00	113.31	106.17	5.14	54.00	59.31	100	38	Average	Vertical	
3 !	2483.51	48.35	43.19	5.16	54.00	-5.65	100	38	Average	Vertical	

802.11ax HE5

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.62	67.75	62.94	4.81	74.00	-6.25	153	6 Peak	Horizontal	
2 *	2404.00	125.40	120.46	4.94	74.00	51.40	153	6 Peak	Horizontal	
3	2495.93	54.04	48.88	5.16	74.00	-19.96	153	6 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.34	69.48	64.67	4.81	74.00	-4.52	100	311 Peak	Vertical	
2 *	2404.00	126.11	121.17	4.94	74.00	52.11	100	311 Peak	Vertical	
3	2485.98	55.19	50.03	5.16	74.00	-18.81	100	311 Peak	Vertical	

802.11ax HE5

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.91	44.01	39.19	4.82	54.00	-9.99	153	6 Average	Horizontal
2 *	2404.00	113.54	108.60	4.94	54.00	59.54	153	6 Average	Horizontal
3	2498.48	39.87	34.71	5.16	54.00	-14.13	153	6 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.84	46.12	41.30	4.82	54.00	-7.88	100	311 Average	Vertical
2 *	2404.00	115.12	110.18	4.94	54.00	61.12	100	311 Average	Vertical
3	2493.65	40.27	35.11	5.16	54.00	-13.73	100	311 Average	Vertical

802.11ax HE5

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.00	57.57	53.17	4.40	74.00	-16.43	251	60	Peak	Horizontal
2 *	2437.00	126.00	121.00	5.00	74.00	52.00	251	60	Peak	Horizontal
3	2484.57	55.38	50.22	5.16	74.00	-18.62	251	60	Peak	Horizontal

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.16	55.39	50.68	4.71	74.00	-18.61	149	31	Peak	Vertical
2 *	2437.00	126.00	121.01	5.00	74.00	52.00	149	31	Peak	Vertical
3	2498.86	55.09	49.93	5.16	74.00	-18.91	149	31	Peak	Vertical

802.11ax HE 5

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE5

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.76	57.58	53.18	4.40	74.00	-16.42	243	63 Peak	Horizontal	
2 *	2469.00	126.58	121.43	5.15	74.00	52.58	243	63 Peak	Horizontal	
3	2483.66	65.10	59.94	5.16	74.00	-8.90	243	63 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2327.25	59.24	54.02	4.42	74.00	-14.76	153	43 Peak	Vertical	
2 *	2469.00	126.62	121.47	5.15	74.00	52.62	153	43 Peak	Vertical	
3	2484.61	65.83	60.67	5.16	74.00	-8.17	153	43 Peak	Vertical	

802.11ax HE5

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2311.33	43.36	38.98	4.38	54.00	-10.64	243	63	Average	Horizontal
2 *	2469.00	115.50	110.35	5.15	54.00	61.50	243	63	Average	Horizontal
3 !	2483.51	51.58	46.42	5.16	54.00	-2.42	243	63	Average	Horizontal

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2351.50	44.00	39.50	4.50	54.00	-10.00	153	43	Average	Vertical
2 *	2469.00	117.22	112.07	5.15	54.00	63.22	153	43	Average	Vertical
3 !	2484.00	52.98	47.82	5.16	54.00	-1.02	153	43	Average	Vertical

802.11ax HE10

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.38	63.99	59.17	4.82	74.00	-10.01	329	157 Peak	Horizontal	
2 *	2407.00	123.61	118.67	4.94	74.00	49.61	329	157 Peak	Horizontal	
3	2490.88	54.78	49.62	5.16	74.00	-19.22	329	157 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.50	66.63	61.81	4.82	74.00	-7.37	100	262 Peak	Vertical	
2 *	2407.00	125.20	120.26	4.94	74.00	51.20	100	262 Peak	Vertical	
3	2490.58	53.80	48.64	5.16	74.00	-20.20	100	262 Peak	Vertical	

802.11ax HE10

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.31	48.82	44.01	4.81	54.00	-5.18	329	157 Average	Horizontal	
2	2407.00	111.39	106.45	4.94	54.00	57.39	329	157 Average	Horizontal	
3	2490.27	40.63	35.47	5.16	54.00	-13.37	329	157 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.99	51.82	47.00	4.82	54.00	-2.18	100	262 Average	Vertical	
2	2407.00	113.41	108.47	4.94	54.00	59.41	100	262 Average	Vertical	
3	2490.16	40.50	35.34	5.16	54.00	-13.50	100	262 Average	Vertical	

802.11ax HE10

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.38	55.33	50.53	4.00	74.00	-18.67	254	64 Peak	Horizontal	
2 *	2437.00	125.77	120.69	5.08	74.00	51.77	254	64 Peak	Horizontal	
3	2484.27	53.72	48.56	5.16	74.00	-20.28	254	64 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.76	54.22	49.42	4.00	74.00	-19.78	151	32 Peak	Vertical	
2 *	2437.00	126.10	121.02	5.08	74.00	52.10	151	32 Peak	Vertical	
3	2489.59	56.65	51.49	5.16	74.00	-17.35	151	32 Peak	Vertical	

802.11ax HE10

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.44	42.05	37.27	4.78	54.00	-11.95	254	64 Average	Horizontal	
2 *	2437.00	114.33	109.25	5.08	54.00	60.33	254	64 Average	Horizontal	
3	2483.66	40.79	35.63	5.16	54.00	-13.21	254	64 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.77	40.63	35.83	4.80	54.00	-13.37	151	32 Average	Vertical	
2 *	2437.00	114.97	109.89	5.08	54.00	60.97	151	32 Average	Vertical	
3	2484.50	41.42	36.26	5.16	54.00	-12.58	151	32 Average	Vertical	

802.11ax HE10

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2327.37	58.34	53.92	4.42	74.00	-15.66	243	64 Peak	Horizontal	
2 *	2472.00	123.11	117.96	5.15	74.00	49.11	243	64 Peak	Horizontal	
3 !	2483.77	71.67	66.51	5.16	74.00	-2.33	243	64 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2331.47	58.09	53.66	4.43	74.00	-15.91	100	260 Peak	Vertical	
2 *	2472.00	124.07	118.92	5.15	74.00	50.07	100	260 Peak	Vertical	
3 !	2483.66	69.58	64.42	5.16	74.00	-4.42	100	260 Peak	Vertical	

802.11ax HE10

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2310.76	42.05	37.67	4.38	54.00	-11.95	243	64 Average	Horizontal	
2 *	2472.00	110.69	105.54	5.15	54.00	56.69	243	64 Average	Horizontal	
3 !	2484.04	50.54	45.38	5.16	54.00	-3.46	243	64 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2310.76	42.27	37.87	4.40	54.00	-11.73	100	260 Average	Vertical	
2 *	2472.00	111.29	106.14	5.15	54.00	57.29	100	260 Average	Vertical	
3 !	2483.55	51.87	46.71	5.16	54.00	-2.13	100	260 Average	Vertical	

802.11ax HE20


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	2389.46	49.14	44.32	4.82	54.00	-4.86	100	216 Average	Horizontal	
2	2412.00	106.78	101.81	4.97	54.00	52.78	100	216 Average	Horizontal	
3	2490.01	40.33	35.17	5.16	54.00	-13.67	100	216 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	2389.99	52.86	48.04	4.82	54.00	-1.14	102	260 Average	Vertical	
2	2412.00	110.54	105.57	4.97	54.00	56.54	102	260 Average	Vertical	
3	2491.03	40.57	35.41	5.16	54.00	-13.43	102	260 Average	Vertical	

802.11ax HE20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.74	59.18	54.37	4.81	74.00	-14.82	269	238 Peak	Horizontal	
2 *	2437.00	123.66	118.58	5.08	74.00	49.66	269	238 Peak	Horizontal	
3	2484.61	54.51	49.35	5.16	74.00	-19.49	269	238 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.06	59.16	54.35	4.81	74.00	-14.84	125	251 Peak	Vertical	
2 *	2437.00	124.75	119.67	5.08	74.00	50.75	125	251 Peak	Vertical	
3	2485.60	57.97	52.81	5.16	74.00	-16.03	125	251 Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.08	42.85	38.03	4.82	54.00	-11.15	269	238 Average	Horizontal	
2 *	2437.00	110.61	105.53	5.08	54.00	56.61	269	238 Average	Horizontal	
3	2483.66	41.18	36.62	5.16	54.00	-12.82	269	238 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.42	44.53	39.73	4.80	54.00	-9.47	125	251 Average	Vertical	
2 *	2437.00	113.81	108.73	5.08	54.00	59.81	125	251 Average	Vertical	
3	2485.90	43.21	38.05	5.16	54.00	-10.79	125	251 Average	Vertical	

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2323.41	57.81	53.39	4.42	74.00	-16.19	247	64 Peak	Horizontal	
2 *	2462.00	124.16	119.82	5.14	74.00	50.16	247	64 Peak	Horizontal	
3 !	2483.89	69.50	64.34	5.16	74.00	-4.50	247	64 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2324.63	56.50	52.16	4.42	74.00	-17.42	100	248 Peak	Vertical	
2 *	2462.00	123.50	118.36	5.14	74.00	49.50	100	248 Peak	Vertical	
3 !	2486.97	70.42	65.26	5.16	74.00	-3.58	100	248 Peak	Vertical	

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.56	42.68	38.38	4.38	54.00	-11.32	247	64 Average	Horizontal	
2 *	2462.00	111.10	105.96	5.14	54.00	57.10	247	64 Average	Horizontal	
3 !	2483.55	50.35	45.19	5.16	54.00	-3.65	247	64 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2325.24	43.24	38.82	4.42	54.00	-10.76	100	248 Average	Vertical	
2 *	2462.00	111.82	106.68	5.14	54.00	57.82	100	248 Average	Vertical	
3 !	2486.74	52.09	46.93	5.16	54.00	-1.91	100	248 Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE20

Middle Channel(Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	53.05	34.97	18.08	127.72	-74.67	100	183 Peak	Open	
2	0.03	68.22	48.24	19.98	118.21	-49.99	100	174 Peak	Open	
3	0.06	59.45	41.04	18.41	112.70	-53.25	100	173 Peak	Open	
4	0.08	49.64	31.51	18.13	109.08	-59.44	100	267 Peak	Open	
5	0.11	42.56	24.47	18.09	106.62	-64.06	100	154 Peak	Open	
6	0.14	40.96	22.69	18.27	104.68	-63.72	100	154 Peak	Open	

Middle Channel(Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.42	46.50	27.83	18.67	95.17	-48.67	100	172 Peak	Open	
2	3.58	36.82	17.61	19.21	69.50	-32.68	100	14 Peak	Open	
3	7.79	35.00	14.23	20.77	69.50	-34.50	100	16 Peak	Open	
4	15.43	35.47	13.77	21.70	69.50	-34.03	100	142 Peak	Open	
5	21.76	36.84	14.42	22.42	69.50	-32.66	100	83 Peak	Open	
6	25.85	36.96	14.10	22.86	69.50	-32.54	100	20 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	66.86	27.34	36.18	-8.84	40.00	-12.66	200	279 Peak	Horizontal	
2	199.75	29.83	39.03	-9.20	43.50	-13.67	200	131 Peak	Horizontal	
3	305.48	26.34	32.35	-6.01	46.00	-19.66	100	250 Peak	Horizontal	
4	638.19	31.20	30.35	0.85	46.00	-14.80	200	295 Peak	Horizontal	
5	845.77	35.33	31.25	4.08	46.00	-10.67	200	234 Peak	Horizontal	
6	952.47	35.42	29.73	5.69	46.00	-10.58	200	194 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	62.01	32.22	39.74	-7.52	40.00	-7.78	100	106 Peak	Vertical	
2	198.78	26.96	36.17	-9.21	43.50	-16.54	100	196 Peak	Vertical	
3	402.48	26.35	29.93	-3.58	46.00	-19.65	100	255 Peak	Vertical	
4	588.72	30.69	30.82	-0.13	46.00	-15.31	100	17 Peak	Vertical	
5	713.85	32.84	30.42	2.42	46.00	-13.16	100	305 Peak	Vertical	
6	845.77	35.30	31.22	4.08	46.00	-10.70	200	98 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	35.34	26.74	8.50	54.00	-18.76	180	360 Average	Horizontal	
2	4824.00	45.81	37.31	8.50	74.00	-28.19	180	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	40.08	39.58	8.50	54.00	-5.92	200	69 Average	Vertical	
2	4824.00	51.77	43.27	8.50	74.00	-22.23	200	69 Peak	Vertical	

802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	35.34	26.67	8.67	54.00	-18.66	182	360 Average	Horizontal	
2	4874.00	45.76	37.09	8.67	74.00	-28.24	182	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	46.93	38.26	8.67	54.00	-7.07	180	64 Average	Vertical	
2	4874.00	51.70	43.03	8.67	74.00	-22.30	180	64 Peak	Vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	33.89	25.00	8.89	54.00	-20.11	100	182	Average	Horizontal	
2	4924.00	45.06	36.17	8.89	74.00	-28.94	100	182	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	47.14	38.25	8.89	54.00	-6.86	100	64	Average	Vertical	
2	4924.00	50.88	41.99	8.89	74.00	-23.12	100	64	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	31.30	22.70	8.50	54.00	-22.00	100	125 Average	Horizontal	
2	4824.00	44.24	35.74	8.50	74.00	-29.76	100	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	31.70	23.20	8.50	54.00	-22.30	100	205 Average	Vertical	
2	4824.00	44.77	36.27	8.50	74.00	-29.23	100	205 Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	31.60	22.93	8.67	54.00	-22.40	100	125 Average	Horizontal	
2	4874.00	45.12	36.45	8.67	74.00	-28.88	100	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	32.58	23.91	8.67	54.00	-21.42	100	333 Average	Vertical	
2	4874.00	46.10	37.43	8.67	74.00	-27.90	100	333 Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	33.68	24.79	8.89	54.00	-20.32	100	154 Average	Horizontal	
2	4924.00	47.21	38.32	8.89	74.00	-26.79	100	154 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	34.36	25.47	8.89	54.00	-19.64	200	65 Average	Vertical	
2	4924.00	45.61	36.72	8.89	74.00	-28.39	200	65 Peak	Vertical	


802.11ax HE5

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4814.00	31.17	22.68	8.49	54.00	-22.83	180	360	Average	Horizontal	
2	4814.00	44.70	36.21	8.49	74.00	-29.30	180	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4814.00	40.14	31.05	8.49	54.00	-13.86	180	100	Average	Vertical	
2	4814.00	52.39	43.90	8.49	74.00	-21.61	180	100	Peak	Vertical	


802.11ax HE5

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	32.19	23.52	8.67	54.00	-21.81	100	282 Average	Horizontal	
2	4874.00	45.56	36.89	8.67	74.00	-28.44	100	282 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	39.53	30.86	8.67	54.00	-14.47	155	97 Average	Vertical	
2	4874.00	54.71	46.04	8.67	74.00	-19.29	155	97 Peak	Vertical	

802.11ax HE5

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4938.00	31.46	22.53	8.93	54.00	-22.54	100	255	Average	Horizontal	
2	4938.00	44.75	35.82	8.93	74.00	-29.25	100	255	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4938.00	36.90	27.97	8.93	54.00	-17.10	100	87	Average	Vertical	
2	4938.00	48.12	39.19	8.93	74.00	-25.88	100	87	Peak	Vertical	


802.11ax HE10

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4814.00	30.93	22.44	8.49	54.00	-23.07	100	360	Average	Horizontal	
2	4814.00	44.52	36.03	8.49	74.00	-29.48	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4814.00	34.30	25.81	8.49	54.00	-19.70	100	31	Average	Vertical	
2	4814.00	47.61	39.12	8.49	74.00	-26.39	100	31	Peak	Vertical	


802.11ax HE10

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE10

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4944.00	31.57	22.61	8.96	54.00	-22.43	100	58	Average	Horizontal	
2	4944.00	45.41	36.45	8.96	74.00	-28.59	100	58	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4944.00	33.42	24.46	8.96	54.00	-20.58	200	21	Average	Vertical	
2	4944.00	46.69	37.73	8.96	74.00	-27.31	200	21	Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	31.30	22.00	8.50	54.00	-22.70	100	107 Average	Horizontal	
2	4824.00	44.80	36.30	8.50	74.00	-29.20	100	107 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	32.05	23.55	8.50	54.00	-21.95	100	360 Average	Vertical	
2	4824.00	46.81	38.31	8.50	74.00	-27.19	100	360 Peak	Vertical	


802.11ax HE20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV		dBuV/m	dB	cm	deg			
1	4874.00	32.07	23.40	8.67	54.00	-21.93	200	183	Average	Horizontal	
2	4874.00	45.74	37.07	8.67	74.00	-28.26	200	183	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV		dBuV/m	dB	cm	deg			
1	4874.00	34.17	25.50	8.67	54.00	-19.83	200	360	Average	Vertical	
2	4874.00	47.40	38.73	8.67	74.00	-26.60	200	360	Peak	Vertical	


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.73	22.84	8.89	54.00	-22.27	100	360	Average	Horizontal	
2	4924.00	45.50	36.61	8.89	74.00	-28.50	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	32.77	23.88	8.89	54.00	-21.23	100	359	Average	Vertical	
2	4924.00	46.43	37.54	8.89	74.00	-27.57	100	359	Peak	Vertical	

<Partial RU>
Band Edges, 2.31GHz ~ 2.5GHz


802.11ax HE20_RU106

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.61	53.67	49.28	4.39	74.00	-20.33		100	16	Peak	Horizontal	
2 *	2437.00	120.58	115.50	5.08	74.00	46.58		100	16	Peak	Horizontal	
3	2494.11	53.78	48.62	5.16	74.00	-20.22		100	16	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2329.08	54.09	49.66	4.43	74.00	-19.91		100	21	Peak	Vertical	
2 *	2437.00	122.02	116.94	5.08	74.00	48.02		100	21	Peak	Vertical	
3	2498.37	54.02	48.86	5.16	74.00	-19.98		100	21	Peak	Vertical	

802.11ax HE 20_RU106

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2313.27	39.59	35.20	4.39	54.00	-14.41	100	16	Average	Horizontal
2 *	2437.00	107.54	102.46	5.08	54.00	53.54	100	16	Average	Horizontal
3	2489.59	39.59	34.43	5.16	54.00	-14.41	100	16	Average	Horizontal

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2396.34	39.57	34.77	4.80	54.00	-14.43	100	21	Average	Vertical
2 *	2437.00	109.29	104.21	5.08	54.00	55.29	100	21	Average	Vertical
3	2488.64	39.97	34.81	5.16	54.00	-14.03	100	21	Average	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11ax HE20_RU106

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	31.60	22.93	8.67	54.00	-22.40	100	123 Average	Horizontal	
2	4874.00	45.45	36.78	8.67	74.00	-28.55	100	123 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4874.00	32.20	23.53	8.67	54.00	-21.80	100	344 Average	Vertical	
2	4874.00	45.62	36.95	8.67	74.00	-28.38	100	344 Peak	Vertical	

Mains Conducted Emission, TX Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1022




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	PoI/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	25.96	16.33	9.63	55.34	-29.38	Average	line1	
2	0.16	47.89	38.26	9.63	65.34	-17.45	QP	line1	
3	0.36	27.81	18.19	9.63	48.63	-20.82	Average	line1	
4	0.36	40.45	30.82	9.63	58.63	-18.18	QP	line1	
5	0.86	13.86	4.22	9.64	46.00	-32.14	Average	line1	
6	0.86	24.09	14.45	9.64	56.00	-31.91	QP	line1	
7	4.79	11.80	2.10	9.70	46.00	-34.20	Average	line1	
8	4.79	22.65	12.95	9.70	56.00	-33.35	QP	line1	
9	12.42	9.93	0.18	9.75	50.00	-40.07	Average	line1	
10	12.42	18.68	8.93	9.75	60.00	-41.32	QP	line1	
11	25.83	37.04	27.34	9.70	50.00	-12.96	Average	line1	
12	25.83	42.27	32.57	9.70	60.00	-17.73	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1022



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	PoI/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	23.82	14.18	9.64	55.83	-32.01	Average	neutral	
2	0.15	48.66	39.02	9.64	65.83	-17.17	QP	neutral	
3	0.37	31.20	21.57	9.63	48.59	-17.39	Average	neutral	
4	0.37	43.40	33.77	9.63	58.59	-15.19	QP	neutral	
5	0.59	10.48	0.85	9.63	46.00	-35.52	Average	neutral	
6	0.59	20.01	10.38	9.63	56.00	-35.99	QP	neutral	
7	4.67	11.88	2.17	9.71	46.00	-34.12	Average	neutral	
8	4.67	22.57	12.86	9.71	56.00	-33.43	QP	neutral	
9	6.86	9.15	-0.59	9.74	50.00	-40.85	Average	neutral	
10	6.86	17.81	8.07	9.74	60.00	-42.19	QP	neutral	
11	25.83	36.95	27.11	9.84	50.00	-13.05	Average	neutral	
12	25.83	42.32	32.48	9.84	60.00	-17.68	QP	neutral	