

ANTENNA SPECIFICATIONS


Item		Specifications
Antenna	Frequency Range	2400~2483.5MHz
	Polarization	Linear
	Peak Gain	0.97dBi
	V.S.W.R	1.57~1.85
	Impedance	50Ω
	Return Loss	-10~-13dB
	Connector	External antenna
	Efficiency	24.4%
	Type	wire antenna
	Size	28x1.15mm

Antenna type: ATWE-11-0008-060

Producer: Shenzhen Jingxun Technology Co. , Ltd.




Address : 3/F,A5 Building Zhiyuan Community
No.1001,Xueyuan Road Nanshan District,Shenzhen City

ANTENNA PATTERN



Efficiencyv

频率(MHz)	增益(dBi)	效率(dB)	效率(%)
2400	0.38	-6.25	23.72
2410	0.39	-6.19	24.05
2420	0.42	-6.15	24.26
2430	0.47	-6.14	24.33
2440	0.58	-6.12	24.44
2450	0.72	-6.08	24.65
2460	0.84	-6.05	24.81
2470	0.92	-6.04	24.86
2480	0.97	-6.04	24.91
2490	0.97	-6.04	24.88
2500	0.86	-6.10	24.52
AVG	0.68	-6.1	24.4



Antenna Picture:

