


ATTACHMENT D – TEST PLOT(S)

SOLARISM Model: LM1503 FCC/B 1024 x 768 50KHz./75Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.565	39.13	-	-	48.00	-8.87
2	1.555	36.96	-	-	48.00	-11.04
3	1.484	36.03	-	-	48.00	-11.97
4	2.196	35.86	-	-	48.00	-12.14
5	2.409	35.69	-	-	48.00	-12.31
6	2.267	35.46	-	-	48.00	-12.54
7	1.980	36.06	-	-	48.00	-11.94
8	2.621	35.40	-	-	48.00	-12.60
9	2.055	35.42	-	-	48.00	-12.58
10	1.767	35.89	-	-	48.00	-12.11

SOLARISM Model: LM1503 FCC/B
1024 x 768 50KHz./75Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.564	39.48	-	-	48.00	-8.52
2	1.908	36.66	-	-	48.00	-11.34
3	1.837	36.99	-	-	48.00	-11.01
4	2.125	36.00	-	-	48.00	-12.00
5	2.195	36.17	-	-	48.00	-11.83
6	2.265	35.91	-	-	48.00	-12.09
7	2.053	36.33	-	-	48.00	-11.67
8	1.696	35.92	-	-	48.00	-12.08
9	1.767	37.27	-	-	48.00	-10.73
10	2.478	35.70	-	-	48.00	-12.30

PCTEST Engineering Lab.


SOLARISM Model: LM1503 FCC/B
Composite R/V # 2 Input LINE A



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.001	37.22	-	48.00	-10.78
2	1.538	34.79	-	48.00	-13.21
3	2.309	33.54	-	48.00	-14.46
4	1.676	33.50	-	48.00	-14.50
5	1.467	33.53	-	48.00	-14.47
6	2.034	34.05	-	48.00	-13.95
7	1.747	33.96	-	48.00	-14.04
8	.488	33.11	-	48.00	-14.89
9	1.958	34.21	-	48.00	-13.79
10	2.172	33.96	-	48.00	-14.04

SOLARISM Model: LM1503 FCC/B
Composite R/V # 2 Input LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.000	37.19	-	48.00	-10.81
2	1.823	36.20	-	48.00	-11.80
3	2.037	35.52	-	48.00	-12.48
4	.560	36.05	-	48.00	-11.95
5	1.902	34.63	-	48.00	-13.37
6	1.965	35.53	-	48.00	-12.47
7	1.754	35.25	-	48.00	-12.75
8	2.181	34.91	-	48.00	-13.09
9	2.118	34.59	-	48.00	-13.41
10	2.249	34.99	-	48.00	-13.01

PCTEST Engineering Lab.


SOLARISM Model: LM1503 FCC/B
640 x 480 38KHz./75Hz. LINE A



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.565	39.05	-	48.00	-8.95
2	1.770	37.00	-	48.00	-11.00
3	2.058	36.54	-	48.00	-11.46
4	1.841	36.70	-	48.00	-11.30
5	2.270	36.29	-	48.00	-11.71
6	1.982	37.10	-	48.00	-10.90
7	2.127	36.12	-	48.00	-11.88
8	2.340	35.84	-	48.00	-12.16
9	2.199	36.19	-	48.00	-11.81
10	1.628	36.24	-	48.00	-11.76

SOLARISM Model: LM1503 FCC/B
640 x 480 38KHz./75Hz. LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-AV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.565	38.81	-	48.00	-9.19
2	1.557	36.80	-	48.00	-11.20
3	1.344	36.15	-	48.00	-11.85
4	2.058	35.55	-	48.00	-12.45
5	2.483	35.54	-	48.00	-12.46
6	1.485	35.86	-	48.00	-12.14
7	1.982	35.97	-	48.00	-12.03
8	2.199	35.78	-	48.00	-12.22
9	2.270	35.69	-	48.00	-12.31
10	2.411	35.70	-	48.00	-12.30

SOLARISM Model: LM1503 S-Video Input LINE A

FCC/B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.002	37.45	-	-	48.00	-10.55
2	1.560	36.13	-	-	48.00	-11.87
3	1.489	34.40	-	-	48.00	-13.60
4	2.274	35.32	-	-	48.00	-12.68
5	1.347	35.26	-	-	48.00	-12.74
6	2.487	35.04	-	-	48.00	-12.96
7	2.557	34.72	-	-	48.00	-13.28
8	.566	36.64	-	-	48.00	-11.36
9	1.986	35.42	-	-	48.00	-12.58
10	2.344	34.89	-	-	48.00	-13.11

FCC/B

SOLARISM Model: LM1503
S-Video Input LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.002	38.02	-	-	48.00	-9.98
2	.567	36.77	-	-	48.00	-11.23
3	1.846	36.61	-	-	48.00	-11.39
4	1.915	35.56	-	-	48.00	-12.44
5	2.205	35.40	-	-	48.00	-12.60
6	2.063	36.08	-	-	48.00	-11.92
7	2.276	35.70	-	-	48.00	-12.30
8	1.988	36.11	-	-	48.00	-11.89
9	2.132	35.14	-	-	48.00	-12.86
10	1.633	35.73	-	-	48.00	-12.27


PCTEST Engineering Lab.

SOLARISM Model: LM1503 FCC/B
Composite R/V # 1 Input LINE A



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	27.002	37.15	-	48.00	-10.85
2	1.769	36.00	-	48.00	-12.00
3	.584	37.51	-	48.00	-10.49
4	1.911	35.40	-	48.00	-12.60
5	1.982	36.13	-	48.00	-11.87
6	1.837	36.19	-	48.00	-11.81
7	2.051	35.71	-	48.00	-12.29
8	1.699	34.33	-	48.00	-13.67
9	2.266	35.23	-	48.00	-12.77
10	1.625	35.10	-	48.00	-12.90


SOLARISM Model: LM1503 FCC/B
Composite R/V # 1 Input LINE B



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.566	37.62	-	48.00	-10.38
2	27.002	37.72	-	48.00	-10.28
3	1.559	35.99	-	48.00	-12.01
4	1.488	34.33	-	48.00	-13.67
5	2.060	34.96	-	48.00	-13.04
6	2.201	35.04	-	48.00	-12.96
7	1.843	35.14	-	48.00	-12.86
8	2.273	35.25	-	48.00	-12.75
9	2.343	34.75	-	48.00	-13.25
10	1.346	35.23	-	48.00	-12.77

PCTEST Engineering Lab.


SOLARISM Model: LM1503 FCC/B
800 x 600 47KHz./75Hz. LINE A



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.565	38.73	-	48.00	-9.27
2	1.556	37.08	-	48.00	-10.92
3	1.484	36.08	-	48.00	-11.92
4	1.344	36.25	-	48.00	-11.75
5	2.480	35.66	-	48.00	-12.34
6	2.550	35.74	-	48.00	-12.26
7	2.410	35.80	-	48.00	-12.20
8	1.981	36.05	-	48.00	-11.95
9	2.125	35.69	-	48.00	-12.31
10	2.338	35.89	-	48.00	-12.11

SOLARISM Model: LM1503 FCC/B
800 x 600 47KHz./75Hz. LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk Average [dBuV]	QP-RV Emission [dB]	Limit [dBuV]	Margin [dB]
1	.565	39.06	-	48.00	-8.94
2	1.910	36.40	-	48.00	-11.60
3	1.769	36.96	-	48.00	-11.04
4	1.982	36.95	-	48.00	-11.05
5	1.841	37.06	-	48.00	-10.94
6	2.270	36.33	-	48.00	-11.67
7	2.127	36.20	-	48.00	-11.80
8	1.697	35.70	-	48.00	-12.30
9	2.198	36.19	-	48.00	-11.81
10	2.551	35.47	-	48.00	-12.53