

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

EQUIPMENT UNDER TEST :
APPARECCHIO IN PROVA :

CONTROL ACCESS TX+RX SYSTEM DIGITAG-LR

TYPE :
MODELLO :

RX: DTRR1434

REFERENCE STANDARDS :
NORME DI RIFERIMENTO :

47 CFR Part 15 – Unintentional Radiators

CUSTOMER:

RICHIEDENTE:

- **Dept. / Firm :** **ELPRO INNOTEK S.p.A.**
Ente / Società:
- **Mr.:** **ING. G. MASSIMO DALLE CARBONARE**
Sig.:
- **Address:** **VIA PIAVE, 23 – 31020 S. PIETRO DI FELETTO (TV) - ITALY**
Indirizzo:
- **Tel. :** **+39 0438.450879** • **Telefax** **+39 0438.455628** • **E-mail:** **d.carbonare@erone.com**
Telefono : Fax :

Site of test execution: **Via Campagna, 92 - 22020 Gaggino Faloppio (CO) - Italy**
Località esecuzione prove:

Date of test samples receipt: **16/07/2007**
Data ricevimento campioni:

Date of start test: **21/07/2007**
Data inizio prove:


Date of end test: **21/07/2007**
Data fine prove:

Witness to the test:
Presenti alle prove:

Tested by:
Testato da:

Approved by:
Approvato da:

Nobody / Nessuno


.....
Andrea Bortolotti


.....
Massimo Maltempi

The test results recorded in this Test Report are exclusively referred to the tested samples.

I risultati del presente rapporto di prova si riferiscono esclusivamente al campione sottoposto a prova.

Reproduction of this EMC-Test Report in whole or in part is prohibited without the written authorization of the Laboratory Director

La riproduzione di questo Rapporto in modo parziale o totale è PROIBITO senza l'autorizzazione scritta della Direzione del Laboratorio

0. CONTENTS

	Page	Rev	Date
0. CONTENTS.....	2	0	24/07/07
1. TECHNICAL INFORMATION OF EQUIPMENT UNDER TEST (EUT).....	3	0	24/07/07
1.1 Identification	3	0	24/07/07
1.2 Technical data	3	0	24/07/07
1.3 Modifications incorporated in E.U.T.....	3	0	24/07/07
1.4 Derived models.....	4	0	24/07/07
1.5 Auxiliary equipment	4	0	24/07/07
2. TEST CONDITIONS	5	0	24/07/07
2.1 Operating test modes and test conditions	5	0	24/07/07
2.2 Test overview	5	0	24/07/07
3. REFERENCE STANDARD FOR PERFORMED TESTS	6	0	24/07/07
4. Summary of test results	7	0	24/07/07
4.1 Emission tests	7	0	24/07/07
5. TEST RESULTS	8	0	24/07/07
6. EUT TECHNICAL DOCUMENTATION.....	17	0	24/07/07
6.1 Wiring diagrams.....	17	0	24/07/07
6.2 Technical manual	17	0	24/07/07
6.3 Photographic documentation.....	18	0	24/07/07

1. TECHNICAL INFORMATION OF EQUIPMENT UNDER TEST (EUT)

1.1 Identification

Brand name: DIGITAG LR
Manufacturer : ELPRO INNOTEK S.p.A.
Model name or No. : RX: DTRR1434
Part number / Serial No.: Not present
Country of manufacturer: Italy
FCC ID :

1.2 Technical data

FCC class: Unintentional radiators, Class B
Supply voltage: 12 ÷ 30Vdc external power supply
Maximum internal frequency generated by EUT Oscillator: 433.92 MHz
Typical usage : Programmable telephone entry system, anti-burglar system and access control system.

1.3 Modifications incorporated in E.U.T.

The following items are the modifications introduced in the equipment under test :

- None

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

1.4 Derived models

- None

Ports identification

This section contains descriptions of all signal ports and AC/DC power input/output ports, the length and the type of the cable provided by manufacturer needed for the tests.

Moreover it is specified if the ports are ever or optionally connected.

Port		Description	Connection
1	Enclosure	Plastic case	Screw
2	AC power input/output ports	Line not present	*****
3	DC power input/output ports	12 ÷ 30Vdc	Plug
4	Signals ports	None	*****
Note: During the tests all cables must be what provided the manufacturer or the same that used in the real employment of the EUT.			

1.5 Auxiliary equipment

- None

2. TEST CONDITIONS

2.1 Operating test modes and test conditions

The equipment has been tested according to the operative conditions described in the user/installation manual provided by the manufacturer and by following reference standards :

Reference Standard:

- FCC Part 15, Subpart B

In the following table there are the operating conditions adopted during tests identified by an indicator (#..) at which has been referred the item “Operating condition of the equipment under test” of all technical sheets of the tests (see Section 4)

Operating condition	Description
#1	<i>Continuous receiver</i>

2.2 Test overview

The appliance is classified as “*unintentional radiator*” in conformity to FCC Part 15 Sub. B §15.109, §15.107 , and it is subject to “*Certification*” procedure.

The application is mainly used as document encrypting and data storing.

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

3. REFERENCE STANDARD FOR PERFORMED TESTS

<i>Reference standard :</i>	<i>Title :</i>
FCC Part 15 part A	Code of Regulations Part 15 (Radio Frequency Devices), Subpart A (General) of the Federal Communication Commission (FCC)
FCC Part 15 part B	Code of Regulations Part 15 (Radio Frequency Devices), Subpart B (Unintentional Radiators) of the Federal Communication Commission (FCC)
ANSI C63.4	American National Standard for Methods of Measuring of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz – 40 GHz

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

4. SUMMARY OF TEST RESULTS

4.1 Emission tests

Port	Phenomena	Basic standard	Operating condition ¹	Result
1 Enclosure	Radiated emission	FCC Part 15 § 15 109	#1	Within the limit
2 AC mains Input ports*	RF Disturbance voltage: • continuous	FCC Part 15 § 15 107	#1	Within the limit

*With reference to 15.107(d): Measurements to demonstrate compliance with the conducted limits are not required for devices which only employ battery power for operation and which do not operate from the AC power lines or contain provisions for operation while connected to the AC power lines. Devices that include, or make provision for, the use of battery chargers which permit operating while charging, AC adaptors or battery eliminators or that connect to the AC power lines indirectly, obtaining their power through another device which is connected to the AC power lines, shall be tested to demonstrate compliance with the conducted limits: the test has been executed with AC/DC adapter mod. Compaq Series PPP012L SN 557C70ARGOLD3Z Input range 100-240Vac 1.5A 50/60Hz Output 18.5Vdc 4.9A. The AC power source are 110Vac 60Hz.

¹ Ref. Tab. of Section 2

5. TEST RESULTS

EMISSION OF MAINS TERMINAL DISTURBANCE VOLTAGE (CONTINUOUS DISTURBANCE)..... 9

RADIATED EMISSION 30 - 2000 MHZ..... 13

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

**TEST
1.****EMISSION OF MAINS TERMINAL DISTURBANCE VOLTAGE
(CONTINUOUS DISTURBANCE)****REFERENCE
DOCUMENT**

FCC47CFR Part 15

- **TEST SETUP:** According to reference standard
- **TEST LOCATION:** Semianechoic chamber
- **TEST EQUIPMENT USED FOR TEST:** EMI receiver Rohde & Schwarz Mod. ESMI
Artificial Network Rohde & Schwarz Mod. ESH3-Z5

- **TESTED PORT:** AC mains
- **FREQUENCY RANGE:** 0.15 - 30 MHz
- **EMISSION LIMITS:** Section 15.107 of Standard
- **MEASUREMENT UNCERTAINTY:** Total uncertainty (k=2) ± 2.5 dB

TEST CONDITIONS:		MEASURED
Ambient temperature :	15 - 35 °C	24 $\pm$ 3 °C
Ambient humidity :	25 - 75 %rH	38 $\pm$ 5 %rH
Pressure :	85 - 106 kPa (860 mbar - 1060 mbar)	975 $\pm$ 50 mbar
Voltage :		110 Vac $\pm$ 3 %

OPERATING CONDITION (Rif. Section. 2) : #1**RESULT: WITHIN THE LIMIT**

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

SCAN TABLE : Voltage Mains

Unit : dBμV

	<u>Detector :</u>	<u>Mode :</u>
Curve 1:	MaxPeak	ClearWrite
Curve 2:	Average	ClearWrite

Subrange 1:

Start Frequency :	150.0 kHz		
Stop Frequency :	30.0 MHz	IF Bandwidth :	9 kHz
Measure Time :	10.0 ms	Step size :	6 kHz


Receiver :	ESMI	Transducer :	ESH3-Z5_PRC
Signal Path :	Path 3	System Transducer :	Rfin1-CP2/X11
Meas. Mode :	Lin	Add. Transd. 1 :	W71.03
Tracking Generator :	Off	Add. Transd. 2 :	None
Input :	1AC	Add. Transd. 3 :	None

Preamplifier :	10 dB	Demodulation :	FM Broad
RF Att. :	Coupled	Volume :	0 %
Ref. Level :	-10 dBm	Squelch :	--
Min. RF Att. :	0 dB	Option :	None
IF Att. :	0 dB		
Autorange :	On		

Curve 1 :	On	Repetition :	Single
Curve 2 :	On	Stop Mark :	On
		Stop Message :	On
		Stop Message :	Connect EUT

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

L1




Final measurement in AV detector

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dBμV	dB	dBμV	dB		
0.204000	44.80	0.10	53.40	8.60	L1	GND

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

N



Final measurement in AV detector

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dBμV	dB	dBμV	dB		
0.204000	45.40	0.10	53.40	8.00	N	GND

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

**TEST
2.****RADIATED EMISSION 30 - 2000 MHZ****REFERENCE
DOCUMENT**

FCC PART 15 subpart B

- **TEST LOCATION:** Semi-anechoic chamber
- **TEST EQUIPMENT USED FOR TEST:** EMI receiver Rohde & Schwarz Mod. ESMI
Chase Antenna Mod. CBL 6111 A
Log-periodica Broadband Antenna mod. HL025
- **TESTED PORT:** Enclosure
- **EMISSION LIMITS:** Acc. to Section 15.109 of reference document
- **UNCERTAINTY OF MEASURE:** Combined uncertainty = ± 1.75 dB
Total uncertainty = $(k=2) \pm 3.5$ dB

TEST CONDITIONS:		MEASURED
Ambient temperature :	15 - 35 °C	23,5 $\pm$ 3 °C
Ambient humidity :	25 - 75 %rH	39 $\pm$ 5 %rH
Pressure :	85 - 106 kPa (860 mbar - 1060 mbar)	950 $\pm$ 50 mbar
Voltage :		12Vdc

OPERATING CONDITION (Rif. Section. 2) : #1**RESULT: WITHIN THE LIMIT**

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

SCAN TABLE : “Radiated Emission”

Unit: dB μ V/m

Detector : Mode:

Curve1: MaxPeak ClearWrite

Curve2: -- ClearWrite

Subrange1:

Start Frequency: 30.0 MHz

Step Size: 80 kHz

Stop Frequency: 4000.0 MHz

IF Bandwidth: 120 kHz

Measure Time: 0.01 sec.

Receiver: ESXI

Probe Transducer: CHASE_6111_PRC

Signal Path: Path 4

System Transducer: RFin2-CP1/X11

Scan Mode: Lin

Add. Transducer: W71.01

Tracking Gen.: Off

Input: 2 DC

Preamplifier: 10 dB

Demodulation: FM Broad

RF att.: Coupled

Volume: 0.0%

Ref. Level: -50 dBm

Squelch: --

Min. RF att.: 0 dBm

Option: None

Autorange: On

Curve 1: On

Repetition: Single

Curve 2: Off


Stop Mark: On

Stop Message: On

Text: Connect antenna

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309


Marker: 376.56 MHz 36.99 dB μ V/m



MES 07.1064C_F_pre PK
MES 07.1064C_F_pre AV
LIM FCC15 F QP Cl.B 3m

In acc. §15.35(a): On any frequency or frequencies below or equal to 1000 MHz, the limits shown are based on measuring equipment employing a CISPR quasi-peak detector function and related measurement bandwidths, unless otherwise specified

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309



In acc §15.35(b): Unless otherwise specified, on any frequency or frequencies above 1000 MHz, the radiated emission limits are based on the use of measurement instrumentation employing an average detector function. Unless otherwise specified, measurements above 1000 MHz shall be performed using a minimum resolution bandwidth of 1 MHz. When average radiated emission measurements are specified in this part, including average emission measurements below 1000 MHz, there also is a limit on the peak level of the radio frequency emissions. Unless otherwise specified, e.g., see §§ 15.250, 15.252, 15.255, and 15.509-15.519 of this part, the limit on peak radio frequency emissions is 20 dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device, e.g., the total peak power level. Note that the use of a pulse desensitization correction factor may be needed to determine the total peak emission level. The instruction manual or application note for the measurement instrument should be consulted for determining pulse desensitization factors, as necessary.

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

6. EUT TECHNICAL DOCUMENTATION

6.1 Wiring diagrams

	<i>Document reference (n., edition, date, ...)</i>
WIRING DIAGRAM	TCF-116 Date: 14/06/2007, Rev.0
PART LIST	TCF-116 Date: 14/06/2007, Rev.0



6.2 Technical manual

	<i>Document reference (n., edition, date, ...)</i>
USER MANUAL	TCF-116 Date: 14/06/2007, Rev.0

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

6.3 Photographic documentation

PHOTO N. 1 – EQUIPMENT UNDER TEST



----BLANK----

Prima Ricerca & SviluppoSrl soggetta a direzione e coordinamento da parte della Giovanni Maspero & C. S.p.A. – C.I. 02634780130
Sede legale : 22100 Tavernola (CO) Via Conciliazione, 1 Cod. FISC. e N. R.I. CO 02635860139
Sede operativa : Laboratori Via Campagna, 92 22020 Faloppio fraz. Gaggino (CO) Tel. +39 03135000.11 Fax +39 031991309

PHOTO N. 2 – SET-UP FOR EMISSION RADIATED TEST

