




## **Annex C**


### **Out of Band Emissions**



## OUBE\_DL\_CDMA\_B12\_728 - 746 MHz\_Lower\_Common Donor Port 1 to S3




## OUBE\_DL\_CDMA\_B12\_728 - 746 MHz\_Lower\_Dedicated Donor Port 3 to S3






## Oobe\_DL\_CDMA\_B12\_728 - 746 MHz\_Upper\_Common Donor Port 1 to S3




## Oobe\_DL\_CDMA\_B12\_728 - 746 MHz\_Upper\_Dedicated Donor Port 3 to S3






## Oobe\_DL\_CDMA\_B13\_746 - 757 MHz\_Lower\_Common Donor Port 1 to S3




## Oobe\_DL\_CDMA\_B13\_746 - 757 MHz\_Lower\_Dedicated Donor Port 3 to S3






## Oobe\_DL\_CDMA\_B13\_746 - 757 MHz\_Upper\_Common Donor Port 1 to S3




## Oobe\_DL\_CDMA\_B13\_746 - 757 MHz\_Upper\_Dedicated Donor Port 3 to S3






## OOBE\_DL\_CDMA\_B25\_2110 - 2155 MHz\_Lower\_Dedicated Donor Port 1 to S2




## OOBE\_DL\_CDMA\_B25\_2110 - 2155 MHz\_Upper\_Dedicated Donor Port 1 to S2






## OOBE\_DL\_CDMA\_B4\_1930 - 1995 MHz\_Lower\_Dedicated Donor Port 1 to S2




## OOBE\_DL\_CDMA\_B4\_1930 - 1995 MHz\_Upper\_Dedicated Donor Port 1 to S2






## Oobe\_DL\_CDMA\_B5\_869 - 894 MHz\_Lower\_Common Donor Port 1 to S1




## Oobe\_DL\_CDMA\_B5\_869 - 894 MHz\_Lower\_Dedicated Donor Port 2 to S3






## OBE\_DL\_CDMA\_B5\_869 - 894 MHz\_Upper\_Common Donor Port 1 to S1




## OBE\_DL\_CDMA\_B5\_869 - 894 MHz\_Upper\_Dedicated Donor Port 2 to S3






### OOBE\_DL\_GSM\_B12\_728 - 746 MHz\_Lower\_Common Donor Port 1 to S3




### OOBE\_DL\_GSM\_B12\_728 - 746 MHz\_Lower\_Dedicated Donor Port 3 to S3






### OOBE\_DL\_GSM\_B12\_728 - 746 MHz\_Upper\_Common Donor Port 1 to S3




### OOBE\_DL\_GSM\_B12\_728 - 746 MHz\_Upper\_Dedicated Donor Port 3 to S3






### OOBE\_DL\_GSM\_B13\_746 - 757 MHz\_Lower\_Common Donor Port 1 to S3




### OOBE\_DL\_GSM\_B13\_746 - 757 MHz\_Lower\_Dedicated Donor Port 3 to S3






### OOBE\_DL\_GSM\_B13\_746 - 757 MHz\_Upper\_Common Donor Port 1 to S3




### OOBE\_DL\_GSM\_B13\_746 - 757 MHz\_Upper\_Dedicated Donor Port 3 to S3






## OOBE\_DL\_GSM\_B25\_2110 - 2155 MHz\_Lower\_Dedicated Donor Port 1 to S2




## OOBE\_DL\_GSM\_B25\_2110 - 2155 MHz\_Upper\_Dedicated Donor Port 1 to S2






## Oobe\_DL\_GSM\_B4\_1930 - 1995 MHz\_Lower\_Dedicated Donor Port 1 to S2




## Oobe\_DL\_GSM\_B4\_1930 - 1995 MHz\_Upper\_Dedicated Donor Port 1 to S2






## Oobe\_DL\_GSM\_B5\_869 - 894 MHz\_Lower\_Common Donor Port 1 to S2




## Oobe\_DL\_GSM\_B5\_869 - 894 MHz\_Lower\_Dedicated Donor Port 2 to S3






## OOBE\_DL\_GSM\_B5\_869 - 894 MHz\_upper\_Common Donor Port 1 to S2




## OOBE\_DL\_GSM\_B5\_869 - 894 MHz\_Upper\_Dedicated Donor Port 2 to S3






## OOBE\_DL\_WCDMA\_B12\_728 - 746 MHz\_Lower\_Common Donor Port 1 to S3




## OOBE\_DL\_WCDMA\_B12\_728 - 746 MHz\_Lower\_Dedicated Donor Port 3 to S3






### OOBE\_DL\_WCDMA\_B12\_728 - 746 MHz\_Upper\_Common Donor Port 1 to S3




### OOBE\_DL\_WCDMA\_B12\_728 - 746 MHz\_Upper\_Dedicated Donor Port 3 to S3






## OOBE\_DL\_WCDMA\_B13\_746 - 757 MHz\_Lower\_Common Donor Port 1 to S3




## OOBE\_DL\_WCDMA\_B13\_746 - 757 MHz\_Lower\_Dedicated Donor Port 3 to S3






### OOBE\_DL\_WCDMA\_B13\_746 - 757 MHz\_Upper\_Common Donor Port 1 to S3




### OOBE\_DL\_WCDMA\_B13\_746 - 757 MHz\_Upper\_Dedicated Donor Port 3 to S3






## OUBE\_DL\_WCDMA\_B25\_2110 - 2155 MHz\_Lower\_Dedicated Donor Port 1 to S2




## OUBE\_DL\_WCDMA\_B25\_2110 - 2155 MHz\_Upper\_Dedicated Donor Port 1 to S2






## OOBE\_DL\_WCDMA\_B4\_1930 - 1995 MHz\_Lower\_Dedicated Donor Port 1 to S2




## OOBE\_DL\_WCDMA\_B4\_1930 - 1995 MHz\_Upper\_Dedicated Donor Port 1 to S2






## Oobe\_DL\_WCDMA\_B5\_869 - 894 MHz\_Lower\_Common Donor Port 1 to S2




## Oobe\_DL\_WCDMA\_B5\_869 - 894 MHz\_Lower\_Dedicated Donor Port 2 to S3






## OOBE\_DL\_WCDMA\_B5\_869 - 894 MHz\_Upper\_Common Donor Port 1 to S2




## OOBE\_DL\_WCDMA\_B5\_869 - 894 MHz\_Upper\_Dedicated Donor Port 2 to S3






## OOBE\_UL\_CDMA\_B12\_698 - 716 MHz\_Lower\_Server 1 to Common Donor Port 1




## OOBE\_UL\_CDMA\_B12\_698 - 716 MHz\_Lower\_Server 2 to Dedicated Donor Port 3






## OOBE\_UL\_CDMA\_B12\_698 - 716 MHz\_Upper\_Server 1 to Common Donor Port 1




## OOBE\_UL\_CDMA\_B12\_698 - 716 MHz\_Upper\_Server 2 to Dedicated Donor Port 3






## OOBE\_UL\_CDMA\_B13\_776 - 787 MHz\_Lower\_Server 2 to Dedicated Donor Port 3




## OOBE\_UL\_CDMA\_B13\_776 - 787 MHz\_Lower\_Server 3 to Common Donor Port 1






## OOBE\_UL\_CDMA\_B13\_776 - 787 MHz\_Upper\_Server 2 to Dedicated Donor Port 3




## OOBE\_UL\_CDMA\_B13\_776 - 787 MHz\_Upper\_Server 3 to Common Donor Port 1






## Oobe\_UL\_CDMA\_B25\_1850 - 1915 MHz\_Lower\_Server 4 to Dedicated Donor Port 1




## Oobe\_UL\_CDMA\_B25\_1850 - 1915 MHz\_Upper\_Server 4 to Dedicated Donor Port 1






## OOBE\_UL\_CDMA\_B4\_1710 - 1755 MHz\_Lower\_Server 3 to Dedicated Donor Port 1




## OOBE\_UL\_CDMA\_B4\_1710 - 1755 MHz\_Upper\_Server 3 to Dedicated Donor Port 1






## OUBE\_UL\_CDMA\_B5\_824 - 849 MHz\_Lower\_Server 3 to Common Donor Port 1




## OUBE\_UL\_CDMA\_B5\_824 - 849 MHz\_Lower\_Server 3 to Dedicated Donor Port 2






## OUBE\_UL\_CDMA\_B5\_824 - 849 MHz\_Upper\_Server 3 to Common Donor Port 1




## OUBE\_UL\_CDMA\_B5\_824 - 849 MHz\_Upper\_Server 3 to Dedicated Donor Port 2






## OOBE\_UL\_GSM\_B12\_698 - 716 MHz\_Lower\_Server 1 to Common Donor Port 1




## OOBE\_UL\_GSM\_B12\_698 - 716 MHz\_Lower\_Server 2 to Dedicated Donor Port 3






## OOBE\_UL\_GSM\_B12\_698 - 716 MHz\_Upper\_Server 1 to Common Donor Port 1




## OOBE\_UL\_GSM\_B12\_698 - 716 MHz\_Upper\_Server 2 to Dedicated Donor Port 3






## Oobe\_UL\_GSM\_B13\_776 - 787 MHz\_Lower\_Server 2 to Dedicated Donor Port 3




## Oobe\_UL\_GSM\_B13\_776 - 787 MHz\_Lower\_Server 3 to Common Donor Port 1






### OUBE\_UL\_GSM\_B13\_776 - 787 MHz\_Upper\_Server 2 to Dedicated Donor Port 3




### OUBE\_UL\_GSM\_B13\_776 - 787 MHz\_Upper\_Server 3 to Common Donor Port 1






## OOBE\_UL\_GSM\_B25\_1850 - 1915 MHz\_Lower\_Server 4 to Dedicated Donor Port 1




## OOBE\_UL\_GSM\_B25\_1850 - 1915 MHz\_Upper\_Server 4 to Dedicated Donor Port 1






## OOBE\_UL\_GSM\_B4\_1710 - 1755 MHz\_Lower\_Server 3 to Dedicated Donor Port 1




## OOBE\_UL\_GSM\_B4\_1710 - 1755 MHz\_Upper\_Server 3 to Dedicated Donor Port 1






## OOBE\_UL\_GSM\_B5\_824 - 849 MHz\_Lower\_Server 3 to Common Donor Port 1




## OOBE\_UL\_GSM\_B5\_824 - 849 MHz\_Lower\_Server 3 to Dedicated Donor Port 2






## OOBE\_UL\_GSM\_B5\_824 - 849 MHz\_Upper\_Server 3 to Common Donor Port 1




## OOBE\_UL\_GSM\_B5\_824 - 849 MHz\_Upper\_Server 3 to Dedicated Donor Port 2






## OOBE\_UL\_WCDMA\_B12\_698 - 716 MHz\_Lower\_Server 1 to Common Donor Port 1




## OOBE\_UL\_WCDMA\_B12\_698 - 716 MHz\_Lower\_Server 2 to Dedicated Donor Port 3






## OOBE\_UL\_WCDMA\_B12\_698 - 716 MHz\_Upper\_Server 1 to Common Donor Port 1




## OOBE\_UL\_WCDMA\_B12\_698 - 716 MHz\_Upper\_Server 2 to Dedicated Donor Port 3






### OOBE\_UL\_WCDMA\_B13\_776 - 787 MHz\_Lower\_Server 2 to Dedicated Donor Port 3




### OOBE\_UL\_WCDMA\_B13\_776 - 787 MHz\_Lower\_Server 3 to Common Donor Port 1






### OOBE\_UL\_WCDMA\_B13\_776 - 787 MHz\_Upper\_Server 2 to Dedicated Donor Port 3




### OOBE\_UL\_WCDMA\_B13\_776 - 787 MHz\_Upper\_Server 3 to Common Donor Port 1






## Oobe\_UL\_WCDMA\_B25\_1850 - 1915 MHz\_Lower\_Server 4 to Dedicated Donor Port 1




## Oobe\_UL\_WCDMA\_B25\_1850 - 1915 MHz\_Upper\_Server 4 to Dedicated Donor Port 1






## OUBE\_UL\_WCDMA\_B4\_1710 - 1755 MHz\_Lower\_Server 3 to Dedicated Donor Port 1




## OUBE\_UL\_WCDMA\_B4\_1710 - 1755 MHz\_Upper\_Server 3 to Dedicated Donor Port 1






## OOBE\_UL\_WCDMA\_B5\_824 - 849 MHz\_Lower\_Server 3 to Common Donor Port 1




## OOBE\_UL\_WCDMA\_B5\_824 - 849 MHz\_Lower\_Server 3 to Dedicated Donor Port 2





## OOBE\_UL\_WCDMA\_B5\_824 - 849 MHz\_Upper\_Server 3 to Common Donor Port 1



## OOBE\_UL\_WCDMA\_B5\_824 - 849 MHz\_Upper\_Server 3 to Dedicated Donor Port 2

