USB Flash Memory Drive

FLASHDIO

User's Guide

DioGraphy

Innovative way to communicate

Table of Contents

INFORMATION TO THE USER

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one more of the following measures:

-. Reorient or relocate the receiving antenna.

-. Increase the separation between the equipment and receiver.

-. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-. Consult the dealer or an experienced radio/TV technician for help.

WARNING

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operations.

1. Preface

Thank you for purchasing DioGraphy Inc. product. FlashDio (FDU-100A) is a storage device with internal flash memory using USB interface. (It is drive-and-disk-in-one device.) FlashDio (FDU-100A) fully supports both IBM PC/AT compatible computers and Apple computers. Please read this guide carefully before installing FlashDio.

Features

- **Easy to install**. Plug in USB connector to USB port on your computer. It's done! (Device driver installation required for Windows 98/98SE.)
- **Hot swappable**. Once the driver software has been loaded, remove and swap FlashDio with other USB devices without rebooting your computer. When you need to reconnect your FlashDio, just plug the USB connector back into the computer and it's ready to go.
- **Fast and portable**. FlashDio offers quick and efficient way of transferring data to and from your PC. FlashDio is so small and lightweight as to accompany the most demanding portable device user.
- **Trendy design**. FlashDio has the simple and modern look with a transparent body to match with current trend of PC and Mac design.
- **Connect Multiple USB devices**. Using USB hubs, you can connect up to 127 devices including FlashDio on a single USB port.
- **Compatibility**. Compatible with both IBM PCs and Apple computers.

2. Installation

A. Windows Users

a. For Windows 98/98SE

① Turn your computer on and start Windows 98.
② Connect FlashDio to USB port of your computer or USB hub already connected to your computer.
③ Insert Installation CD-ROM included in the package into your CD-ROM drive.
④ "Add New Hardware Wizard" will appear on your monitor automatically, then click "Next" button.
⑤ Choose "Search for the best driver for your device (recommended)", and then click "Next" button.
⑥ Check "CD-ROM drive" and uncheck others, then click "Next" button.
⑦ "USB Mass Storage Class Driver" will appear in the dialog box, then click "Next" button.
⑧ When the software is successfully installed, "Finish" button will appear. Then click "Finish" button.
⑨ "Add New Hardware Wizard" will appear again for "USB Disk Controller", then click "Next" button.
⑩ Repeat ⑤ and ⑥.
⑪ "Win98 USB Disk Controller" will appear in the dialog box, then click "Next" button.
⑫ When the software is successfully installed, "Finish" button will appear. Then click "Finish" button.
⑬ Now FlashDio is ready to use.

b. For Windows 2000 and Windows ME

You do not need to install software to use FlashDio under Windows 2000 or Windows ME. Just connect FlashDio to USB port of your computer or USB hub already connected to your computer. Windows 2000 or Windows ME will automatically load device driver from its own operating system.

B. Apple Users

a. For Mac OS 8.6

① Turn on your Apple computer.
② Connect FlashDio to USB port of your computer.
③ Insert Installation CD-ROM included in the package into your CD-ROM drive.
④ "CD-ROM" drive icon will appear.
⑤ Double click "CD-ROM" icon.
⑥ Double click "FlashDio Installer". Installer will install driver for FlashDio.
⑦ Restart computer.

b. For Mac OS 9.0 and higher

You do not need to install software to use FlashDio under Mac OS 9.0 or above. Just connect FlashDio to USB port of your Apple computer. Mac OS 9.0 or above will automatically load device driver from its own operating system.

3. Warranty

DioGraphy Inc. gives unlimited warranty against defective materials or workmanship for a period of one year. This warranty is only valid upon presentation of payment receipt or other proof of purchase.

4. Technical Support

For technical support, please visit our web site or directly contact us by e-mail or telephone as stated below.

Web Site   : http://www.diography.com
E-mail   : support@diography.com
Telephone   : (02) 3424-5295
Facsimile   : (02) 3424-5298