

GALTRONICS

WHEN CONNECTIONS COUNT

Test date: 2025/02/05

Test personnel: Zack




Contents

- » Chamber Info.
- » Name and address of the antenna manufacture
- » Antenna Specification
- » Antenna Peak Gain
- » Antenna Radiation Pattern

Chamber Info.

➤ Test Configuration and Test Method



Test Method

The “great circle” cut method, whereby the Measurement Antenna remains fixed and the EUT is rotated about two axes in sequential order. The radiated RF performance of the Equipment Under Test (EUT) is measured by sampling the radiated transmit power of the mobile at various locations surrounding the device. A three-dimensional characterization of the 'transmit' performance of the EUT is pieced together by analyzing the data from the spatially distributed measurements.

Data points taken every 15 degrees in the theta and in the phi axes are deemed sufficient to fully characterize the EUT's Far-Field radiation pattern and total radiated power All of the measured power values will be integrated.

Chamber Info.

➤ Measurement equipment

Instrument	Manufacturer	Model No.	Asset No.	Cali. Interval	Cali. Due Date
ENA Network Analyzer	KEYSIGHT	E5071C	MY46730234	1 Year	2025/5/21
RF Switch Box	HWA-TECH	Z9916A-NO1	N/A	/	/
SP24 Chamber	HWA-TECH	555	N/A	/	/
Horn Antenna	HWA-TECH	TN3112	N/A	/	/

Name and address of the antenna manufacture



Galtronics Electronics (Wuxi) Co.

No. 1, Xishi Road, Wuxi New District Jiangsu Province 214028, China

Antenna Specification




02129140-08097-1	
Frequency	2400~2500MHz, 5150~5895MHz
Antenna type	Dipole
Connector type	IPEX
Antenna Gain	3.12dBi@2400~2500MHz 4.84dBi@5150~5895MHz

02129140-08097-2	
Frequency	2400~2500MHz, 5150~5895MHz
Antenna type	Dipole
Connector type	IPEX
Antenna Gain	3.24dBi@2400~2500MHz 4.72dBi@5150~5895MHz

Gain summary




02129140-08097-1	Freq(MHz)	Peak Gain(dBi)	02129140-08097-2	Freq(MHz)	Peak Gain(dBi)
	2450	3.12		2450	3.24
	Freq(MHz)	Peak Gain(dBi)		Freq(MHz)	Peak Gain(dBi)
	5200	3.61		5200	4.26
	5300	3.42		5300	3.73
	5600	4.84		5600	4.30
	5785	4.74		5785	4.54
5885	4.80	5885	4.72		

Power Sum-2.4GHz Band






02129140-08097-1

Power Sum-5GHz Band






02129140-08097-1

Power Sum-2.4GHz Band



02129140-08097-2

Power Sum-5GHz Band



02129140-08097-2