

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<Adapter Mode>

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5187.58	56.55	14.95	41.60	74.00	-17.45	388	338	Peak	Horizontal	
2 *	5260.00	116.01	74.29	41.81	68.28	47.81	388	338	Peak	Horizontal	
3	5420.50	55.85	13.38	42.47	74.00	-18.15	388	338	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5061.00	55.81	14.16	41.65	74.00	-18.19	179	29	Peak	Vertical	
2 *	5260.00	116.08	74.27	41.81	68.28	47.88	179	29	Peak	Vertical	
3	5416.00	56.14	13.65	42.49	74.00	-17.86	179	29	Peak	Vertical	


802.11a

CH 52 (Horizontal) Average

CH 52 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2025-06-05

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
1	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	5148.00	43.04	1.42	41.62	54.00	-10.96	308	338	Average	Horizontal				
2 *	5269.00	106.28	64.47	41.81	54.00	52.28	308	338	Average	Horizontal				
3	5376.00	44.07	1.84	42.23	54.00	-9.93	308	338	Average	Horizontal				



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2025-06-05

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
1	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg						
1	5070.50	43.53	1.90	41.63	54.00	-10.47	179	29	Average	Vertical				
2 *	5269.00	106.95	65.14	41.81	54.00	52.95	179	29	Average	Vertical				
3	5376.00	45.38	3.15	42.23	54.00	-8.62	179	29	Average	Vertical				


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4893.00	55.49	14.07	41.42	74.00	-18.51	317	341	Peak	Horizontal	
2 *	5390.00	115.34	73.02	42.32	68.20	47.14	317	341	Peak	Horizontal	
3	5392.50	55.38	12.90	42.48	74.00	-18.62	317	341	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5122.00	56.76	15.15	41.61	74.00	-17.24	172	33	Peak	Vertical	
2 *	5360.00	115.15	72.83	42.32	68.20	46.95	172	33	Peak	Vertical	
3	5366.50	55.75	13.66	42.09	74.00	-18.25	172	33	Peak	Vertical	


802.11a

CH 60 (Horizontal) Average

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2025-06-05

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg							
1	4896.00	42.85	1.41	41.44	54.00	-11.15	317	341	Average	Horizontal				
2 *	5380.00	105.30	62.98	42.32	54.00	51.30	317	341	average	Horizontal				
3	5403.00	43.81	1.25	42.56	54.00	-10.19	317	341	Average	Horizontal				



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2025-06-05

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg							
1	5113.00	43.73	2.13	41.60	54.00	-10.27	172	33	Average	Vertical				
2 *	5380.00	105.34	65.02	42.32	54.00	51.34	172	33	Average	Vertical				
3	5376.00	44.78	2.55	42.23	54.00	-9.22	172	33	Average	Vertical				

802.11a

CH 64 (Horizontal) Peak



CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4983.58	55.59	14.12	41.47	74.00	-18.41	316	346 Peak	Horizontal	
2 *	5320.00	114.38	72.25	42.13	68.29	46.18	316	346 Peak	Horizontal	
3	5352.50	56.64	14.76	41.88	74.00	-17.36	316	346 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.00	56.04	14.43	41.61	74.00	-17.96	179	27 Peak	Vertical	
2 *	5320.00	115.07	72.94	42.13	68.20	46.87	179	27 Peak	Vertical	
3	5352.00	56.94	15.06	41.88	74.00	-17.06	179	27 Peak	Vertical	


802.11a

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.58	42.67	1.06	41.61	54.00	-11.33	316	346	Average Horizontal
2 *	5320.00	104.41	62.28	42.13	54.00	50.41	316	346	Average Horizontal
3	5351.00	44.21	2.35	41.86	54.00	-9.79	316	346	Average Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.58	43.39	1.78	41.61	54.00	-10.61	179	27	Average Vertical
2 *	5320.00	105.02	62.89	42.13	54.00	51.02	179	27	Average Vertical
3	5350.00	45.32	3.47	41.85	54.00	-8.68	179	27	Average Vertical

802.11ax HE20

CH 52 (Horizontal) Peak



CH 52 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	57.53	15.91	41.62	74.00	-16.47	307	339	Peak	Horizontal	
2 *	5269.00	118.87	77.06	41.81	68.20	50.67	307	339	Peak	Horizontal	
3	5402.00	56.84	14.27	42.57	74.00	-17.16	307	339	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	58.07	16.45	41.62	74.00	-15.93	198	27	Peak	Vertical	
2 *	5269.00	119.53	77.72	41.81	68.20	51.33	198	27	Peak	Vertical	
3	5350.00	61.45	19.60	41.85	74.00	-12.55	198	27	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal) Average

CH 52 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2025-06-05

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	44.40	2.78	41.62	54.00	-9.60	307	339 Average	Horizontal	
2 *	5269.00	107.63	65.82	41.81	54.00	53.63	307	339 Average	Horizontal	
3	5363.50	44.67	2.62	42.05	54.00	-9.33	307	339 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2025-06-05

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	46.53	4.91	41.62	54.00	-7.47	198	27 Average	Vertical	
2 *	5269.00	100.24	66.43	41.81	54.00	54.24	198	27 Average	Vertical	
3 !	5350.50	48.54	6.68	41.86	54.00	-5.46	198	27 Average	Vertical	

802.11ax HE20

CH 60 (Horizontal) Peak


CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5135.58	55.57	13.95	41.62	74.00	-18.43	318	339	Peak	Horizontal	
2 *	5389.00	117.99	75.67	42.32	68.20	49.79	318	339	Peak	Horizontal	
3	5354.50	56.58	14.67	41.91	74.00	-17.42	318	339	Peak	Horizontal	



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5096.50	55.48	13.88	41.60	74.00	-18.60	173	30	Peak	Vertical	
2 *	5300.00	110.48	76.08	42.32	68.20	50.20	173	30	Peak	Vertical	
3	5355.00	57.24	15.32	41.92	74.00	-16.76	173	30	Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal) Average

CH 60 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2025-06-05

1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
4896.00	43.27	1.83	41.44	54.00	-10.73	318	339	Average	Horizontal		
5398.00	106.02	63.70	42.32	54.00	52.02	318	339	Average	Horizontal		
5403.00	43.81	1.25	42.56	54.00	-10.19	318	339	Average	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2025-06-05

1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5103.50	43.46	1.86	41.60	54.00	-10.54	173	30	Average	Vertical		
5398.00	106.41	64.09	42.32	54.00	52.41	173	30	Average	Vertical		
5350.00	45.88	4.03	41.85	54.00	-8.12	173	30	Average	Vertical		

802.11ax HE20

CH 64 (Horizontal) Peak



CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.00	55.76	14.17	41.59	74.00	-18.24	300	341	Peak	Horizontal	
2 *	5320.00	116.55	74.42	42.13	68.20	48.35	300	341	Peak	Horizontal	
3	5351.50	61.69	19.82	41.87	74.00	-12.31	300	341	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.50	56.80	15.18	41.62	74.00	-17.20	182	24	Peak	Vertical	
2 *	5320.00	117.00	74.95	42.13	68.20	48.80	182	24	Peak	Vertical	
3	5351.50	62.58	20.71	41.87	74.00	-11.42	182	24	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4896.00	42.95	1.51	41.44	54.00	-11.05	300	341 Average	Horizontal	
2 *	5320.00	104.45	62.32	42.13	54.00	50.45	300	341 average	Horizontal	
3 !	5352.00	48.04	6.16	41.88	54.00	-5.96	300	341 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	43.38	1.77	41.61	54.00	-10.62	182	24 Average	Vertical	
2 *	5320.00	105.13	63.00	42.13	54.00	51.13	182	24 Average	Vertical	
3 !	5350.00	50.58	6.73	41.85	54.00	-3.42	182	24 Average	Vertical	

802.11ax HE40

CH 54 (Horizontal) Peak



CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5147.00	56.24	14.62	41.62	74.00	-17.76	320	334	Peak	Horizontal	
2 *	5279.00	113.64	71.70	41.94	68.20	45.44	320	334	Peak	Horizontal	
3	5356.00	56.94	15.01	41.93	74.00	-17.06	320	334	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5150.00	57.07	16.35	41.62	74.00	-16.93	179	28	Peak	Vertical	
2 *	5279.00	114.45	72.49	41.94	68.20	46.23	179	28	Peak	Vertical	
3 !	5360.50	68.99	26.98	42.01	74.00	-5.01	179	28	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal) Average

CH 54 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2025-06-06

1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.58	43.78	2.16	41.62	54.00	-10.22	320	334	Average	Horizontal	
2 *	5278.00	101.86	59.92	41.94	54.00	47.86	320	334	Average	Horizontal	
3	5357.00	44.93	2.98	41.95	54.00	-9.07	320	334	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2025-06-06

1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.00	45.28	3.66	41.62	54.00	-8.72	179	28	Average	Vertical	
2 *	5278.00	103.54	61.60	41.94	54.00	49.54	179	28	Average	Vertical	
3 !	5358.00	51.24	9.39	41.85	54.00	-2.76	179	28	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	56.13	14.51	41.62	74.00	-17.87	333	340	Peak	Horizontal	
2 *	5318.00	114.10	71.87	42.23	68.20	45.90	333	340	Peak	Horizontal	
3	5355.00	63.15	21.23	41.92	74.00	-10.85	333	340	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.00	55.78	14.17	41.61	74.00	-18.22	155	29	Peak	Vertical	
2 *	5318.00	114.27	72.04	42.23	68.20	46.07	155	29	Peak	Vertical	
3 !	5356.50	68.30	26.36	41.94	74.00	-5.70	155	29	Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal) Average

CH 62 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	4896.00	43.26	1.82	41.44	54.00	-10.74	333	340 Average Horizontal
2 *	5318.00	102.44	60.21	42.23	54.00	48.44	333	340 Average Horizontal
3 !	5354.50	48.12	6.21	41.91	54.00	-5.88	333	340 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5124.00	42.92	1.31	41.61	54.00	-11.08	155	29 Average Vertical
2 *	5318.00	102.66	60.43	42.23	54.00	48.66	155	29 Average Vertical
3 !	5351.00	51.81	9.95	41.86	54.00	-2.19	155	29 Average Vertical

802.11ax HE80

CH 58 (Horizontal) Peak



CH 58 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.00	55.63	14.81	41.62	74.00	-18.37	352	349	Peak	Horizontal		
2 *	5290.00	109.45	67.26	42.19	68.28	41.25	352	349	Peak	Horizontal		
3	5359.00	63.65	21.66	41.99	74.00	-10.35	352	349	Peak	Horizontal		

Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.00	58.40	16.78	41.62	74.00	-15.60	183	23	Peak	Vertical		
2 *	5290.00	111.56	69.37	42.19	68.28	43.36	183	23	Peak	Vertical		
3 !	5356.50	70.68	28.74	41.94	74.00	-3.32	183	23	Peak	Vertical		


802.11ax HE80

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5144.58	43.01	1.39	41.62	54.00	-10.99	352	349	Average	Horizontal										
5290.00	97.01	54.82	42.19	54.00	43.01	352	349	Average	Horizontal										
5352.00	46.22	4.34	41.88	54.00	-7.78	352	349	Average	Horizontal										



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
5146.00	44.31	2.69	41.62	54.00	-9.69	183	23	Average	Vertical										
5290.00	98.91	56.72	42.19	54.00	44.91	183	23	Average	Vertical										
5356.00	52.07	10.14	41.93	54.00	-1.93	183	23	Average	Vertical										

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
MHz	Level	Level	Line	Limit	cm	deg		
	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5455.00	56.43	14.89	42.34	74.00	-17.57	300	342 Peak Horizontal
2	5462.00	56.33	13.96	42.37	68.20	-11.87	300	342 Peak Horizontal
3	5500.00	115.25	72.70	42.55	68.20	47.05	300	342 Peak Horizontal
4	5803.00	57.14	14.40	42.74	68.20	-11.06	300	342 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	2	3	4	5	6	7	8	9
MHz	Level	Level	Line	Limit	cm	deg		
	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	5381.50	56.11	13.89	42.31	74.00	-17.89	303	21 Peak Vertical
2	5465.00	56.18	13.89	42.38	68.20	-12.02	303	21 Peak Vertical
3	5500.00	114.41	71.86	42.55	68.20	46.21	303	21 Peak Vertical
4	5820.00	57.54	14.79	42.75	68.20	-10.66	303	21 Peak Vertical

802.11a

CH 100 (Horizontal) Average



CH 100 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2 *
5375.00	5500.00
44.42	105.34
2.19	62.79
42.23	42.55
54.00	54.00
-9.58	51.34
300	300
342	342
Average	Average
Horizontal	Horizontal

1	2 *
5460.00	5500.00
43.64	104.74
1.28	62.19
42.36	42.55
54.00	54.00
-10.36	50.74
303	303
21	21
Average	Average
Vertical	Vertical

802.11a

CH 116 (Horizontal) Peak



CH 116 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5414.58	57.35	14.85	42.58	74.08	-16.65	287	9	Peak	Horizontal
2	5464.08	56.40	14.82	42.38	68.28	-11.88	287	9	Peak	Horizontal
3 *	5588.08	114.69	72.35	42.34	68.28	46.49	287	9	Peak	Horizontal
4	5889.58	57.79	15.05	42.74	68.28	-10.41	287	9	Peak	Horizontal

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5385.58	55.97	13.59	42.38	74.08	-18.83	283	22	Peak	Vertical
2	5464.08	55.92	13.54	42.38	68.28	-12.28	283	22	Peak	Vertical
3 *	5588.08	114.43	72.89	42.34	68.28	46.23	283	22	Peak	Vertical
4	5738.08	57.41	14.78	42.63	68.28	-10.79	283	22	Peak	Vertical

802.11a

CH 116 (Horizontal) Average



CH 116 (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5395.58	43.80	1.28	42.52	54.00	-10.20	207		9 Average	Horizontal	
2 *	5580.00	104.86	62.52	42.34	54.00	50.86	207		9 Average	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.00	44.39	2.16	42.23	54.00	-9.61	203		22 Average	Vertical	
2 *	5580.00	104.65	62.31	42.34	54.00	50.65	203		22 Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



CH 140 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5392.58	56.21	13.73	42.48	74.00	-17.79	100	296	Peak	Horizontal	
2	5469.00	55.13	12.77	42.36	74.00	-18.87	100	296	Peak	Horizontal	
3 *	5700.00	114.17	71.80	42.37	68.20	45.97	100	296	Peak	Horizontal	
4	5728.00	61.32	18.71	42.61	68.20	-6.88	100	296	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.00	56.77	14.25	42.52	74.00	-17.23	226	26	Peak	Vertical	
2	5465.50	55.01	12.63	42.38	68.20	-13.19	226	26	Peak	Vertical	
3 *	5700.00	114.44	72.07	42.37	68.20	46.24	226	26	Peak	Vertical	
4	5726.00	59.50	16.90	42.60	68.20	-8.70	226	26	Peak	Vertical	


802.11a

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.58	43.36	0.89	42.47	54.00	-10.64	100	296	Average	Horizontal	
2 *	5780.00	104.47	62.10	42.37	54.00	50.47	100	296	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.00	43.85	1.62	42.23	54.00	-10.15	226	26	Average	Vertical	
2 *	5780.00	104.29	61.92	42.37	54.00	50.29	226	26	Average	Vertical	


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5381.58	56.22	13.91	42.31	74.00	-17.78	100	296 Peak	Horizontal
2	5465.58	54.54	12.16	42.38	68.28	-13.66	100	296 Peak	Horizontal
3	5728.00	114.61	72.07	42.54	122.20	-7.59	100	296 Peak	Horizontal
4	6863.58	60.46	16.54	43.92	68.20	-7.74	100	296 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5428.00	55.92	13.45	42.47	74.00	-18.08	178	67 Peak	Vertical
2	5462.00	55.15	12.78	42.37	68.28	-13.05	178	67 Peak	Vertical
3	5728.00	114.01	71.47	42.54	122.20	-8.19	178	67 Peak	Vertical
4	6947.00	59.61	15.57	44.04	68.20	-8.59	178	67 Peak	Vertical


802.11a

CH 144 (Horizontal) Average

CH 144 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Level	Line	Limit	cm	deg				
Factor	dB/m	dB						
dBuV	dB/m	dBuV/m						
1	5398.58	43.27	6.71	42.56	54.00	-10.73	100	296 Average Horizontal
2 *	5720.00	105.05	62.51	42.54	54.00	51.05	100	296 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Level	Line	Limit	cm	deg				
Factor	dB/m	dB						
dBuV	dB/m	dBuV/m						
1	5376.00	43.74	1.51	42.23	54.00	-10.26	170	67 Average Vertical
2 *	5720.00	104.42	61.08	42.54	54.00	50.42	170	67 Average Vertical

802.11ax HE20

CH 100 (Horizontal) Peak



CH 100 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5368.00	55.71	13.60	42.11	74.00	-18.29	299	338	Peak	Horizontal	
2	5479.00	55.52	13.11	42.41	68.20	-12.68	299	338	Peak	Horizontal	
3 *	5500.00	115.15	72.60	42.55	68.20	46.95	299	338	Peak	Horizontal	
4	5792.00	56.59	13.84	42.75	68.20	-11.61	299	338	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5447.50	56.25	13.92	42.33	74.00	-17.75	166	60	Peak	Vertical	
2	5465.50	55.65	13.27	42.38	68.20	-12.55	166	60	Peak	Vertical	
3 *	5500.00	114.96	72.41	42.55	68.20	46.76	166	60	Peak	Vertical	
4	5830.50	56.94	14.19	42.75	68.20	-11.26	166	60	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5375.00	44.49	2.25	42.23	54.00	-9.51	299	338 Average	Horizontal
2 *	5500.00	104.24	61.69	42.55	54.00	50.24	299	338 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5401.50	43.35	0.78	42.57	54.00	-10.65	166	60 Average	Vertical
2 *	5500.00	102.46	59.91	42.55	54.00	48.46	166	60 Average	Vertical

802.11ax HE20

CH 116 (Horizontal) Peak



CH 116 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5388.00	55.76	13.36	42.40	74.00	-18.24	265	341	Peak	Horizontal	
2	5469.00	54.37	11.98	42.39	68.20	-13.83	265	341	Peak	Horizontal	
3 *	5580.00	115.05	72.71	42.34	68.20	46.85	265	341	Peak	Horizontal	
4	5800.50	56.14	13.41	42.73	68.20	-12.06	265	341	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.50	56.20	13.64	42.56	74.00	-17.80	284	23	Peak	Vertical	
2	5469.50	54.53	12.12	42.41	68.20	-13.67	284	23	Peak	Vertical	
3 *	5580.00	116.50	74.16	42.34	68.20	48.30	284	23	Peak	Vertical	
4	5776.00	56.56	13.79	42.77	68.20	-11.64	284	23	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.00	43.69	1.46	42.23	54.00	-10.31	265	341	Average	Horizontal	
2 *	5588.00	104.19	61.05	42.34	54.00	50.19	265	341	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.00	44.88	2.65	42.23	54.00	-9.12	284	23	Average	Vertical	
2 *	5588.00	103.67	61.33	42.34	54.00	49.67	284	23	Average	Vertical	

802.11ax HE20

CH 140 (Horizontal) Peak



CH 140 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5361.58	55.79	13.77	42.02	74.00	-18.21	250	340	Peak	Horizontal	
2	5462.00	55.10	12.73	42.37	68.20	-13.10	250	340	Peak	Horizontal	
3 *	5700.00	116.28	73.91	42.37	68.20	48.08	250	340	Peak	Horizontal	
4 !	5728.00	65.43	22.82	42.61	68.20	-2.77	250	340	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5370.00	56.68	14.46	42.14	74.00	-17.40	206	23	Peak	Vertical	
2	5463.00	54.24	11.87	42.37	68.20	-13.96	206	23	Peak	Vertical	
3 *	5700.00	115.98	73.61	42.37	68.20	47.78	206	23	Peak	Vertical	
4 !	5726.00	66.91	24.31	42.60	68.20	-1.29	206	23	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.00	44.70	2.47	42.23	54.00	-9.30	250	340	Average Horizontal
2 *	5700.00	104.74	62.37	42.37	54.00	50.74	250	340	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.00	44.84	2.61	42.23	54.00	-9.16	206	23	Average Vertical
2 *	5700.00	105.02	62.65	42.37	54.00	51.02	206	23	Average Vertical


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5378.00	55.25	12.99	42.26	74.00	-18.75	250	340 Peak	Horizontal
2	5467.50	55.24	12.85	42.39	68.20	-12.98	250	340 Peak	Horizontal
3	5720.00	113.53	70.99	42.54	122.20	-8.67	250	340 Peak	Horizontal
4	6999.50	59.97	15.00	44.17	68.20	-8.23	250	340 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5431.00	55.13	12.72	42.41	74.00	-18.67	204	34 Peak	Vertical
2	5463.50	54.47	12.18	42.37	68.20	-13.73	204	34 Peak <th>Vertical</th>	Vertical
3	5720.00	115.19	72.65	42.54	122.20	-7.81	204	34 Peak <th>Vertical</th>	Vertical
4	6883.50	58.94	14.97	43.97	68.20	-9.26	204	34 Peak <th>Vertical</th>	Vertical


802.11ax HE20

CH 144 (Horizontal) Average

CH 144 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.00	44.00	1.77	42.23	54.00	-10.00	250	340	Average Horizontal
2 *	5720.00	103.28	60.74	42.54	54.00	49.28	250	340	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.00	44.41	2.18	42.23	54.00	-9.59	284	24	Average Vertical
2 *	5720.00	103.70	61.16	42.54	54.00	49.70	284	24	Average Vertical

802.11ax HE40

CH 102 (Horizontal) Peak



CH 102 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5457.00	59.00	16.73	42.35	74.00	-14.92	285	339 Peak	Horizontal
2	5467.50	62.89	20.50	42.39	68.20	-5.31	285	339 Peak	Horizontal
3	5518.00	114.54	72.83	42.51	68.20	46.34	285	339 Peak	Horizontal
4	5767.00	56.70	13.92	42.78	68.20	-11.50	285	339 Peak	Horizontal

	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5459.00	65.59	23.23	42.36	74.00	-8.41	172	13 Peak	Vertical
2	5463.50	65.03	22.66	42.37	68.20	-3.17	172	13 Peak	Vertical
3	5518.00	114.66	72.15	42.51	68.20	46.46	172	13 Peak	Vertical
4	5801.00	58.28	15.55	42.73	68.20	-9.92	172	13 Peak	Vertical

802.11ax HE40

CH 110 (Horizontal) Peak



CH 110 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	57.65	15.30	42.35	74.00	-16.35	282	340	Peak	Horizontal	
2	5469.00	57.45	15.04	42.41	68.20	-10.75	282	340	Peak	Horizontal	
3 *	5558.00	114.61	72.23	42.38	68.20	46.41	282	340	Peak	Horizontal	
4	5763.00	57.47	14.69	42.78	68.20	-10.73	282	340	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5407.00	56.50	13.95	42.55	74.00	-17.50	297	22	Peak	Vertical	
2	5466.50	57.27	14.88	42.39	68.20	-10.93	297	22	Peak	Vertical	
3 *	5558.00	113.05	71.47	42.38	68.20	45.65	297	22	Peak	Vertical	
4	5846.50	57.23	14.47	42.76	68.20	-10.97	297	22	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5375.00	44.57	2.34	42.23	54.00	-9.43	282	340 Average	Horizontal	
2 *	5550.00	102.51	60.13	42.30	54.00	48.51	282	340 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5443.00	43.81	1.46	42.35	54.00	-10.19	297	22 Average	Vertical	
2 *	5550.00	101.42	59.04	42.30	54.00	47.42	297	22 Average	Vertical	

802.11ax HE40

CH 134 (Horizontal) Peak



CH 134 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5453.58	55.55	13.22	42.33	74.00	-18.45	100	296 Peak	Horizontal
2	5461.00	54.62	12.26	42.36	68.20	-13.58	100	296 Peak	Horizontal
3 *	5678.00	113.81	71.46	42.35	68.20	45.61	100	296 Peak	Horizontal
4 !	5726.00	67.83	25.23	42.68	68.20	-0.37	100	296 Peak	Horizontal

	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5389.00	56.31	13.88	42.43	74.00	-17.69	173	66 Peak	Vertical
2	5479.00	56.45	14.04	42.41	68.20	-11.75	173	66 Peak	Vertical
3 *	5678.00	114.16	71.81	42.35	68.20	45.96	173	66 Peak	Vertical
4 !	5725.00	67.17	24.58	42.59	68.20	-1.03	173	66 Peak	Vertical


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5394.58	42.78	0.28	42.50	54.00	-11.22	100	296 Average Horizontal
2 *	5670.00	101.28	58.93	42.35	54.00	47.28	100	296 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5376.50	43.11	0.87	42.24	54.00	-10.89	173	66 Average Vertical
2 *	5670.00	101.89	59.34	42.35	54.00	47.89	173	66 Average Vertical