


Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.06	67.44	14.91	82.35	-	-	Vertical	NA
2	7587.17	47.08	-0.90	46.18	54.00	7.82	Vertical	PASS
3	11458.97	35.14	5.02	40.16	54.00	13.84	Vertical	PASS
4	17848.96	31.39	13.95	45.34	54.00	8.66	Vertical	PASS
5	5728.69	74.34	14.91	89.25	-	-	Vertical	NA
6	7586.79	49.43	-0.90	48.53	74.00	25.47	Vertical	PASS
7	13670.87	40.10	9.21	49.31	68.20	18.89	Vertical	PASS
8	17849.34	39.04	13.96	53.00	74.00	21.00	Vertical	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	46.55	-0.61	45.94	54.00	8.06	Horizontal	PASS
2	12042.80	35.16	5.40	40.56	54.00	13.44	Horizontal	PASS
3	17986.20	32.43	13.59	46.02	54.00	7.98	Horizontal	PASS
4	7699.87	48.50	-0.61	47.89	74.00	26.11	Horizontal	PASS
5	14335.98	41.17	8.91	50.08	68.20	18.12	Horizontal	PASS
6	17885.76	39.49	13.52	53.01	74.00	20.99	Horizontal	PASS

Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	7700.26	45.08	-0.61	44.47	54.00	9.53	Vertical	PASS
2	11444.01	35.42	5.11	40.53	54.00	13.47	Vertical	PASS
3	17996.93	31.65	13.75	45.40	54.00	8.60	Vertical	PASS
4	7699.87	48.00	-0.61	47.39	74.00	26.61	Vertical	PASS
5	13670.11	40.41	9.20	49.61	68.20	18.59	Vertical	PASS
6	17884.23	39.26	13.55	52.81	74.00	21.19	Vertical	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5303.53	74.51	12.24	86.75	-	-	Horizontal	NA
2	8092.04	37.01	0.50	37.51	54.00	16.49	Horizontal	PASS
3	11365.05	35.43	5.13	40.56	54.00	13.44	Horizontal	PASS
4	17990.42	31.82	13.65	45.47	54.00	8.53	Horizontal	PASS
5	5305.36	81.69	12.26	93.95	-	-	Horizontal	NA
6	6999.88	48.40	-1.70	46.70	68.20	21.50	Horizontal	PASS
7	13679.69	40.82	9.27	50.09	68.20	18.11	Horizontal	PASS
8	17995.78	38.62	13.73	52.35	74.00	21.65	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5297.66	74.36	12.21	86.57	-	-	Vertical	NA
2	9475.15	36.42	2.41	38.83	54.00	15.17	Vertical	PASS
3	12086.50	35.40	5.26	40.66	54.00	13.34	Vertical	PASS
4	17891.90	32.63	13.44	46.07	54.00	7.93	Vertical	PASS
5	5301.33	81.46	12.22	93.68	-	-	Vertical	NA
6	6999.88	49.05	-1.70	47.35	68.20	20.85	Vertical	PASS
7	15064.34	40.61	9.17	49.78	68.20	18.42	Vertical	PASS
8	17986.20	38.82	13.59	52.41	74.00	21.59	Vertical	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.53	72.40	13.44	85.84	-	-	Horizontal	NA
2	7426.93	45.53	-1.01	44.52	54.00	9.48	Horizontal	PASS
3	12066.95	35.47	5.35	40.82	54.00	13.18	Horizontal	PASS
4	17982.75	32.47	13.54	46.01	54.00	7.99	Horizontal	PASS
5	5582.75	78.19	13.21	91.40	-	-	Horizontal	NA
6	7426.93	48.58	-1.01	47.57	74.00	26.43	Horizontal	PASS
7	13669.72	40.76	9.20	49.96	68.20	18.24	Horizontal	PASS
8	17370.16	40.25	12.17	52.42	68.20	15.78	Horizontal	PASS

Project Information			
Mode:	802.11ax160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5620.52	71.92	13.35	85.27	-	-	Vertical	NA
2	7426.93	47.95	-1.01	46.94	54.00	7.06	Vertical	PASS
3	11374.25	35.34	5.21	40.55	54.00	13.45	Vertical	PASS
4	17986.20	31.69	13.59	45.28	54.00	8.72	Vertical	PASS
5	5581.10	79.60	13.19	92.79	-	-	Vertical	NA
6	7426.55	49.47	-1.00	48.47	74.00	25.53	Vertical	PASS
7	13695.79	41.18	9.39	50.57	68.20	17.63	Vertical	PASS
8	17973.55	38.65	13.40	52.05	74.00	21.95	Vertical	PASS

## Radiated Band Edge

### Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5136.38	32.32	12.39	44.71	54.00	9.29	Horizontal	PASS
2	5146.17	34.23	12.45	46.68	54.00	7.32	Horizontal	PASS
3	5148.87	34.91	12.48	47.39	54.00	6.61	Horizontal	PASS
4	5136.71	43.46	12.39	55.85	74.00	18.15	Horizontal	PASS
5	5147.21	46.19	12.46	58.65	74.00	15.35	Horizontal	PASS
6	5149.61	46.05	12.48	58.53	74.00	15.47	Horizontal	PASS



Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5131.57	32.40	12.35	44.75	54.00	9.25	Vertical	PASS
2	5137.32	32.56	12.39	44.95	54.00	9.05	Vertical	PASS
3	5147.18	33.56	12.46	46.02	54.00	7.98	Vertical	PASS
4	5129.75	43.21	12.34	55.55	74.00	18.45	Vertical	PASS
5	5139.14	43.63	12.41	56.04	74.00	17.96	Vertical	PASS
6	5149.26	44.53	12.48	57.01	74.00	16.99	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.95	28.96	12.69	41.65	54.00	12.35	Horizontal	PASS
2	5362.77	28.93	12.75	41.68	54.00	12.32	Horizontal	PASS
3	5370.58	28.31	12.80	41.11	54.00	12.89	Horizontal	PASS
4	5350.84	39.70	12.69	52.39	74.00	21.61	Horizontal	PASS
5	5362.06	39.44	12.75	52.19	74.00	21.81	Horizontal	PASS
6	5369.93	39.61	12.80	52.41	74.00	21.59	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5351.95	28.81	12.70	41.51	54.00	12.49	Vertical	PASS
2	5359.23	28.80	12.73	41.53	54.00	12.47	Vertical	PASS
3	5369.70	28.45	12.79	41.24	54.00	12.76	Vertical	PASS
4	5352.95	39.33	12.69	52.02	74.00	21.98	Vertical	PASS
5	5358.94	40.02	12.73	52.75	74.00	21.25	Vertical	PASS
6	5369.96	39.81	12.80	52.61	74.00	21.39	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.43	28.28	12.67	40.95	54.00	13.05	Horizontal	PASS
2	5453.84	28.29	12.70	40.99	54.00	13.01	Horizontal	PASS
3	5459.09	28.35	12.78	41.13	54.00	12.87	Horizontal	PASS
4	5454.98	39.49	12.72	52.21	74.00	21.79	Horizontal	PASS
5	5459.51	39.19	12.80	51.99	74.00	22.01	Horizontal	PASS
6	5468.58	38.83	12.94	51.77	68.20	16.43	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.68	28.22	12.67	40.89	54.00	13.11	Vertical	PASS
2	5457.17	28.44	12.75	41.19	54.00	12.81	Vertical	PASS
3	5459.93	28.28	12.80	41.08	54.00	12.92	Vertical	PASS
4	5456.75	39.01	12.75	51.76	74.00	22.24	Vertical	PASS
5	5460.90	39.07	12.82	51.89	68.20	16.31	Vertical	PASS
6	5467.65	39.08	12.93	52.01	68.20	16.19	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.44	39.35	13.35	52.70	68.20	15.50	Horizontal	PASS
2	5732.62	40.20	13.25	53.45	68.20	14.75	Horizontal	PASS
3	5741.81	39.02	13.09	52.11	68.20	16.09	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5725.84	38.74	13.36	52.10	68.20	16.10	Vertical	PASS
2	5728.99	39.05	13.30	52.35	68.20	15.85	Vertical	PASS
3	5739.52	39.22	13.13	52.35	68.20	15.85	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5856.29	38.86	13.30	52.16	68.20	16.04	Horizontal	PASS
2	5884.11	39.24	13.57	52.81	68.20	15.39	Horizontal	PASS
3	5946.78	38.66	14.06	52.72	68.20	15.48	Horizontal	PASS



Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5859.53	39.21	13.33	52.54	68.20	15.66	Vertical	PASS
2	5971.10	39.47	13.87	53.34	68.20	14.86	Vertical	PASS
3	5989.19	39.46	13.67	53.13	68.20	15.07	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5129.29	31.80	12.34	44.14	54.00	9.86	Horizontal	PASS
2	5145.29	31.77	12.45	44.22	54.00	9.78	Horizontal	PASS
3	5147.83	31.99	12.46	44.45	54.00	9.55	Horizontal	PASS
4	5130.24	43.25	12.34	55.59	74.00	18.41	Horizontal	PASS
5	5146.36	42.39	12.46	54.85	74.00	19.15	Horizontal	PASS
6	5149.32	42.26	12.48	54.74	74.00	19.26	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5128.87	32.00	12.34	44.34	54.00	9.66	Vertical	PASS
2	5137.32	31.77	12.39	44.16	54.00	9.84	Vertical	PASS
3	5148.61	31.88	12.47	44.35	54.00	9.65	Vertical	PASS
4	5129.06	42.85	12.34	55.19	74.00	18.81	Vertical	PASS
5	5136.87	43.47	12.39	55.86	74.00	18.14	Vertical	PASS
6	5148.35	42.82	12.47	55.29	74.00	18.71	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5353.02	28.49	12.69	41.18	54.00	12.82	Horizontal	PASS
2	5360.14	28.26	12.74	41.00	54.00	13.00	Horizontal	PASS
3	5364.27	28.33	12.76	41.09	54.00	12.91	Horizontal	PASS
4	5352.08	39.25	12.70	51.95	74.00	22.05	Horizontal	PASS
5	5359.65	39.27	12.74	52.01	74.00	21.99	Horizontal	PASS
6	5363.94	39.15	12.76	51.91	74.00	22.09	Horizontal	PASS



Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.35	28.32	12.68	41.00	54.00	13.00	Vertical	PASS
2	5354.48	28.26	12.70	40.96	54.00	13.04	Vertical	PASS
3	5362.06	28.29	12.75	41.04	54.00	12.96	Vertical	PASS
4	5350.13	39.17	12.68	51.85	74.00	22.15	Vertical	PASS
5	5354.19	39.75	12.70	52.45	74.00	21.55	Vertical	PASS
6	5360.82	39.15	12.74	51.89	74.00	22.11	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.19	27.90	12.67	40.57	54.00	13.43	Horizontal	PASS
2	5453.66	27.98	12.70	40.68	54.00	13.32	Horizontal	PASS
3	5458.94	28.00	12.78	40.78	54.00	13.22	Horizontal	PASS
4	5457.23	39.16	12.75	51.91	74.00	22.09	Horizontal	PASS
5	5465.10	39.02	12.88	51.90	68.20	16.30	Horizontal	PASS
6	5469.09	38.68	12.94	51.62	68.20	16.58	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.93	28.21	12.66	40.87	54.00	13.13	Vertical	PASS
2	5453.75	27.89	12.70	40.59	54.00	13.41	Vertical	PASS
3	5458.40	28.02	12.78	40.80	54.00	13.20	Vertical	PASS
4	5455.04	39.06	12.72	51.78	74.00	22.22	Vertical	PASS
5	5463.36	38.93	12.86	51.79	68.20	16.41	Vertical	PASS
6	5467.89	38.85	12.93	51.78	68.20	16.42	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.92	38.24	13.34	51.58	68.20	16.62	Horizontal	PASS
2	5731.63	39.74	13.26	53.00	68.20	15.20	Horizontal	PASS
3	5739.94	39.67	13.12	52.79	68.20	15.41	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.96	38.56	13.35	51.91	68.20	16.29	Vertical	PASS
2	5734.84	38.60	13.21	51.81	68.20	16.39	Vertical	PASS
3	5741.48	38.99	13.10	52.09	68.20	16.11	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.56	39.00	13.30	52.30	68.20	15.90	Horizontal	PASS
2	5878.71	39.61	13.52	53.13	68.20	15.07	Horizontal	PASS
3	5964.34	38.38	13.94	52.32	68.20	15.88	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.78	38.48	13.27	51.75	68.20	16.45	Vertical	PASS
2	5882.76	38.37	13.56	51.93	68.20	16.27	Vertical	PASS
3	5947.59	38.48	14.08	52.56	68.20	15.64	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph






Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.07	28.00	12.41	40.41	54.00	13.59	Horizontal	PASS
2	5147.28	31.43	12.46	43.89	54.00	10.11	Horizontal	PASS
3	5149.87	32.08	12.48	44.56	54.00	9.44	Horizontal	PASS
4	5139.92	39.57	12.41	51.98	74.00	22.02	Horizontal	PASS
5	5147.71	44.37	12.46	56.83	74.00	17.17	Horizontal	PASS
6	5149.07	43.15	12.48	55.63	74.00	18.37	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5144.22	29.30	12.44	41.74	54.00	12.26	Vertical	PASS
2	5147.41	30.53	12.46	42.99	54.00	11.01	Vertical	PASS
3	5149.45	31.01	12.48	43.49	54.00	10.51	Vertical	PASS
4	5143.28	39.83	12.43	52.26	74.00	21.74	Vertical	PASS
5	5148.00	42.75	12.46	55.21	74.00	18.79	Vertical	PASS
6	5149.36	42.69	12.48	55.17	74.00	18.83	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.85	30.22	12.69	42.91	54.00	11.09	Horizontal	PASS
2	5353.27	29.36	12.70	42.06	54.00	11.94	Horizontal	PASS
3	5366.62	28.48	12.78	41.26	54.00	12.74	Horizontal	PASS
4	5351.06	40.05	12.69	52.74	74.00	21.26	Horizontal	PASS
5	5353.87	40.77	12.70	53.47	74.00	20.53	Horizontal	PASS
6	5365.48	39.35	12.77	52.12	74.00	21.88	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.17	29.46	12.68	42.14	54.00	11.86	Vertical	PASS
2	5358.84	28.80	12.73	41.53	54.00	12.47	Vertical	PASS
3	5363.99	28.47	12.76	41.23	54.00	12.77	Vertical	PASS
4	5351.91	40.15	12.69	52.84	74.00	21.16	Vertical	PASS
5	5358.59	39.67	12.73	52.40	74.00	21.60	Vertical	PASS
6	5363.48	39.34	12.76	52.10	74.00	21.90	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	27.89	12.69	40.58	54.00	13.42	Horizontal	PASS
2	5456.12	27.91	12.74	40.65	54.00	13.35	Horizontal	PASS
3	5459.92	29.09	12.80	41.89	54.00	12.11	Horizontal	PASS
4	5453.84	39.36	12.70	52.06	74.00	21.94	Horizontal	PASS
5	5467.89	45.95	12.93	58.88	68.20	9.32	Horizontal	PASS
6	5469.97	45.58	12.96	58.54	68.20	9.66	Horizontal	PASS



Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.96	27.95	12.66	40.61	54.00	13.39	Vertical	PASS
2	5454.68	28.04	12.72	40.76	54.00	13.24	Vertical	PASS
3	5459.88	28.72	12.80	41.52	54.00	12.48	Vertical	PASS
4	5454.68	38.26	12.72	50.98	74.00	23.02	Vertical	PASS
5	5463.53	40.84	12.86	53.70	68.20	14.50	Vertical	PASS
6	5467.97	45.60	12.93	58.53	68.20	9.67	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.79	38.91	13.36	52.27	68.20	15.93	Horizontal	PASS
2	5735.14	38.84	13.20	52.04	68.20	16.16	Horizontal	PASS
3	5747.10	39.02	13.01	52.03	68.20	16.17	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.14	38.56	13.33	51.89	68.20	16.31	Vertical	PASS
2	5737.09	39.02	13.17	52.19	68.20	16.01	Vertical	PASS
3	5743.95	38.90	13.06	51.96	68.20	16.24	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5860.88	38.66	13.35	52.01	68.20	16.19	Horizontal	PASS
2	5926.79	39.13	13.92	53.05	68.20	15.15	Horizontal	PASS
3	5945.97	39.13	14.06	53.19	68.20	15.01	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.75	38.67	13.30	51.97	68.20	16.23	Vertical	PASS
2	5882.49	39.26	13.56	52.82	68.20	15.38	Vertical	PASS
3	5965.96	38.36	13.92	52.28	68.20	15.92	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph






Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.50	28.22	12.37	40.59	54.00	13.41	Horizontal	PASS
2	5144.20	28.56	12.44	41.00	54.00	13.00	Horizontal	PASS
3	5147.14	28.83	12.46	41.29	54.00	12.71	Horizontal	PASS
4	5134.13	38.33	12.37	50.70	74.00	23.30	Horizontal	PASS
5	5144.82	39.42	12.44	51.86	74.00	22.14	Horizontal	PASS
6	5148.14	38.85	12.46	51.31	74.00	22.69	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.32	28.13	12.39	40.52	54.00	13.48	Vertical	PASS
2	5143.07	28.25	12.43	40.68	54.00	13.32	Vertical	PASS
3	5146.39	28.48	12.46	40.94	54.00	13.06	Vertical	PASS
4	5137.69	38.61	12.39	51.00	74.00	23.00	Vertical	PASS
5	5142.70	38.86	12.43	51.29	74.00	22.71	Vertical	PASS
6	5148.45	39.15	12.47	51.62	74.00	22.38	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.49	32.21	12.68	44.89	54.00	9.11	Horizontal	PASS
2	5362.81	30.71	12.75	43.46	54.00	10.54	Horizontal	PASS
3	5370.37	29.80	12.80	42.60	54.00	11.40	Horizontal	PASS
4	5354.80	41.87	12.71	54.58	74.00	19.42	Horizontal	PASS
5	5364.37	40.91	12.76	53.67	74.00	20.33	Horizontal	PASS
6	5369.31	40.72	12.79	53.51	74.00	20.49	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.30	30.87	12.68	43.55	54.00	10.45	Vertical	PASS
2	5353.80	30.70	12.70	43.40	54.00	10.60	Vertical	PASS
3	5363.62	30.11	12.76	42.87	54.00	11.13	Vertical	PASS
4	5350.18	41.52	12.68	54.20	74.00	19.80	Vertical	PASS
5	5353.49	41.53	12.70	54.23	74.00	19.77	Vertical	PASS
6	5362.06	40.93	12.75	53.68	74.00	20.32	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5437.16	29.64	12.72	42.36	54.00	11.64	Horizontal	PASS
2	5449.83	31.04	12.64	43.68	54.00	10.32	Horizontal	PASS
3	5459.19	33.27	12.79	46.06	54.00	7.94	Horizontal	PASS
4	5449.75	41.77	12.64	54.41	74.00	19.59	Horizontal	PASS
5	5458.68	43.42	12.78	56.20	74.00	17.80	Horizontal	PASS
6	5469.82	45.23	12.96	58.19	68.20	10.01	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5410.72	28.22	12.90	41.12	54.00	12.88	Vertical	PASS
2	5443.12	29.34	12.69	42.03	54.00	11.97	Vertical	PASS
3	5456.30	31.70	12.74	44.44	54.00	9.56	Vertical	PASS
4	5437.67	39.90	12.73	52.63	74.00	21.37	Vertical	PASS
5	5453.66	41.87	12.70	54.57	74.00	19.43	Vertical	PASS
6	5468.29	44.79	12.94	57.73	68.20	10.47	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.68	38.46	13.34	51.80	68.20	16.40	Horizontal	PASS
2	5737.12	38.94	13.17	52.11	68.20	16.09	Horizontal	PASS
3	5747.93	38.89	12.99	51.88	68.20	16.32	Horizontal	PASS



Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.83	38.51	13.29	51.80	68.20	16.40	Vertical	PASS
2	5741.36	38.91	13.10	52.01	68.20	16.19	Vertical	PASS
3	5745.05	38.84	13.04	51.88	68.20	16.32	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5870.61	38.76	13.44	52.20	68.20	16.00	Horizontal	PASS
2	5940.03	38.31	14.02	52.33	68.20	15.87	Horizontal	PASS
3	5951.11	38.22	14.08	52.30	68.20	15.90	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.96	39.49	13.36	52.85	68.20	15.35	Vertical	PASS
2	5914.10	38.98	13.83	52.81	68.20	15.39	Vertical	PASS
3	5951.92	38.47	14.07	52.54	68.20	15.66	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph




Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5093.82	28.81	12.12	40.93	54.00	13.07	Horizontal	PASS
2	5127.44	31.33	12.32	43.65	54.00	10.35	Horizontal	PASS
3	5147.45	33.11	12.46	45.57	54.00	8.43	Horizontal	PASS
4	5355.15	31.29	12.71	44.00	54.00	10.00	Horizontal	PASS
5	5386.37	31.08	12.89	43.97	54.00	10.03	Horizontal	PASS
6	5403.98	30.60	12.95	43.55	54.00	10.45	Horizontal	PASS
7	5090.22	38.72	12.12	50.84	74.00	23.16	Horizontal	PASS
8	5132.64	41.09	12.36	53.45	74.00	20.55	Horizontal	PASS
9	5144.05	43.84	12.44	56.28	74.00	17.72	Horizontal	PASS
10	5356.75	41.60	12.72	54.32	74.00	19.68	Horizontal	PASS
11	5389.37	42.83	12.91	55.74	74.00	18.26	Horizontal	PASS
12	5402.18	41.31	12.95	54.26	74.00	19.74	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5110.03	29.19	12.20	41.39	54.00	12.61	Vertical	PASS
2	5136.24	30.89	12.38	43.27	54.00	10.73	Vertical	PASS
3	5143.05	30.71	12.43	43.14	54.00	10.86	Vertical	PASS
4	5386.57	34.30	12.90	47.20	54.00	6.80	Vertical	PASS
5	5393.77	33.74	12.93	46.67	54.00	7.33	Vertical	PASS
6	5407.58	32.96	12.92	45.88	54.00	8.12	Vertical	PASS
7	5106.43	40.01	12.18	52.19	74.00	21.81	Vertical	PASS
8	5133.84	40.57	12.37	52.94	74.00	21.06	Vertical	PASS
9	5145.45	41.62	12.45	54.07	74.00	19.93	Vertical	PASS
10	5386.37	44.85	12.89	57.74	74.00	16.26	Vertical	PASS
11	5394.17	43.90	12.93	56.83	74.00	17.17	Vertical	PASS
12	5402.78	44.98	12.96	57.94	74.00	16.06	Vertical	PASS