


Project Information

Mode:	802.11ax20 26t-0	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.53	28.18	12.67	40.85	54.00	13.15	Vertical	PASS
2	5455.46	28.26	12.73	40.99	54.00	13.01	Vertical	PASS
3	5459.63	28.36	12.80	41.16	54.00	12.84	Vertical	PASS
4	5451.35	39.60	12.66	52.26	74.00	21.74	Vertical	PASS
5	5456.90	38.76	12.75	51.51	74.00	22.49	Vertical	PASS
6	5463.00	39.03	12.85	51.88	68.20	16.32	Vertical	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.06	28.01	12.69	40.70	54.00	13.30	Horizontal	PASS
2	5454.32	28.06	12.71	40.77	54.00	13.23	Horizontal	PASS
3	5458.22	28.12	12.77	40.89	54.00	13.11	Horizontal	PASS
4	5458.70	38.99	12.78	51.77	74.00	22.23	Horizontal	PASS
5	5465.58	38.77	12.89	51.66	68.20	16.54	Horizontal	PASS
6	5469.36	39.32	12.96	52.28	68.20	15.92	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-37	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.81	28.39	12.70	41.09	54.00	12.91	Vertical	PASS
2	5455.88	28.03	12.74	40.77	54.00	13.23	Vertical	PASS
3	5458.94	28.18	12.78	40.96	54.00	13.04	Vertical	PASS
4	5454.71	40.54	12.72	53.26	74.00	20.74	Vertical	PASS
5	5467.23	39.11	12.92	52.03	68.20	16.17	Vertical	PASS
6	5469.60	38.46	12.96	51.42	68.20	16.78	Vertical	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.35	27.93	12.66	40.59	54.00	13.41	Horizontal	PASS
2	5454.65	28.01	12.72	40.73	54.00	13.27	Horizontal	PASS
3	5459.45	27.95	12.80	40.75	54.00	13.25	Horizontal	PASS
4	5464.74	42.54	12.88	55.42	68.20	12.78	Horizontal	PASS
5	5467.59	44.37	12.93	57.30	68.20	10.90	Horizontal	PASS
6	5469.51	44.73	12.96	57.69	68.20	10.51	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-53	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.32	28.09	12.66	40.75	54.00	13.25	Vertical	PASS
2	5455.79	28.09	12.73	40.82	54.00	13.18	Vertical	PASS
3	5459.93	27.96	12.80	40.76	54.00	13.24	Vertical	PASS
4	5455.94	38.78	12.74	51.52	74.00	22.48	Vertical	PASS
5	5466.15	42.13	12.90	55.03	68.20	13.17	Vertical	PASS
6	5469.18	43.16	12.96	56.12	68.20	12.08	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.63	39.10	13.36	52.46	68.20	15.74	Horizontal	PASS
2	5731.60	39.16	13.26	52.42	68.20	15.78	Horizontal	PASS
3	5741.90	39.30	13.09	52.39	68.20	15.81	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.02	38.87	13.35	52.22	68.20	15.98	Vertical	PASS
2	5732.62	39.01	13.25	52.26	68.20	15.94	Vertical	PASS
3	5741.21	39.59	13.10	52.69	68.20	15.51	Vertical	PASS

Project Information

Mode:	802.11ax20 52t-40	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.01	38.82	13.34	52.16	68.20	16.04	Horizontal	PASS
2	5737.33	39.17	13.17	52.34	68.20	15.86	Horizontal	PASS
3	5744.36	40.31	13.05	53.36	68.20	14.84	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-40	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.48	38.73	13.36	52.09	68.20	16.11	Vertical	PASS
2	5735.02	39.45	13.21	52.66	68.20	15.54	Vertical	PASS
3	5741.66	39.34	13.10	52.44	68.20	15.76	Vertical	PASS

Project Information

Mode:	802.11ax20 106t-54	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.02	40.73	13.35	54.08	68.20	14.12	Horizontal	PASS
2	5733.79	38.48	13.23	51.71	68.20	16.49	Horizontal	PASS
3	5744.18	38.84	13.06	51.90	68.20	16.30	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-54	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.06	42.50	13.37	55.87	68.20	12.33	Vertical	PASS
2	5729.44	39.27	13.30	52.57	68.20	15.63	Vertical	PASS
3	5743.31	39.22	13.07	52.29	68.20	15.91	Vertical	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5871.15	38.98	13.45	52.43	68.20	15.77	Horizontal	PASS
2	5904.64	39.14	13.76	52.90	68.20	15.30	Horizontal	PASS
3	5951.38	38.64	14.07	52.71	68.20	15.49	Horizontal	PASS

Project Information

Mode:	802.11ax20 26t-8	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.53	39.02	13.33	52.35	68.20	15.85	Vertical	PASS
2	5894.11	38.76	13.67	52.43	68.20	15.77	Vertical	PASS
3	5957.59	38.46	14.01	52.47	68.20	15.73	Vertical	PASS

Project Information

Mode:	802.11ax20 52t-40	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5867.09	38.67	13.41	52.08	68.20	16.12	Horizontal	PASS
2	5930.04	38.67	13.95	52.62	68.20	15.58	Horizontal	PASS
3	5965.69	38.70	13.93	52.63	68.20	15.57	Horizontal	PASS

Project Information

Mode:	802.11ax20 52t-40	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5874.93	39.00	13.48	52.48	68.20	15.72	Vertical	PASS
2	5935.71	38.42	13.99	52.41	68.20	15.79	Vertical	PASS
3	5995.95	38.70	13.61	52.31	68.20	15.89	Vertical	PASS

Project Information

Mode:	802.11ax20 106t-54	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.35	38.92	13.24	52.16	68.20	16.04	Horizontal	PASS
2	5902.48	38.96	13.74	52.70	68.20	15.50	Horizontal	PASS
3	5947.05	38.94	14.06	53.00	68.20	15.20	Horizontal	PASS

Project Information

Mode:	802.11ax20 106t-54	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.21	39.33	13.29	52.62	68.20	15.58	Vertical	PASS
2	5926.25	39.38	13.92	53.30	68.20	14.90	Vertical	PASS
3	5950.57	38.49	14.09	52.58	68.20	15.62	Vertical	PASS


Project Information			
Mode:	802.11ax20 26t-0	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 26t-0	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 52t-37	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 106t-53	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 26t-8	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 52t-40	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 52t-40	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information			
Mode:	802.11ax20 106t-54	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax20 106t-54	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.95	28.33	12.34	40.67	54.00	13.33	Horizontal	PASS
2	5139.07	28.93	12.41	41.34	54.00	12.66	Horizontal	PASS
3	5147.32	29.30	12.46	41.76	54.00	12.24	Horizontal	PASS
4	5133.55	44.67	12.36	57.03	74.00	16.97	Horizontal	PASS
5	5139.03	45.16	12.41	57.57	74.00	16.43	Horizontal	PASS
6	5147.32	45.00	12.46	57.46	74.00	16.54	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.93	27.76	12.38	40.14	54.00	13.86	Vertical	PASS
2	5141.50	27.97	12.42	40.39	54.00	13.61	Vertical	PASS
3	5149.66	28.19	12.48	40.67	54.00	13.33	Vertical	PASS
4	5136.44	40.47	12.39	52.86	74.00	21.14	Vertical	PASS
5	5140.05	40.18	12.41	52.59	74.00	21.41	Vertical	PASS
6	5149.36	41.22	12.48	53.70	74.00	20.30	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	31.91	12.68	44.59	54.00	9.41	Horizontal	PASS
2	5354.89	31.14	12.71	43.85	54.00	10.15	Horizontal	PASS
3	5360.97	31.35	12.75	44.10	54.00	9.90	Horizontal	PASS
4	5351.49	50.75	12.69	63.44	74.00	10.56	Horizontal	PASS
5	5355.53	49.78	12.71	62.49	74.00	11.51	Horizontal	PASS
6	5360.12	48.31	12.74	61.05	74.00	12.95	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.04	31.55	12.68	44.23	54.00	9.77	Vertical	PASS
2	5352.21	31.48	12.70	44.18	54.00	9.82	Vertical	PASS
3	5359.44	30.53	12.73	43.26	54.00	10.74	Vertical	PASS
4	5351.10	48.82	12.69	61.51	74.00	12.49	Vertical	PASS
5	5360.25	47.97	12.74	60.71	74.00	13.29	Vertical	PASS
6	5365.56	46.36	12.77	59.13	74.00	14.87	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.16	28.24	12.66	40.90	54.00	13.10	Horizontal	PASS
2	5455.40	28.12	12.73	40.85	54.00	13.15	Horizontal	PASS
3	5458.84	28.31	12.78	41.09	54.00	12.91	Horizontal	PASS
4	5457.56	39.24	12.77	52.01	74.00	21.99	Horizontal	PASS
5	5464.17	41.49	12.87	54.36	68.20	13.84	Horizontal	PASS
6	5468.25	42.28	12.94	55.22	68.20	12.98	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-61	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.48	28.12	12.67	40.79	54.00	13.21	Vertical	PASS
2	5456.32	28.02	12.74	40.76	54.00	13.24	Vertical	PASS
3	5458.00	28.13	12.77	40.90	54.00	13.10	Vertical	PASS
4	5461.49	40.96	12.83	53.79	68.20	14.41	Vertical	PASS
5	5465.61	41.39	12.89	54.28	68.20	13.92	Vertical	PASS
6	5468.21	42.75	12.94	55.69	68.20	12.51	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.39	39.68	13.35	53.03	68.20	15.17	Horizontal	PASS
2	5739.84	39.31	13.13	52.44	68.20	15.76	Horizontal	PASS
3	5748.05	39.18	12.99	52.17	68.20	16.03	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.79	38.67	13.31	51.98	68.20	16.22	Vertical	PASS
2	5736.59	39.50	13.18	52.68	68.20	15.52	Vertical	PASS
3	5745.95	38.78	13.03	51.81	68.20	16.39	Vertical	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.13	38.97	13.28	52.25	68.20	15.95	Horizontal	PASS
2	5901.13	38.68	13.74	52.42	68.20	15.78	Horizontal	PASS
3	5951.65	38.54	14.07	52.61	68.20	15.59	Horizontal	PASS

Project Information

Mode:	802.11ax40 242t-62	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5872.23	38.89	13.46	52.35	68.20	15.85	Vertical	PASS
2	5935.44	38.10	13.98	52.08	68.20	16.12	Vertical	PASS
3	5979.20	38.49	13.78	52.27	68.20	15.93	Vertical	PASS


Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax40 242t-61	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax40 242t-62	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.63	29.89	12.42	42.31	54.00	11.69	Horizontal	PASS
2	5145.57	30.97	12.45	43.42	54.00	10.58	Horizontal	PASS
3	5149.70	31.19	12.48	43.67	54.00	10.33	Horizontal	PASS
4	5125.38	42.85	12.31	55.16	74.00	18.84	Horizontal	PASS
5	5141.57	46.17	12.42	58.59	74.00	15.41	Horizontal	PASS
6	5145.51	48.51	12.45	60.96	74.00	13.04	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5126.13	27.78	12.31	40.09	54.00	13.91	Vertical	PASS
2	5141.70	28.98	12.43	41.41	54.00	12.59	Vertical	PASS
3	5149.70	29.68	12.48	42.16	54.00	11.84	Vertical	PASS
4	5126.63	40.99	12.32	53.31	74.00	20.69	Vertical	PASS
5	5141.76	45.01	12.43	57.44	74.00	16.56	Vertical	PASS
6	5149.57	46.83	12.48	59.31	74.00	14.69	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	33.50	12.69	46.19	54.00	7.81	Horizontal	PASS
2	5372.24	31.81	12.81	44.62	54.00	9.38	Horizontal	PASS
3	5381.47	31.28	12.87	44.15	54.00	9.85	Horizontal	PASS
4	5353.55	45.88	12.70	58.58	74.00	15.42	Horizontal	PASS
5	5372.16	48.73	12.81	61.54	74.00	12.46	Horizontal	PASS
6	5381.39	48.86	12.86	61.72	74.00	12.28	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.70	33.80	12.69	46.49	54.00	7.51	Vertical	PASS
2	5376.51	33.72	12.84	46.56	54.00	7.44	Vertical	PASS
3	5385.67	33.09	12.89	45.98	54.00	8.02	Vertical	PASS
4	5350.18	48.00	12.68	60.68	74.00	13.32	Vertical	PASS
5	5381.32	50.94	12.86	63.80	74.00	10.20	Vertical	PASS
6	5385.59	50.82	12.89	63.71	74.00	10.29	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5436.23	29.23	12.73	41.96	54.00	12.04	Horizontal	PASS
2	5444.14	28.83	12.68	41.51	54.00	12.49	Horizontal	PASS
3	5456.21	28.51	12.74	41.25	54.00	12.75	Horizontal	PASS
4	5444.14	42.52	12.68	55.20	74.00	18.80	Horizontal	PASS
5	5461.57	44.71	12.83	57.54	68.20	10.66	Horizontal	PASS
6	5468.37	45.49	12.94	58.43	68.20	9.77	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-65	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5436.40	30.08	12.73	42.81	54.00	11.19	Vertical	PASS
2	5441.33	29.40	12.69	42.09	54.00	11.91	Vertical	PASS
3	5447.20	29.09	12.65	41.74	54.00	12.26	Vertical	PASS
4	5441.16	44.04	12.70	56.74	74.00	17.26	Vertical	PASS
5	5465.74	46.30	12.89	59.19	68.20	9.01	Vertical	PASS
6	5468.29	47.22	12.94	60.16	68.20	8.04	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.05	38.14	13.35	51.49	68.20	16.71	Horizontal	PASS
2	5734.51	38.66	13.21	51.87	68.20	16.33	Horizontal	PASS
3	5744.42	38.75	13.05	51.80	68.20	16.40	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.23	39.34	13.35	52.69	68.20	15.51	Vertical	PASS
2	5738.29	38.25	13.15	51.40	68.20	16.80	Vertical	PASS
3	5747.93	38.62	12.99	51.61	68.20	16.59	Vertical	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5866.01	39.04	13.40	52.44	68.20	15.76	Horizontal	PASS
2	5928.95	38.29	13.94	52.23	68.20	15.97	Horizontal	PASS
3	5968.93	38.69	13.89	52.58	68.20	15.62	Horizontal	PASS

Project Information

Mode:	802.11ax80 484t-66	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		


Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.24	38.91	13.26	52.17	68.20	16.03	Vertical	PASS
2	5932.47	37.94	13.96	51.90	68.20	16.30	Vertical	PASS
3	5971.91	38.31	13.86	52.17	68.20	16.03	Vertical	PASS


Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax80 484t-65	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph


Project Information			
Mode:	802.11ax80 484t-66	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph

Project Information

Mode:	802.11ax160 996t-67	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5096.42	30.39	12.12	42.51	54.00	11.49	Horizontal	PASS
2	5122.04	32.11	12.29	44.40	54.00	9.60	Horizontal	PASS
3	5125.84	31.97	12.31	44.28	54.00	9.72	Horizontal	PASS
4	5385.57	31.67	12.89	44.56	54.00	9.44	Horizontal	PASS
5	5396.37	33.06	12.95	46.01	54.00	7.99	Horizontal	PASS
6	5405.78	31.41	12.93	44.34	54.00	9.66	Horizontal	PASS
7	5092.22	44.81	12.12	56.93	74.00	17.07	Horizontal	PASS
8	5116.63	46.82	12.25	59.07	74.00	14.93	Horizontal	PASS
9	5125.64	46.62	12.31	58.93	74.00	15.07	Horizontal	PASS
10	5385.37	46.11	12.89	59.00	74.00	15.00	Horizontal	PASS
11	5394.97	47.97	12.94	60.91	74.00	13.09	Horizontal	PASS
12	5405.38	45.76	12.93	58.69	74.00	15.31	Horizontal	PASS

Project Information

Mode:	802.11ax160 996t-67	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5092.22	30.26	12.12	42.38	54.00	11.62	Vertical	PASS
2	5122.04	33.43	12.29	45.72	54.00	8.28	Vertical	PASS
3	5136.64	32.64	12.39	45.03	54.00	8.97	Vertical	PASS
4	5385.77	31.94	12.89	44.83	54.00	9.17	Vertical	PASS
5	5392.37	33.86	12.93	46.79	54.00	7.21	Vertical	PASS
6	5401.78	33.44	12.95	46.39	54.00	7.61	Vertical	PASS
7	5094.82	44.91	12.12	57.03	74.00	16.97	Vertical	PASS
8	5125.64	48.15	12.31	60.46	74.00	13.54	Vertical	PASS
9	5136.24	47.75	12.38	60.13	74.00	13.87	Vertical	PASS
10	5392.17	48.93	12.93	61.86	74.00	12.14	Vertical	PASS
11	5401.58	48.09	12.96	61.05	74.00	12.95	Vertical	PASS
12	5408.38	46.66	12.92	59.58	74.00	14.42	Vertical	PASS

Project Information

Mode:	802.11ax160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5415.06	30.82	12.87	43.69	54.00	10.31	Horizontal	PASS
2	5439.22	32.66	12.71	45.37	54.00	8.63	Horizontal	PASS
3	5445.87	32.53	12.67	45.20	54.00	8.80	Horizontal	PASS
4	5439.04	46.67	12.71	59.38	74.00	14.62	Horizontal	PASS
5	5443.95	46.95	12.68	59.63	74.00	14.37	Horizontal	PASS
6	5448.32	46.86	12.65	59.51	74.00	14.49	Horizontal	PASS
7	5728.29	48.34	13.32	61.66	68.20	6.54	Horizontal	PASS
8	5730.92	42.03	13.27	55.30	68.20	12.90	Horizontal	PASS
9	5733.89	41.93	13.22	55.15	68.20	13.05	Horizontal	PASS

Project Information

Mode:	802.11ax160 996t-68	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; ANT6&7		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5416.46	31.68	12.86	44.54	54.00	9.46	Vertical	PASS
2	5436.42	33.04	12.73	45.77	54.00	8.23	Vertical	PASS
3	5458.83	30.62	12.78	43.40	54.00	10.60	Vertical	PASS
4	5412.08	46.28	12.89	59.17	74.00	14.83	Vertical	PASS
5	5436.42	48.12	12.73	60.85	74.00	13.15	Vertical	PASS
6	5456.20	44.22	12.74	56.96	74.00	17.04	Vertical	PASS
7	5725.31	48.27	13.36	61.63	68.20	6.57	Vertical	PASS
8	5728.29	47.36	13.32	60.68	68.20	7.52	Vertical	PASS
9	5730.57	43.90	13.28	57.18	68.20	11.02	Vertical	PASS

Simultaneous TX emissions

Test Result

Project Information			
Mode:	NFC+BT(DH5)+5G WIFI+LTE Band 41	Band:	U-NII-2C&3;LTE Band 41
Bandwidth	WiFi 20MHz;LTE 20MHz	Channel	WiFi 142; LTE Mid;BT High
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; BTANT7;WIFI ANT6&7;LTE ANT0		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	40.67	49.05	-23.68	25.37	40.00	14.63	Horizontal	PASS
2	59.63	48.26	-22.83	25.43	40.00	14.57	Horizontal	PASS
3	109.88	54.95	-22.09	32.86	43.50	10.64	Horizontal	PASS
4	170.70	53.87	-24.39	29.48	43.50	14.02	Horizontal	PASS
5	176.28	54.42	-23.96	30.46	43.50	13.04	Horizontal	PASS
6	480.37	39.45	-8.32	31.13	46.00	14.87	Horizontal	PASS

Project Information

Mode:	NFC+BT(DH5)+5G WIFI+LTE Band 41	Band:	U-NII-2C&3;LTE Band 41
Bandwidth	WiFi 20MHz;LTE 20MHz	Channel	WiFi 142; LTE Mid;BT High
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; BTANT7;WIFI ANT6&7;LTE ANT0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	34.95	55.62	-24.86	30.76	40.00	9.24	Vertical	PASS
2	40.67	56.87	-23.28	33.59	40.00	6.41	Vertical	PASS
3	57.94	53.48	-22.36	31.12	40.00	8.88	Vertical	PASS
4	104.84	55.60	-23.40	32.20	43.50	11.30	Vertical	PASS
5	176.23	53.26	-24.31	28.95	43.50	14.55	Vertical	PASS
6	480.61	39.24	-8.31	30.93	46.00	15.07	Vertical	PASS

Project Information

Mode:	NFC+BT(DH5)+5G WIFI+LTE Band 41	Band:	U-NII-2C&3;LTE Band 41
Bandwidth	WiFi 40MHz;LTE 20MHz	Channel	WiFi 142; LTE Mid;BT High
SN:	HQ654900A7	Engineer:	Ou Shuyan
Remark:	Z; BTANT7;WIFI ANT6&7;LTE ANT0		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7613.62	45.45	-0.93	44.52	54.00	9.48	Horizontal	PASS
2	12028.23	36.17	5.34	41.51	54.00	12.49	Horizontal	PASS
3	17859.70	32.22	13.86	46.08	54.00	7.92	Horizontal	PASS
4	2479.85	85.97	11.94	97.91	-	-	Horizontal	NA
5	2584.05	104.85	12.86	117.71	-	-	Horizontal	NA
6	5713.03	80.69	13.27	93.96	-	-	Horizontal	NA
7	7613.24	47.89	-0.93	46.96	74.00	27.04	Horizontal	PASS
8	7752.39	57.80	-0.92	56.88	68.20	11.32	Horizontal	PASS
9	17865.45	39.16	13.79	52.95	74.00	21.05	Horizontal	PASS