



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING
No.

1228-4173 Uen

Date

2009-06-16

Rev

1

Reference

2

U100a, Mobile Phone label content, Made in...

1 General information

Mobile Phone label part no	1222-4187
Mobile Phone label content part no	1228-4172
Bar code	Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

2 Printing information

Content	Format
Line 1 (7,5/16,0) SIM-card logo	Graphics height 5,0mm. According to 1219-7017 document.
Line 2a (15,0/2,0) CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
Line 2b (15,0/10,0) The notified body number “0682”	Text, height 1,2 mm.
Line 2c (15,0/18,0) WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
Line 3a (21,5/2,0) Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
Line 3b (21,5/16,0) Model Name “U100a”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 4a (24,0/2,0) Product number without revision of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.
Line 4b (24,0/18,0) Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
Line 5a (26,0/2,0) “TYPE: AAD-3880047-BV”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 5b (26,0/18,0) HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under specifying document in product model.
Line 6a (28,0/2,0) “FCC ID: PY7A3880047”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING
No.

1228-4173 Uen

Date

2009-06-16

Rev

1

Reference

2

Line 6b (28,0/18,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 7a (30,0/2,0)	"IC: 4170B-A3880047"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 7b (30,0/18,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 8 (32,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 9 (35,0/3,0)	Line 8 in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 10 (37,0/2,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 11 (40,0/3,0)	Line 10 in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 12 (46,0/2,0)	Marking of origin: "Xxx"= actual country of production of the included telephone, in English.	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING
No.

1228-4173 Uen

Date

2009-06-16

Rev

1

Reference

2

3 Layout

The conceptual picture (for Zebra 90XiII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING

1228-4173 Uen

Date

2009-07-16

Rev

1

Reference

7

Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

