



Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

XXXX-XXXX

Date

2009-11-06

Rev

1

Reference

4

J10i2, Label Content Specification, Mobile Phone, Made in

Type Number: AAD-3880065-BV

FCC ID: PY7A3880065

Canada IC: 4170B-A3880065

1 General information

Mobile Phone label part no	1001-2238
Bar code	Standard: according to Ericsson corporate standard 102 01–109 Uen Print quality: C, according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01–1003 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	"(x/y)" under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

2 Printing information

	Content	Format
Line 1a (2,5/1,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
Line 1b (2,5/16,0)	Model Name "J10i2"	Text, height 1,2 mm.
Line 2a (4,5/1,0)	Type number of the phone, "Type: AAD-3880065-BV".	Text, height 1,2 mm.
Line 2b (4,5/16,0)	HW & SW identification field, if applicable; "FFGG"	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Document
Line 3a (5,7/20,7)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
Line 3b (5,7/27,7)	The notified body number "0682"	Text, height 1,2 mm.
Line 4a (6,5/1,0)	"FCC ID: PY7A3880065"	Text, height 1,2 mm.
Line 4b (6,5/16,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 5a (8,5/1,0)	"IC: 4170B-A3880065"	Text, height 1,2 mm.
Line 5b (8,5/15,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 6 (10,5/1,0)	Line 8a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 7 (11,0/26,0)	"Alert Symbol"	Graphics, height 5 mm According to 1001-5859
Line 8a (12,5/1,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn..." for serial number).	Text, height 1,2 mm. Defined by supplier.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

XXXX-XXXX

Date

2009-11-06

Rev

1

Reference


4

Line 8b (12,5/15,0)	Actual electronic serial number (IMEI) of the mobile phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 9 (14,5/1,0)	Line 8b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 10 (16,5/15,0)	Repair week, if applicable. "Ry"W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 11a (18,5/1,0)	Marking of origin. "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.
Line 11b (18,5/15,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 11c (18,5/26,0)	WEE trashcan without bar symbol	Graphics, min. height 5mm According to 1202-5537.

3 Layout

The conceptual picture (for Zebra 90XiII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

XXXX-XXXX

Date

2009-11-06

Rev

1

Reference

4

Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

