



Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1262-1498

Date

2011-12-12

Rev

1

Reference

5State: Released

SO-03D, Hikari_DCM_JP, Mobile Phone label content

1 General information

Mobile Phone label part no	1253-4855
Mobile Phone label content part no	1262-1486
Bar code	Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

2 Printing information

	Content	Format
Line 1a (2,0/3,5)	“Do not remove this label” statement in Japanese. “このシールを剥がさないでください”	Graphics, height 1,2 mm. According to 1234-3822
Line 1b (2,0/32,5)	Supplier’s identification for trace-ability of the telephone, as desired by supplier (e.g. “S/N: nnn...” for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 2 (4,0/32,5)	Colour of the included telephone, in English: e.g. “< XXXXX >”	Text, height 1,5 mm. <i>English colour names according to Chapter 2.1 in MLCI</i>
Line 3 (5,5/32,5)	Product number of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm



Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1262-1498

Date

2011-12-12

Rev

1

Reference

5State: Released

Line 4a (7,0/4,5)	Line 4a in bar code, according to line 5a (only actual number, without data identifier).	Bar code, minimum height 4,5 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit. When printing Code 128, minimum width should be more than 0.125mm and should use four kinds of the width of multiplied width to the minimum width used. (x1, x2, x3, x4) White bar should use the same spec.
Line 4b (7,0/32,5)	Production week (flash), "yyWww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 4c (7,0/39,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 5a (10,0/3,5)	“製” + Actual electronic serial number (IMEI) of the Mobile Phone, “製 00000000-000000-0”	Graphics, height 1,4 mm. According to 1234-3770. Text, height 1,2 mm. In the format TAC-SNR-CD.TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 5b (10,0/26,2)	Type number of the phone, “TYPE: AAD-3880132-BV”.	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 5c (10,0/41,2)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Document
Line 6a (12,3/1,0)	Production date in Japanese (eg: year+ 年+ month+月) : “製造年月 0000 年 00 月”	Text, height 1,2 mm. Graphics, height 1,4 mm. According to 1234-3763, 1235-6102 and 1235-6103
Line 6b (12,3/31,5)	Marking of origin. “Made in Xxx”; “Xxx” = actual country of production of the included telephone, in English	Text, height 1,2 mm.



Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1262-1498

Date

2011-12-12

Rev

1

Reference

5State: Released

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.



Prepared by

Shigeru Iwasaki

Contents responsible if other than preparer

Approved by

Phone label design

Abstract

This document contains information on the phone label design required for Japanese approval.

Product name: AAD-3880132-BV


Marketing name: SO-03D

Contents


1	Drawing of phone label	2
2	Label placement on phone	3




1 Drawing of phone label



CE marking and FCC id



TYPE: AAD-3880132-BV FCC ID: PY7A3880132





Electronic Display for Radio Law/Tele Biz Law



2

Label placement on phone

