

Prepared by
 SEM/CVOAHBB SHINGO OTSUKA
 Contents responsible if other than preparer

This document is managed in metaDoc.

Approved by
 SEM/CVOAAPP (ATSUSHI TAKAGI)

AAH-5880014-BV

CDMA SOY05 Marking Drawing(Label Details)

1. General Information

This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.

2. Printing Information


	Content	Format
Line 1a	Symbol of insertion direction for microSD and micro SD	Graphic, height : 2.8 mm
Line 1b	Please be careful with inserting direction	Text, height : 1.0 mm
Line 1c	Symbol of insertion direction for auIC card And IC card	Graphic, height : 2.8 mm
Line 2a	Operator's name (Logo: au by KDDI)	Graphic, height : 2.5 mm
Line 2b	Official name (CDMA SOY05)	Text, height : 1.4 mm
Line 3	Sony Ericsson stylized name	Graphic, height : 2.0 mm
Line 4a	Operator's product code	Text, height : 1.5 mm
Line 4b	SOY05XXX (Operator's product code)	Text, height : 1.5 mm
Line 5a	Type number: AAH-5880014-BV	Text, height : 1.2 mm
Line 5b	HW&SW identification field: AAAA	Text, height : 1.2 mm
Line 6	The name of distribution company: KDDI Inc and Okinawa Cellular Telephone Company	Text, height : 1.2 mm
Line 7a	Manufacture : Applicant	Text, height : 1.2 mm
Line 7b&10	Sony Ericsson Mobile Communications AB (The name of manufacture)	Text, height : 1.2 mm
Line 8	JATE number: AD11-XXXXXXX	Text, height : 1.0 mm
Line 9	Telecommunications mark	Graphic, height : 1.0 mm
Line 11	TELEC number (for CDMA): 001XZAA1327	Text, height : 1.0 mm
Line 12	TELEC number (for MC-CDMA): 001ZYAA1123	Text, height : 1.0 mm
Line 13	TELEC number (for T-CDMA): 001NXAA1188	Text, height : 1.0 mm
Line 14	Radio Law certification number mark	Graphic, height : 1.0 mm
Line 15	Bluetooth figure mark (Bluetooth logo)	Graphic, height : 3.0 mm



Line 16	TELEC number (for T-CDMA MC): 001XUAA1015	Text, height : 1.0 mm
Line 17	TELEC symbol	Graphic, height : 5.2 mm
Line 18	TELEC number (for Bluetooth): 001WWDA1537	Text, height : 1.0 mm
Line 19	FCC ID: PY7A5880014	Text, height : 1.0 mm
Line 20	ARIB mark	Graphic, height : 2.25 mm
Line 21	IC ID: 4170B-A5880011	Text, height : 1.0 mm
Line 22a	Date of manufacture	Text, height : 1.5 mm
Line 22b	20XX/XX (Year/Month: Date of manufacture)	Text, height : 1.5 mm
Line 23	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5 mm
Line 24a	Number of manufacture	Text, height : 1.5 mm
Line 24b	Manufacturing number for KDDI (SSOXXXXXXXXX)	Text, height : 1.5 mm
Line 25	Line 24 in bar code for IMEI number	Bar code height : 2.5 mm
Line 26	IMEI number (IMEI XXXXXXXXXXXXXXXX)	Text, height : 1.5 mm
Line 27a	Recycling Li-ion symbol	Graphic, height : 6.8 mm
Line 27b	CE approved symbol	Graphic, height : 5.0 mm
Line 27c	Trash can mark	Graphic, height : 5.0 mm
Line 28a	Caution symbol	Graphic, height : 1.2 mm
Line 28b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.2 mm
Line 29	Caution message. "Please do not peel off this sticker"	Text, height : 1.2 mm
Line 30	Marking of Origin: Made in Japan	Text, height : 1.0 mm




3. Layout





4. Dimensions





Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

