

Prepared (also subject responsible if other)

CGOVDPLG, Anna Englund

CGOVDPLG, Anna Englund

Company Internal MARKING DRAWING

1266-1929 Uen

Rev 2012-09-19

1

Reference

LT25i MoP-label content Made in

Checked

General information 1

Mobile Phone label part no	• 1262-1754	
Mobile Phone label content part no	• 1266-1928	
Bar code	Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen	
	Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!	
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.	
Coordinates	"(x/y)" under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.	

MLCI=Main Label Content Information

Information 2

	Content	Format
Line 1 (11,0/3,0)	Card slot picture	Graphics, height 9 mm. According to 1264-3418.
Line 2a (14,5/3,0)	SONY stylized name.	Graphics, height 3 mm. According to 1263-9535.
Line 2b (14,5/21,0)	Model Name "LT25i"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 3a (17,0/3,0)	Product number with revision of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 3b (17,0/21,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 4a (20,0/3,0)	Type number of the phone, "TYPE: PM-0060-BV".	Text, height 1,2 mm. According to Chapter 1 in MLCI.



Prepared (also subject responsible if other)

CGOVDPLG, Anna Englund

CGOVDPLG, Anna Englund

Company Internal MARKING DRAWING

Checked

1266-1929 Uen

Rev Reference 1

2012-09-19

Line 4b (20,0/21,0)	HW & SW identification field, if applicable; "EFF"	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Document
Line 5a (22,0/3,0)	"FCC ID: PY7PM-0060"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 5b (22,0/21,0)	Production week (flash), "00W01" (00 = year, 01 = week)	Text, height 1,2 mm.
Line 6 (28,0/3,0)	Line 7a in bar code, ie Serial number. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 7a (30,0/3,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn" for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 7b (30,0/17,0)	Actual electronic serial number (IMEI) of the mobile phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 8 (33,0/5,0)	Line 7b in bar code (only actual number, without data identifier), ie IMEI number	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 9a	CE approval symbol, the NB-"0682" and "Alert Symbol"	Graphics, height 5 mm.
(39,5/3,0) Line 9b (39,5/37,0)	in one artwork WEEE trashcan without bar symbol	According to 1242-7470 Graphics, min. height 5mm, according to 1202-5537.
Line 10 (43,0/3,0)	Marking of origin. "Made in Xxx"; "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.

6



Prepared (also subject responsible if other)

CGOVDPLG, Anna Englund

CGOVDPLG, Anna Englund

Company Internal MARKING DRAWING

Checked

1266-1929 Uen


Rev Reference 1

2012-09-19

Layout 3

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 **Conceptual picture**



<u>double underlined</u> = major changes since last revision.