



FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART E
FCC CFR47 PART 27 SUBPART L
FCC CFR47 PART 27 SUBPART M
CERTIFICATION TEST REPORT

FOR

GSM/WCDMA/LTE Phone + Bluetooth, DTS/UNII a/b/g/n/ac, ANT+ & NFC

FCC ID: PY7PM-0810
IC: 4170B-PM0810

REPORT NUMBER: 14U17929-1

ISSUE DATE: JULY 10, 2014

Prepared for

SONY MOBILE COMMUNICATIONS, INC.
NYA VATTENTORNET MOBILVAGEN 10
LUND 22188
SWEDEN

Prepared by

UL VERIFICATION SERVICES INC
47173 BENICIA STREET
FREMONT, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888



NVLAP LAB CODE 200065-0

Revision History

Issue			
Rev.	Date	Revisions	Revised By
--	7/10/14	Initial issue	P. Zhang

TABLE OF CONTENTS

1.	ATTESTATION OF TEST RESULTS	5
2.	TEST METHODOLOGY	6
3.	FACILITIES AND ACCREDITATION	6
4.	CALIBRATION AND UNCERTAINTY	6
4.1.	MEASURING INSTRUMENT CALIBRATION	6
4.2.	SAMPLE CALCULATION	6
4.3.	MEASUREMENT UNCERTAINTY	7
5.	EQUIPMENT UNDER TEST	8
5.1.	DESCRIPTION OF EUT	8
5.2.	MAXIMUM OUTPUT POWER.....	8
5.3.	MAXIMUM OUTPUT POWER (LTE).....	10
5.4.	DESCRIPTION OF AVAILABLE ANTENNAS	15
5.5.	DESCRIPTION OF TEST SETUP.....	16
6.	TEST AND MEASUREMENT EQUIPMENT.....	19
7.	Summary Table.....	20
8.	RF POWER OUTPUT VERIFICATION.....	21
8.1.	GSM/GPRS/EDGE	21
8.1.1.	GSM OUTPUT POWER RESULT	22
8.2.	UMTS REL 99.....	24
8.2.1.	UMTS REL 99 OUTPUT POWER RESULT	24
8.3.	UMTS HSDPA	25
8.3.1.	UMTS HSDPA OUTPUT POWER RESULT.....	25
8.3.2.	UMTS HSUPA	27
8.3.3.	UMTS HSUPA OUTPUT POWER RESULT.....	28
8.3.4.	DC-HSDPA.....	30
8.3.1.	UMTS DC-HSDPA OUTPUT POWER RESULT	33
8.4.	LTE OUTPUT VERIFICATION.....	35
8.4.1.	LTE OUTPUT RESULT	35
9.	PEAK TO AVERAGE RATIO.....	47
9.1.	CONDUCTED PEAK TO AVERAGE RESULT.....	47
10.	LIMITS AND CONDUCTED RESULTS.....	66

10.1.	<i>OCCUPIED BANDWIDTH</i>	66
10.1.1.	OCCUPIED BANDWIDTH RESULTS.....	67
10.1.2.	LTE OCCUPIED BANDWIDTH RESULTS	69
10.1.3.	OCCUPIED BANDWIDTH PLOTS	76
10.2.	<i>BAND EDGE EMISSIONS</i>	96
10.2.1.	BAND EDGE PLOTS	97
10.2.2.	EMISSION MASK PLOTS	151
10.3.	<i>OUT OF BAND EMISSIONS</i>	155
10.3.1.	OUT OF BAND EMISSIONS RESULT	156
10.3.2.	OUT OF BAND EMISSIONS PLOTS.....	163
10.4.	<i>FREQUENCY STABILITY</i>	178
10.4.1.	FREQUENCY STABILITY RESULTS.....	179
11.	RADIATED TEST RESULTS	185
11.1.	<i>RADIATED POWER (ERP & EIRP)</i>	185
11.1.1.	ERP/EIRP Results.....	185
11.1.2.	LTE ERP/EIRP Results	187
11.1.3.	ERP/EIRP PLOTS.....	195
11.2.	<i>FIELD STRENGTH OF SPURIOUS RADIATION</i>	254
11.2.1.	SPURIOUS RADIATION DATA.....	255
12.	SETUP PHOTOS	313

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SONY MOBILE COMMUNICATIONS, INC.
EUT DESCRIPTION: GSM/WCDMA/LTE Phone + Bluetooth, DTS/UNII a/b/g/n/ac, ANT+ & NFC
SERIAL NUMBER: G/U unit, L/GPS unit.
DATE TESTED: JUNE 24TH – JULY 10TH, 2014

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 22H, 24E, 27E and 27L	PASS

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released

For UL Verification Services Inc. By:

Tested By:



PENG ZHANG
CONSUMER TECHNOLOGY DIVISION

CHARLES VERGONIO
CONSUMER TECHNOLOGY DIVISION

PROJECT LEAD
UL Verification Services Inc.

LAB ENGINEER
UL Verification Services Inc.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with TIA-603-C, FCC CFR 47 Part 22, FCC CFR Part 24, FCC CFR 47 Part 27;

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. Line conducted emissions are measured only at the 47173 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
☒ Chamber A	☐ Chamber D
☒ Chamber B	☐ Chamber E
☒ Chamber C	☐ Chamber F

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. The full scope of accreditation can be viewed at <http://ts.nist.gov/standards/scopes/2000650.htm>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\text{EIRP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss(between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$$

$$\text{ERP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss(between the SG and substitution antenna)}$$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	3.52 dB
Radiated Disturbance, 30 to 40000 MHz	4.94 dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE Phone + Bluetooth, DTS/UNII a/b/g/n/ac + NFC & ANT+.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum peak conducted and radiated ERP / EIRP output powers as follows:

FCC Part 22/24						
Band	Frequency Range(MHz)	Modulation	Conducted		Radiated	
			Peak (dBm)	Peak(mW)	Peak (dBm)	Peak(mW)
GSM850	824~849	GMSK	33.1	2041.74		
	824~849	GPRS	33.1	2041.74	30.40	1095.72
	824~849	EGPRS	26.8	478.63	28.63	728.95
GSM1900	1850~1910	GMSK	30.3	1071.52		
	1850~1910	GPRS	30.3	1071.52	30.23	1054.39
	1850~1910	EGPRS	25.7	371.54	27.03	504.66

FCC Part 22/24/27						
Band	Frequency Range(MHz)	Modulation	Conducted		Radiated	
			Avg (dBm)	Avg (mW)	Avg (dBm)	Avg (mW)
Band 5	824~849	REL99	23.9	245.47	21.49	140.96
	824~849	HSDPA	24.0	251.19	20.32	107.67
	824~849	HSUPA	24.0	251.19		
Band 4	1710~1755	REL99	24.2	263.03	24.93	311.17
	1710~1755	HSDPA	23.8	239.88	23.9	245.47
	1710~1755	HSUPA	23.8	239.88		
Band 2	1850~1910	REL99	23.8	239.88	23.7	234.42
	1850~1910	HSDPA	23.4	218.78	23.46	221.82
	1850~1910	HSUPA	23.4	218.78		

5.3. MAXIMUM OUTPUT POWER (LTE)

The transmitter has a maximum peak conducted and radiated ERP/EIRP output powers as follows:

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE17	704~716	10MHz	QPSK	22.90	194.98	15.33	34.12
	704~716	10MHz	16QAM	21.80	151.36	14.41	27.61

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE17	704~716	5MHz	QPSK	23.05	201.84	15.83	38.28
	704~716	5MHz	16QAM	22.34	171.40	14.71	29.58

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE13	777~787	10MHz	QPSK	22.97	198.15	19.70	71.3
	777~787	10MHz	16QAM	21.89	154.53	18.53	86.1

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE13	777~787	5MHz	QPSK	23.02	200.45	20.33	107.9
	777~787	5MHz	16QAM	21.90	154.88	19.35	86.1

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE7	2500~2570	20MHz	QPSK	23.15	206.54	22.02	159.22
	2500~2570	20MHz	16QAM	22.29	169.43	21.14	130.02

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE7	2500~2570	15MHz	QPSK	23.30	213.80	22.05	160.32
	2500~2570	15MHz	16QAM	22.50	177.83	21.14	130.02

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE7	2500~2570	10MHz	QPSK	23.15	206.54	22.72	187.07
	2500~2570	10MHz	16QAM	22.06	160.69	21.67	146.89

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE7	2500~2570	5MHz	QPSK	23.35	216.27	22.38	172.98
	2500~2570	5MHz	16QAM	22.50	177.83	21.15	130.32

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE5	824~849	10MHz	QPSK	23.13	205.59	19.731	93.99
	824~849	10MHz	16QAM	22.30	169.82	18.851	76.75

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE5	824~849	5MHz	QPSK	23.24	210.86	19.201	83.2
	824~849	5MHz	16QAM	22.49	177.42	18.271	67.16

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE5	824~849	3MHz	QPSK	23.10	204.17	19.021	79.82
	824~849	3MHz	16QAM	21.96	157.04	18.161	65.48

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE5	824~849	1.4MHz	QPSK	23.16	207.01	19.221	83.58
	824~849	1.4MHz	16QAM	22.34	171.40	18.091	64.43

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	20MHz	QPSK	23.12	205.12	23.51	224.39
	1710~1755	20MHz	16QAM	22.23	167.11	23.27	212.32

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	15MHz	QPSK	23.11	204.64	23.37	217.27
	1710~1755	15MHz	16QAM	22.49	177.42	23.29	213.3

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	10MHz	QPSK	23.07	202.77	23.34	215.77
	1710~1755	10MHz	16QAM	22.26	168.27	23.03	200.91

FCC Part 22/2 4/27							
--------------------	--	--	--	--	--	--	--

Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	5MHz	QPSK	23.13	205.59	23.09	203.7
	1710~1755	5MHz	16QAM	22.45	175.79	22.97	198.15

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	3MHz	QPSK	23.06	202.30	23.16	207.01
	1710~1755	3MHz	16QAM	22.21	166.34	22.87	193.64

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE4	1710~1755	1.4MHz	QPSK	23.11	204.64	23.4	218.78
	1710~1755	1.4MHz	16QAM	22.20	165.96	22.13	163.31

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	20MHz	QPSK	23.13	205.59	23.33	215.31
	1850~1910	20MHz	16QAM	22.20	165.96	23.02	200.56

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	15MHz	QPSK	23.13	205.59	23.96	248.89
	1850~1910	15MHz	16QAM	22.19	165.58	22.68	185.35

FCC Part 22/2 4/27							
Band	Frequency	BandWidth	Modulation	Conducted		Radiated	

	Range(MHz)	(MHz)	Peak	Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	10MHz	QPSK	23.09	203.70	23.56	226.99
	1850~1910	10MHz	16QAM	22.19	165.58	22.36	172.19

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	5MHz	QPSK	23.11	204.64	24.38	274.16
	1850~1910	5MHz	16QAM	22.08	161.44	22.59	181.55

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	3MHz	QPSK	23.04	201.37	24.53	283.66
	1850~1910	3MHz	16QAM	22.17	164.82	23.38	217.67

FCC Part 22/2 4/27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation Peak	Conducted		Radiated	
				Avg (dBm)	Avg(mW)	Avg (dBm)	Avg(mW)
LTE2	1850~1910	1.4MHz	QPSK	23.04	201.37	24.22	264.24
	1850~1910	1.4MHz	16QAM	22.13	163.31	23.65	231.74

5.4. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a PIFA antenna for the [List the bands supported] with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi)
BAND 2, 1850~1910MHz	-0.6
BAND 4, 1710~1755MHz	-1.4
BAND 5, 824~849MHz	-2.2
BAND 7, 2500~2570MHz	-1.3
BAND 13, 777~787MHz	-2.8
BAND 17, 704~716MHz	-8.1

5.5. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
AC Adapter	Sony	EP880	3514W01 S08489 SEM 060	DoC
Earphone	Sony	MH410c	14071EB60060A84	DoC
MHL cable	Sony	N/A	N/A	N/A

I/O CABLES (CONDUCTED SETUP)

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	RF Out	1	Spectrum Analyzer	Shielded	None	NA
2	Antenna Port	1	EUT	Shielded	0.1m	NA
3	RF In/Out	1	Communication Test Set	Shielded	1m	NA


I/O CABLES (RADIATED SETUP)

I/O CABLE LIST						
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length	Remarks
1	USB	1	AC Adapter	Un-shielded	1.2m	No
2	Jack	1	Headset	Shielded	1m	No
3	RF In/out	1	Communication Test Set	Un-shielded	2m	Yes
1	USB	1	Mini-USB	shielded	2m	HDMI


TEST SETUP

The EUT is continuously communicated to the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Spectrum Analyzer, 44 GHz	Agilent / HP	E4446A	C01179	02/26/15
Antenna, Bilog, 2 GHz	Sunol Sciences	JB1	C01011	08/14/14
Antenna, Horn, 18 GHz	EMCO	3115	C00783	10/25/14
Antenna, Horn, 18 GHz	EMCO	3115	C00784	10/25/14
Highpass Filter, 2.7 GHz	Micro-Tronics	HPM13194	N02687	CNR
Highpass Filter, 1.5 GHz	Micro-Tronics	HPM13193	N02688	CNR
Temperature / Humidity Chamber	Thermotron	SE 600-10-10	C00930	01/09/15
Communications Test Set	R&S	CMW500	T159	07/02/15
DC power supply, 8 V @ 3 A or 15 V	Agilent / HP	E3610A	None	CNR
Vector signal generator, 6 GHz	Agilent / HP	E4438C	None	07/06/15
Antenna, Tuned Dipole 400~1000	ETS	3121C DB4	C00993	02/14/15
Directional Coupler	RF-Lambda	RFDC5M06G15	None	CNR
Antenna, Horn,18- 26 GHz	ARA	MWH-1826/B	C00946	11/12/14
Antenna, Horn,18- 26 GHz	ARA	MWH-1826/B	C00947	11/12/14

7. Summary Table

FCC Part Section	RSS Section(s)	Test Description	Test Limit	Test Condition	Test Result	Worst case
2.1049	N/A	Occupied Band width (99%)	N/A	Conducted	Pass	17.85MHz
22.917(a) 24.238(a) 27.53(g) 90.691	RSS-132(4.5.1) RSS-133(6.5.1) RSS-139(6.5.1)	Band Edge / Conducted Spurious Emission	-13dBm		Pass	-16.04dBm
27.53(m)	RSS-199(4.5)		-25dBm		Pass	-25.66dBm
2.1046	N/A	Conducted output power	N/A		Pass	33.1dBm
27.53(m) 90.691	RSS-199(4.5)	Emission Mask			Pass	
22.355 24.235 27.54 90.213	RSS-132(4.3) RSS-133(6.3) RSS-139(6.3) RSS-199(4.3)	Frequency Stability	2.5PPM		Pass	0.02579PPM
22.913(a)(2)	RSS-132(4.4)	Effective Radiated Power	38 dBm	Radiated	Pass	30.40dBm
27.50(b)(10)	N/A		34.77 dBm		Pass	26.73dBm
24.232(c) 27.50(h)(2)	RSS-133(6.4) RSS-199(4.4)	Equivalent Isotropic Radiated Power	33dBm		Pass	30.23dBm
27.50(d)(4)	RSS-139(6.4)		30dBm		Pass	24.93dBm
22.917(a) 24.238(a) 27.53(g)	RSS-132(4.5.1) RSS-133(6.5.1) RSS-139(6.5.1)	Radiated Spurious Emission	-13dBm		Pass	-29.1dBm
27.53(m)	RSS-199(4.5)		-25dBm		Pass	-45.8dBm

8. RF POWER OUTPUT VERIFICATION

8.1. GSM/GPRS/EDGE

Function: Menu select > GSM Mobile Station > GSM 850/900/1800/1900
Press Connection control to choose the different menus
Press RESET > choose all to reset all settings
Connection Press Signal Off to turn off the signal and change settings
Network Support > GSM+GPRS or GSM+EGPRS
Main Service > Packet Data
Service selection > Test Mode A – Auto Slot Config. off
MS Signal Press Slot Config bottom on the right twice to select and change the number of time slots and power setting
 > Slot configuration > Uplink/Gamma
 > 33 dBm for GPRS 850/900
 > 30 dBm for GPRS1800/1900
BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel
Frequency Offset > + 0 Hz
Mode > BCCH and TCH
BCCH Level > -85 dBm (May need to adjust if link is not stable)
BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]
Channel Type > Off
P0> 4 dB
Slot Config > Unchanged (if already set under MS Signal)
TCH > choose desired test channel
Hopping > Off
Main Timeslot > 3 (Default)
Network Coding Scheme > CS4 (GPRS) and MCS5 ~ MCS9 (EGPRS)
 Bit Stream > 2E9-1PSR Bit Pattern
AF/RF Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input
Connection Press Signal On to turn on the signal and change settings

8.1.1. GSM OUTPUT POWER RESULT

Mode	Coding Scheme	Time Slots	Ch No.	Freq. (MHz)	Burst Pwr (dBm)
GSM (Voice)	CS1	1	128	824.2	33.1
			190	836.6	33.0
			251	848.8	33.0
GPRS (GMSK)	CS1	1	128	824.2	33.1
			190	836.6	33.0
			251	848.8	33.0
		2	128	824.2	29.6
			190	836.6	29.6
			251	848.8	29.6
		3	128	824.2	27.6
			190	836.6	27.6
			251	848.8	27.6
		4	128	824.2	26.5
			190	836.6	26.6
			251	848.8	26.7
EGPRS (8PSK)	MCS5	1	128	824.2	26.7
			190	836.6	26.8
			251	848.8	26.8
		2	128	824.2	24.8
			190	836.6	24.9
			251	848.8	24.9
		3	128	824.2	24.0
			190	836.6	24.1
			251	848.8	24.1
		4	128	824.2	21.9
			190	836.6	21.9
			251	848.8	22.0

Mode	Coding Scheme	Time Slots	Ch No.	Freq. (MHz)	Burst Pwr (dBm)
GSM (Voice)	CS1	1	512	1850.2	30.3
			661	1880.0	30.3
			810	1909.8	30.3
GPRS (GMSK)	CS1	1	512	1850.2	30.3
			661	1880.0	30.3
			810	1909.8	30.3
		2	512	1850.2	28.3
			661	1880.0	28.2
			810	1909.8	28.3
		3	512	1850.2	27.2
			661	1880.0	27.2
			810	1909.8	27.3
		4	512	1850.2	26.4
			661	1880.0	26.3
			810	1909.8	26.4
EGPRS (8PSK)	MCS5	1	512	1850.2	25.7
			661	1880.0	25.7
			810	1909.8	25.7
		2	512	1850.2	24.1
			661	1880.0	24.1
			810	1909.8	24.1
		3	512	1850.2	23.0
			661	1880.0	23.0
			810	1909.8	23.0
		4	512	1850.2	21.9
			661	1880.0	21.9
			810	1909.8	22.0

8.2. UMTS REL 99

TEST PROCEDURE

The following summary of these settings are illustrated below:

WCDMA General Settings	Mode	Rel99
	Subtest	-
	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	HSDPA FRC	Not Applicable
	HSUPA Test	Not Applicable
	Power Control Algorithm	Algorithm2
	β_c	Not Applicable
	β_d	Not Applicable
	β_{ec}	Not Applicable
	β_c/β_d	8/15
	β_{hs}	Not Applicable
	β_{ed}	Not Applicable

8.2.1. UMTS REL 99 OUTPUT POWER RESULT

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band II	Rel 99 (RMC, 12.2 kbps)	9262	1852.4	0	23.8
		9400	1880.0	0	23.8
		9538	1907.6	0	23.8

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band IV	Rel 99 (RMC, 12.2 kbps)	1312	1712.4	0	24.1
		1413	1732.6	0	24.1
		1513	1752.6	0	24.2

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Rel 99 (RMC, 12.2 kbps)	4132	826.4	0	23.9
		4183	836.6	0	23.7
		4233	846.6	0	23.9

8.3. UMTS HSDPA

The following 4 Sub-tests were completed according to Release 5 procedures in section 5.2 of 3GPP TS34.121. A summary of these settings are illustrated below:

	Mode	Rel5 HSDPA			
	Subtest	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm 2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	Bd (SF)	64			
	β_c/β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR (dB)	0	0	0.5	0.5
HSDPA Specific Settings	D_{ACK}	8			
	D_{NAK}	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback (Table 5.2B.4)	4ms			
	CQI Repetition Factor (Table 5.2B.4)	2			
	$A_{hs} = \beta_{hs}/\beta_c$	30/15			

8.3.1. UMTS HSDPA OUTPUT POWER RESULT

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band II	Subtest 1	9262	1852.4	0	23.3
		9400	1880.0	0	23.3
		9538	1907.6	0	23.2
	Subtest 2	9262	1852.4	0	23.4
		9400	1880.0	0	23.3
		9538	1907.6	0	23.2
	Subtest 3	9262	1852.4	0.5	23.3
		9400	1880.0	0.5	23.3
		9538	1907.6	0.5	22.7
	Subtest 4	9262	1852.4	0.5	23.3
		9400	1880.0	0.5	23.3
		9538	1907.6	0.5	22.7

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band IV	Subtest 1	1312	1712.4	0	23.6
		1413	1732.6	0	23.5

	Subtest 2	1513	1752.6	0	23.5
		1312	1712.4	0	23.5
		1413	1732.6	0	23.6
	Subtest 3	1513	1752.6	0	23.8
		1312	1712.4	0.5	23.5
		1413	1732.6	0.5	23.6
	Subtest 4	1513	1752.6	0.5	23.5
		1312	1712.4	0.5	23.8
		1413	1732.6	0.5	23.7
		1513	1752.6	0.5	23.8

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Subtest 1	4132	826.4	0	24.0
		4183	836.6	0	23.8
		4233	846.6	0	23.9
	Subtest 2	4132	826.4	0	24.0
		4183	836.6	0	23.8
		4233	846.6	0	23.9
	Subtest 3	4132	826.4	0.5	23.5
		4183	836.6	0.5	23.3
		4233	846.6	0.5	23.5
	Subtest 4	4132	826.4	0.5	23.5
		4183	836.6	0.5	23.3
		4233	846.6	0.5	23.5

8.3.2. UMTS HSUPA

TEST PROCEDURE

The following summary of these settings are illustrated below: (ETSI TS 134.121-1 Table C.11.1)

	Mode	Rel6 HSUPA	Rel6 HSUPA	Rel6 HSUPA	Rel6 HSUPA	Rel6 HSUPA
	Subtest	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	P-CPICH (dB)	-10				
	P-CCPCH (dB)	-12				
	SCH (dB)	-12				
	PICH(dB)	-15				
	DPCH (dB)	-9				
	HS-SCCH_1 (dB)	-8				
	HS-PDSCH (dB)	-3				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	Bc	11/15	6/15	15/15	2/15	15/15
	Bd	15/15	15/15	9/15	15/15	15/15
	Bec	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	15/15
	Bhs	22/15	12/15	30/15	4/15	30/15
HSDPA Specific Settings	β_{ed} (note1)	1309/225	94/75	47/15 47/15	56/75	134/15
	MPR	0	2	1	2	0
	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback (Table 5.2B.4)	4ms				
	CQI Repetition Factor (Table 5.2B.4)	2				
HSUPA Specific Settings	$A_{hs} = \beta_{hs}/\beta_c$	30/15				
	D E-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	Reference E-TFCIs	5	5	2	5	5
	ETFCI (from 34.121 Table C.11.1.3)	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_TFCIs	E-TFCI 11 E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO 23 E-TFCI 75 E-TFCI PO 26 E-TFCI 81 E-TFCI PO 27		E-TFCI 11 E-TFCI PO 4 E-TFCI 92 E-TFCI PO 18		E-TFCI 11 E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO 23 E-TFCI 75 E-TFCI PO 26 E-TFCI 81 E-TFCI PO 27

Note1: β_{ed} cannot be set directly, it is set by Absolute Grant Value.

8.3.3. UMTS HSUPA OUTPUT POWER RESULT

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band II	Subtest 1	9262	1852.4	0	22.9
		9400	1880.0	0	23.1
		9538	1907.6	0	22.8
	Subtest 2	9262	1852.4	2	21.7
		9400	1880.0	2	21.7
		9538	1907.6	2	21.8
	Subtest 3	9262	1852.4	1	22.8
		9400	1880.0	1	22.4
		9538	1907.6	1	22.3
	Subtest 4	9262	1852.4	2	21.4
		9400	1880.0	2	21.8
		9538	1907.6	2	21.8
	Subtest 5	9262	1852.4	0	23.4
		9400	1880.0	0	23.4
		9538	1907.6	0	23.2

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band IV	Subtest 1	1312	1712.4	0	23.4
		1413	1732.6	0	23.3
		1513	1752.6	0	23.4
	Subtest 2	1312	1712.4	2	22.2
		1413	1732.6	2	22.0
		1513	1752.6	2	22.0
	Subtest 3	1312	1712.4	1	23.0
		1413	1732.6	1	22.7
		1513	1752.6	1	22.8
	Subtest 4	1312	1712.4	2	22.5
		1413	1732.6	2	22.5
		1513	1752.6	2	22.5
	Subtest 5	1312	1712.4	0	23.6
		1413	1732.6	0	23.6
		1513	1752.6	0	23.8

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Subtest 1	4132	826.4	0	23.3
		4183	836.6	0	23.6
		4233	846.6	0	23.3
	Subtest 2	4132	826.4	2	22.1
		4183	836.6	2	22.3
		4233	846.6	2	22.0
	Subtest 3	4132	826.4	1	22.4
		4183	836.6	1	22.5
		4233	846.6	1	22.9
	Subtest 4	4132	826.4	2	22.3
		4183	836.6	2	22.4
		4233	846.6	2	22.2
	Subtest 5	4132	826.4	0	24.0
		4183	836.6	0	23.8
		4233	846.6	0	24.0

8.3.4. DC-HSDPA

The following tests were completed according to procedures in section 7.3.13 of 3GPP TS34.108 v9.5.0. A summary of these settings are illustrated below:

Downlink Physical Channels are set as per 3GPP TS34.121-1 v9.0.0 E.5.0

Table E.5.0: Levels for HSDPA connection setup

Parameter During Connection setup	Unit	Value
P-CPICH_Ec/Ior	dB	-10
P-CCPCH and SCH_Ec/Ior	dB	-12
PICH_Ec/Ior	dB	-15
HS-PDSCH	dB	off
HS-SCCH_1	dB	off
DPCH_Ec/Ior	dB	-5
OCNS_Ec/Ior	dB	-3.1

Call is set up as per 3GPP TS34.108 v9.5.0 sub clause 7.3.13

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122.

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		




Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 Sub-tests for HSDPA were completed according to Release 6 procedures in section 5.2 of 3GPP TS34.121. A summary of subtest settings are illustrated below:

	Mode	Rel6 HSDPA	Rel6 HSDPA	Rel6 HSDPA	Rel6 HSDPA
	Subtest	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c/β_d	2/15	12/15	15/8	15/4

	β_{hs}	4/15	24/15	30/15	30/15
	MPR	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack Repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

Up commands are set continuously to set the UE to Max power.

8.3.1. UMTS DC-HSDPA OUTPUT POWER RESULT

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band II	Subtest 1	9262	1852.4	0	23.3
		9400	1880.0	0	23.4
		9538	1907.6	0	23.2
	Subtest 2	9262	1852.4	0	23.4
		9400	1880.0	0	23.4
		9538	1907.6	0	23.2
	Subtest 3	9262	1852.4	0.5	23.2
		9400	1880.0	0.5	23.3
		9538	1907.6	0.5	22.9
	Subtest 4	9262	1852.4	0.5	23.3
		9400	1880.0	0.5	23.3
		9538	1907.6	0.5	22.9

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band IV	Subtest 1	1312	1712.4	0	23.5
		1413	1732.6	0	23.5
		1513	1752.6	0	23.5
	Subtest 2	1312	1712.4	0	23.8
		1413	1732.6	0	23.6
		1513	1752.6	0	23.8
	Subtest 3	1312	1712.4	0.5	23.8
		1413	1732.6	0.5	23.7
		1513	1752.6	0.5	23.8
	Subtest 4	1312	1712.4	0.5	23.7
		1413	1732.6	0.5	23.7
		1513	1752.6	0.5	23.8

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Subtest 1	4132	826.4	0	24.0
		4183	836.6	0	23.7
		4233	846.6	0	23.9
	Subtest 2	4132	826.4	0	24.0
		4183	836.6	0	23.7
		4233	846.6	0	24.0
	Subtest 3	4132	826.4	0.5	23.5
		4183	836.6	0.5	23.2
		4233	846.6	0.5	23.5
	Subtest 4	4132	826.4	0.5	23.5
		4183	836.6	0.5	23.3
		4233	846.6	0.5	23.5

8.4. LTE OUTPUT VERIFICATION

8.4.1. LTE OUTPUT RESULT

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18700	18900	19100
						1860 MHz	1880 MHz	1900 MHz
LTE Band 2	20	QPSK	1	0	0	23.03	22.95	23.13
			1	49	0	23.03	22.99	23.11
			1	99	0	22.96	23.07	23.10
			50	0	1	22.11	22.14	22.14
			50	24	1	22.06	22.08	22.14
			50	50	1	22.12	22.08	22.08
			100	0	1	22.07	22.05	22.16
		16QAM	1	0	1	22.10	22.03	22.20
			1	49	1	22.12	22.03	22.19
			1	99	1	22.10	22.09	22.18
			50	0	2	21.12	21.08	21.08
			50	24	2	21.06	21.01	21.04
			50	50	2	21.06	21.02	21.02
			100	0	2	21.08	21.02	21.09
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18675	18900	19125
						1857.5 MHz	1880 MHz	1902.5 MHz
LTE Band 2	15	QPSK	1	0	0	22.91	23.07	23.13
			1	37	0	22.90	22.96	22.95
			1	74	0	22.94	22.98	23.00
			36	0	1	22.11	22.14	22.19
			36	20	1	22.05	22.00	22.03
			36	39	1	22.09	22.09	22.01
			75	0	1	22.14	22.11	22.10
		16QAM	1	0	1	21.81	21.89	21.94
			1	37	1	21.85	22.17	21.75
			1	74	1	21.88	22.19	21.89
			36	0	2	20.96	21.13	21.16
			36	20	2	21.01	21.05	21.02
			36	39	2	20.97	21.03	20.96
			75	0	2	21.11	21.04	21.12
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18650	18900	19150
						1855 MHz	1880 MHz	1905 MHz
LTE Band 2	10	QPSK	1	0	0	22.88	23.09	22.99
			1	25	0	22.88	22.92	22.95
			1	49	0	22.94	22.99	22.99
			25	0	1	22.04	22.08	22.08

			25	12	1	22.06	22.01	21.97
			25	25	1	22.09	22.07	22.07
			50	0	1	22.10	22.03	22.11
		16QAM	1	0	1	21.81	22.19	21.91
			1	25	1	21.80	22.14	21.85
			1	49	1	21.84	22.19	21.86
			25	0	2	20.97	21.09	21.12
			25	12	2	20.95	20.99	21.09
			25	25	2	20.98	21.01	21.15
			50	0	2	20.99	20.99	21.14
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18625	18900	19175
						1852.5 MHz	1880 MHz	1907.5 MHz
LTE Band 2	5	QPSK	1	0	0	22.89	23.16	23.11
			1	12	0	22.87	23.03	23.00
			1	24	0	22.94	23.10	23.06
			12	0	1	22.01	22.05	22.00
			12	7	1	22.03	21.98	22.00
			12	13	1	22.00	21.98	22.04
		16QAM	25	0	1	22.02	21.98	22.02
			1	0	1	21.76	22.08	22.08
			1	12	1	21.76	21.97	21.99
			1	24	1	21.85	21.99	22.04
			12	0	2	21.01	20.98	21.00
			12	7	2	21.01	20.98	21.02
			12	13	2	21.04	21.00	21.08
			25	0	2	21.08	20.94	21.00
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18615	18900	19185
						1851.5 MHz	1880 MHz	1908.5 MHz
LTE Band 2	3	QPSK	1	0	0	22.94	23.04	22.97
			1	8	0	22.83	22.97	22.97
			1	14	0	22.91	23.03	23.00
			8	0	1	22.01	22.04	22.10
			8	4	1	21.98	22.01	22.10
			8	7	1	22.01	22.00	22.10
		16QAM	15	0	1	22.05	22.04	22.12
			1	0	1	21.79	22.15	21.89
			1	8	1	21.77	22.13	21.82
			1	14	1	21.85	22.17	21.85
			8	0	2	21.01	20.78	21.13
			8	4	2	20.99	20.78	21.14
			8	7	2	21.00	20.78	21.15
			15	0	2	21.04	21.01	21.04

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						18607	18900	19193
						1850.7 MHz	1880 MHz	1909.3 MHz
LTE Band 2	1.4	QPSK	1	0	0	22.96	22.93	23.04
			1	3	0	22.93	22.87	22.97
			1	5	0	22.94	22.96	23.03
			3	0	0	23.01	23.00	23.04
			3	1	0	23.01	22.94	23.03
			3	3	0	23.00	23.04	23.00
			6	0	1	22.07	22.05	22.14
		16QAM	1	0	1	22.11	21.81	22.09
			1	3	1	22.04	21.82	22.07
			1	5	1	22.10	21.90	22.13
			3	0	1	22.00	22.20	22.03
			3	1	1	21.96	22.16	22.01
			3	3	1	21.97	22.16	22.01
			6	0	2	21.08	21.10	21.14

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20050	20175	20300
						1720 MHz	1732.5 MHz	1745 MHz
LTE Band 4	20	QPSK	1	0	0	23.01	23.06	23.05
			1	49	0	23.09	22.98	23.12
			1	99	0	23.10	23.05	23.09
			50	0	1	22.17	22.18	22.11
			50	24	1	22.17	22.09	22.12
			50	50	1	22.14	22.08	22.05
			100	0	1	22.18	22.10	22.02
		16QAM	1	0	1	22.15	22.16	22.17
			1	49	1	22.23	22.02	22.21
			1	99	1	22.23	22.10	22.21
			50	0	2	21.17	21.13	21.05
			50	24	2	21.12	21.07	21.09
			50	50	2	21.14	21.06	20.99
			100	0	2	21.13	21.02	21.01
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20025	20175	20325
						1717.5 MHz	1732.5 MHz	1747.5 MHz
LTE Band 4	15	QPSK	1	0	0	22.94	23.07	23.04
			1	37	0	22.98	22.93	23.11
			1	74	0	23.00	22.97	23.03
			36	0	1	22.12	22.19	22.17
			36	20	1	22.11	22.06	22.10
			36	39	1	22.17	22.05	22.12
			75	0	1	22.19	22.17	22.10
		16QAM	1	0	1	21.86	22.31	22.43
			1	37	1	21.86	22.18	22.49
			1	74	1	21.90	22.17	22.46
			36	0	2	21.04	21.17	21.08
			36	20	2	21.02	21.10	20.95
			36	39	2	21.07	21.06	21.04
			75	0	2	21.12	21.13	21.08
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20000	20175	20350
						1715 MHz	1732.5 MHz	1750 MHz
LTE Band 4	10	QPSK	1	0	0	22.90	23.07	22.97
			1	25	0	22.96	22.98	22.90
			1	49	0	22.99	22.99	22.98
			25	0	1	22.17	22.06	22.03
			25	12	1	22.10	22.05	22.06
			25	25	1	22.13	22.02	22.10

			50	0	1	22.17	22.03	22.13
		16QAM	1	0	1	21.85	22.26	21.92
			1	25	1	21.91	22.15	21.80
			1	49	1	21.90	22.17	21.87
			25	0	2	21.04	21.03	21.08
			25	12	2	21.04	21.01	21.10
			25	25	2	21.07	21.02	21.14
			50	0	2	21.07	21.01	21.11
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						19975	20175	20375
						1712.5 MHz	1732.5 MHz	1752.5 MHz
LTE Band 4	5	QPSK	1	0	0	22.91	23.09	23.07
			1	12	0	23.00	23.05	23.10
			1	24	0	23.00	23.08	23.13
			12	0	1	22.03	22.03	22.08
			12	7	1	22.13	22.06	22.13
			12	13	1	22.15	22.02	22.08
			25	0	1	22.12	22.02	22.08
		16QAM	1	0	1	21.82	22.01	22.39
			1	12	1	21.88	21.99	22.42
			1	24	1	21.92	22.00	22.45
			12	0	2	21.00	21.03	21.05
			12	7	2	21.09	21.03	21.09
			12	13	2	21.10	20.99	21.09
			25	0	2	21.16	20.99	21.05
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						19965	20175	20385
						1711.5 MHz	1732.5 MHz	1753.5 MHz
LTE Band 4	3	QPSK	1	0	0	23.00	23.05	23.02
			1	8	0	22.98	22.99	22.99
			1	14	0	23.06	22.99	23.02
			8	0	1	22.06	22.07	22.13
			8	4	1	22.02	22.00	22.07
			8	7	1	22.14	22.03	22.12
			15	0	1	22.11	22.05	22.11
		16QAM	1	0	1	21.89	22.19	21.93
			1	8	1	21.92	22.15	21.90
			1	14	1	21.93	22.21	21.93
			8	0	2	21.01	20.84	21.09
			8	4	2	21.01	20.81	21.08
			8	7	2	21.09	20.82	21.09
			15	0	2	21.10	21.04	21.13
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						19957	20175	20393

						1710.7 MHz	1732.5 MHz	1754.3 MHz
LTE Band 4	1.4	QPSK	1	0	0	22.96	22.93	23.06
			1	3	0	22.91	22.90	23.03
			1	5	0	22.99	22.96	23.09
			3	0	0	23.02	23.02	23.11
			3	1	0	22.99	22.97	23.04
			3	3	0	22.92	22.96	23.02
			6	0	1	22.08	22.03	22.18
		16QAM	1	0	1	22.10	21.85	22.20
			1	3	1	22.03	21.84	22.14
			1	5	1	22.08	21.92	22.18
			3	0	1	22.00	22.18	22.07
			3	1	1	21.95	22.17	22.07
			3	3	1	21.94	22.17	22.07
			6	0	2	21.06	21.09	21.17

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20450	20525	20600
						829 MHz	836.5 MHz	844 MHz
LTE Band 5	10	QPSK	1	0	0	22.95	23.13	23.05
			1	25	0	22.90	23.08	23.00
			1	49	0	23.04	23.12	23.02
			25	0	1	21.99	22.19	22.13
			25	12	1	22.08	22.12	22.11
			25	25	1	22.13	22.10	22.15
			50	0	1	22.17	22.18	22.16
		16QAM	1	0	1	21.88	22.29	21.95
			1	25	1	21.82	22.29	21.88
			1	49	1	21.91	22.30	21.89
			25	0	2	21.01	21.17	21.22
			25	12	2	21.10	21.18	21.20
			25	25	2	21.11	21.16	21.18
			50	0	2	21.09	21.13	21.13
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20425	20525	20625
						826.5 MHz	836.5 MHz	846.5 MHz
LTE Band 5	5	QPSK	1	0	0	22.97	23.24	23.18
			1	12	0	22.92	23.20	23.16
			1	24	0	22.96	23.23	23.17
			12	0	1	22.02	22.18	22.15
			12	7	1	22.06	22.11	22.08
			12	13	1	22.06	22.15	22.14
			25	0	1	22.07	22.15	22.10
		16QAM	1	0	1	21.80	22.11	22.49
			1	12	1	21.82	22.07	22.40
			1	24	1	21.86	22.10	22.42
			12	0	2	21.06	21.16	21.10
			12	7	2	21.05	21.12	21.14
			12	13	2	21.05	21.14	21.13
			25	0	2	21.05	21.16	21.08
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20415	20525	20635
						825.5 MHz	836.5 MHz	847.5 MHz
LTE Band 5	3	QPSK	1	0	0	23.01	23.10	23.06
			1	8	0	22.89	23.04	22.97
			1	14	0	22.97	23.08	23.01
			8	0	1	22.08	22.19	22.15
			8	4	1	22.05	22.13	22.08
			8	7	1	21.99	22.15	22.12
			15	0	1	22.08	22.13	22.12

		16QAM	1	0	1	21.90	21.96	21.95
			1	8	1	21.81	21.88	21.90
			1	14	1	21.87	21.90	21.94
			8	0	2	21.05	21.21	21.16
			8	4	2	21.04	21.20	21.12
			8	7	2	21.03	21.21	21.09
			15	0	2	21.07	21.08	21.10
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20407	20525	20643
						824.7 MHz	836.5 MHz	848.3 MHz
LTE Band 5	1.4	QPSK	1	0	0	23.04	23.16	23.08
			1	3	0	22.98	23.09	23.03
			1	5	0	23.05	23.13	23.11
			3	0	0	23.08	23.22	23.12
			3	1	0	23.04	23.17	23.06
			3	3	0	22.99	23.19	23.11
			6	0	1	22.12	22.18	22.15
		16QAM	1	0	1	22.17	22.00	22.23
			1	3	1	22.10	21.98	22.14
			1	5	1	22.17	22.06	22.18
			3	0	1	22.04	22.34	22.05
			3	1	1	21.99	22.31	22.05
			3	3	1	21.99	22.30	22.04
			6	0	2	21.11	21.24	21.19

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20850	21100	21350
						2510 MHz	2535 MHz	2560 MHz
LTE Band 7	20	QPSK	1	0	0	23.04	23.06	23.09
			1	49	0	22.90	23.15	23.11
			1	99	0	23.03	23.05	22.64
			50	0	1	21.95	22.12	22.21
			50	24	1	21.99	22.04	22.10
			50	50	1	21.97	22.06	22.14
			100	0	1	21.93	22.08	22.16
		16QAM	1	0	1	22.19	22.06	22.29
			1	49	1	22.07	22.14	22.19
			1	99	1	22.16	22.03	22.12
			50	0	2	20.98	21.15	21.14
			50	24	2	20.96	21.09	21.01
			50	50	2	20.96	21.12	21.07
			100	0	2	20.96	21.07	21.10
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20825	21100	21375
						2507.5 MHz	2535 MHz	2562.5 MHz
LTE Band 7	15	QPSK	1	0	0	23.00	22.98	23.30
			1	37	0	22.78	23.14	23.01
			1	74	0	22.85	23.08	22.90
			36	0	1	21.86	22.15	22.16
			36	20	1	21.94	22.17	22.09
			36	39	1	21.97	22.08	22.18
			75	0	1	21.94	22.17	22.16
		16QAM	1	0	1	21.94	22.25	22.50
			1	37	1	21.70	22.33	22.39
			1	74	1	21.73	22.24	22.31
			36	0	2	20.78	21.20	21.01
			36	20	2	20.86	21.24	20.98
			36	39	2	20.88	21.14	21.11
			75	0	2	20.89	21.14	21.11
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20800	21100	21400
						2505 MHz	2535 MHz	2565 MHz
LTE Band 7	10	QPSK	1	0	0	23.11	23.07	23.15
			1	25	0	22.72	23.12	23.08
			1	49	0	22.84	23.04	23.01
			25	0	1	22.06	22.13	22.18
			25	12	1	21.88	22.18	22.18
			25	25	1	21.96	22.17	22.19
			50	0	1	21.98	22.13	22.24

		16QAM	1	0	1	22.05	21.93	22.06
			1	25	1	21.65	21.95	21.98
			1	49	1	21.82	21.86	22.00
			25	0	2	20.99	21.18	21.11
			25	12	2	20.84	21.27	21.15
			25	25	2	20.90	21.30	21.17
			50	0	2	20.98	21.10	21.12
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)		
						20775	21100	21425
						2502.5 MHz	2535 MHz	2567.5 MHz
LTE Band 7	5	QPSK	1	0	0	23.10	23.23	23.24
			1	12	0	22.86	23.30	23.19
			1	24	0	22.79	23.35	23.10
			12	0	1	22.15	22.24	22.29
			12	7	1	22.02	22.22	22.27
			12	13	1	22.02	22.23	22.22
			25	0	1	22.04	22.20	22.26
		16QAM	1	0	1	22.00	22.11	22.50
			1	12	1	21.76	22.16	22.48
			1	24	1	21.73	22.17	22.49
			12	0	2	21.13	21.31	21.17
			12	7	2	21.03	21.28	21.17
			12	13	2	21.02	21.26	21.23
			25	0	2	21.09	21.23	21.17

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)
						23230
						782 MHz
LTE Band 13	10	QPSK	1	0	0	22.93
			1	25	0	22.93
			1	49	0	22.97
			25	0	1	22.12
			25	12	1	22.06
			25	25	1	22.06
			50	0	1	22.11
		16QAM	1	0	1	21.84
			1	25	1	21.85
			1	49	1	21.89
			25	0	2	21.05
			25	12	2	21.07
			25	25	2	21.04
			50	0	2	21.06
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)
						23230
						782 MHz
LTE Band 13	5	QPSK	1	0	0	23.02
			1	12	0	23.00
			1	24	0	23.01
			12	0	1	22.07
			12	7	1	22.08
			12	13	1	22.05
			25	0	1	22.10
		16QAM	1	0	1	21.87
			1	12	1	21.86
			1	24	1	21.90
			12	0	2	21.10
			12	7	2	21.07
			12	13	2	21.11
			25	0	2	21.17

Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)
						23790
						710 MHz
LTE Band 17	10	QPSK	1	0	0	22.81
			1	25	0	22.81
			1	49	0	22.90
			25	0	1	21.93
			25	12	1	21.87
			25	25	1	21.99
			50	0	1	22.03
		16QAM	1	0	1	21.78
			1	25	1	21.71
			1	49	1	21.80
			25	0	2	20.90
			25	12	2	20.86
			25	25	2	20.98
			50	0	2	20.99
Band	BW (MHz)	Mode	RB Allocation	RB offset	Target MPR	Avg Pwr (dBm)
						23790
						710 MHz
LTE Band 17	5	QPSK	1	0	0	23.05
			1	12	0	23.02
			1	24	0	22.98
			12	0	1	22.02
			12	7	1	21.98
			12	13	1	22.05
			25	0	1	22.03
		16QAM	1	0	1	22.34
			1	12	1	22.30
			1	24	1	22.30
			12	0	2	21.01
			12	7	2	20.97
			12	13	2	20.96
			25	0	2	20.95

9. PEAK TO AVERAGE RATIO


Test Procedure



Per KDB 971168 D01 Power Meas License Digital Systems v02r01


Test Spec



In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.


9.1. CONDUCTED PEAK TO AVERAGE RESULT

























































10. LIMITS AND CONDUCTED RESULTS

10.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

IC: RSS-132, 4.5; RSS-133, 6.5

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

(KDB 971168 D01 Power Meas License Digital Systems v02r01 - 06/07/2013)

10.1.1. OCCUPIED BANDWIDTH RESULTS

Band	Mode	Channel	f (MHz)	99% BW (KHz)	-26dB BW (KHz)
GSM850	GPRS	128	824.2	244.20	328.59
		190	836.6	247.94	326.72
		251	848.8	243.28	327.52
	EGPRS	128	824.2	245.85	309.30
		190	836.6	248.94	323.34
		251	848.8	249.09	315.17
GSM1900	GPRS	512	1850.2	242.76	323.1
		661	1880	243.92	320.42
		810	1909.8	242.54	314.8
	EGPRS	512	1850.2	243.42	312.84
		661	1880	246.21	317
		810	1909.8	242.39	312.99

Band	Mode	Channel	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
Band 5	REL99	4132	826.4	4.17	4.64
		4183	836.6	4.16	4.61
		4233	846.6	4.16	4.62
	HSDPA	4132	826.4	4.16	4.63
		4183	836.6	4.15	4.62
		4233	846.6	4.15	4.62
Band 4	REL99	1312	1712.4	4.17	4.62
		1413	1732.6	4.16	4.63
		1513	1752.6	4.16	4.63
	HSDPA	1312	1712.4	4.16	4.63
		1413	1732.6	4.17	4.63
		1513	1752.6	4.16	4.61
Band 2	REL99	9262	1852.4	4.15	4.61
		9400	1880	4.15	4.64
		9538	1907.6	4.16	4.63
	HSDPA	9262	1852.4	4.17	4.62
		9400	1880	4.16	4.62
		9538	1907.6	4.17	4.63

10.1.2. LTE OCCUPIED BANDWIDTH RESULTS

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE17	10	QPSK	50/0	709	8.95	9.79
			50/0	710	8.95	9.74
			50/0	711	8.94	9.73
		16QAM	50/0	709	8.93	9.76
			50/0	710	8.96	9.68
			50/0	711	8.93	9.72

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE17	5	QPSK	25/0	706.5	4.47	4.89
			25/0	710	4.47	4.96
			25/0	713.5	4.45	4.89
		16QAM	25/0	706.5	4.48	4.96
			25/0	710	4.47	4.89
			25/0	713.5	4.47	4.9

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE13	10	QPSK	50/0	782	8.94	9.72
			50/0	782	8.94	9.72
			50/0	782	8.94	9.72
		16QAM	50/0	782	8.93	9.55
			50/0	782	8.93	9.55
			50/0	782	8.93	9.55

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE13	5	QPSK	25/0	779.5	4.47	4.89
			25/0	782	4.48	4.91
			25/0	784.5	4.47	4.93
		16QAM	25/0	779.5	4.48	4.94

			25/0	782	4.47	4.92
			25/0	784.5	4.48	4.93

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE7	20	QPSK	100/0	2510	17.81	18.52
			100/0	2535	17.82	18.73
			100/0	2560	17.83	19.05
		16QAM	100/0	2510	17.81	19.1
			100/0	2535	17.7	18.76
			100/0	2560	17.83	19.04

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE7	15	QPSK	75/0	2507.5	13.38	14.25
			75/0	2535	13.4	14.49
			75/0	2562.5	13.37	14.27
		16QAM	75/0	2507.5	13.37	14.46
			75/0	2535	13.39	14.45
			75/0	2562.5	13.4	14.26

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE7	10	QPSK	50/0	2505	8.96	9.65
			50/0	2535	8.95	9.61
			50/0	2565	8.93	9.66
		16QAM	50/0	2505	8.96	9.58
			50/0	2535	8.93	8.9
			50/0	2565	8.95	9.63

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE7	5	QPSK	25/0	2502.5	4.46	4.91
			25/0	2535	4.46	4.83
			25/0	2567.5	4.45	4.88

		16QAM	25/0	2502.5	4.46	4.86
			25/0	2535	4.47	4.84
			25/0	2567.5	4.48	4.94

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE5	10	QPSK	50/0	829	8.95	9.68
			50/0	836.5	8.95	9.97
			50/0	844	8.94	9.73
		16QAM	50/0	829	8.93	9.72
			50/0	836.5	8.93	9.74
			50/0	844	9.72	8.96

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE5	5	QPSK	25/0	826.5	4.47	4.94
			25/0	836.5	4.46	4.86
			25/0	846.5	4.47	4.91
		16QAM	25/0	826.5	4.47	4.89
			25/0	836.5	4.48	4.93
			25/0	846.5	4.47	4.94

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE5	3	QPSK	15/0	825.5	2.68	2.89
			15/0	836.5	2.68	2.92
			15/0	847.5	2.69	2.93
		16QAM	15/0	825.5	2.68	2.94
			15/0	836.5	2.68	2.94
			15/0	847.5	2.68	2.92

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE5	1.4	QPSK	6/0	824.7	1.08	1.25
			6/0	836.5	1.09	1.27

			6/0	848.3	1.08	1.27
		16QAM	6/0	824.7	1.08	1.25
			6/0	836.5	1.08	1.25
			6/0	848.3	1.08	1.27

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	20	QPSK	100/0	1720	17.79	19.09
			100/0	1732.5	17.82	19.22
			100/0	1745	17.81	19.09
		16QAM	100/0	1720	17.78	19.07
			100/0	1732.5	17.78	19.02
			100/0	1745	17.85	19.2

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	15	QPSK	75/0	1717.5	13.38	14.6
			75/0	1732.5	13.49	14.67
			75/0	1747.5	13.4	14.61
		16QAM	75/0	1717.5	13.4	14.57
			75/0	1732.5	13.43	14.52
			75/0	1747.5	13.42	14.52

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	10	QPSK	50/0	1715	8.95	9.63
			50/0	1732.5	8.93	9.56
			50/0	1750	8.93	9.55
		16QAM	50/0	1715	8.94	9.72
			50/0	1732.5	8.94	9.56
			50/0	1750	8.92	9.56

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	5	QPSK	25/0	1712.5	4.46	4.87

			25/0	1732.5	4.47	4.85
			25/0	1752.5	4.46	4.86
		16QAM	25/0	1712.5	4.47	4.85
			25/0	1732.5	4.46	4.85
			25/0	1752.5	4.47	4.94

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	3	QPSK	15/0	1711.5	2.68	2.91
			15/0	1732.5	2.69	2.94
			15/0	1753.5	2.69	2.93
		16QAM	15/0	1711.5	2.69	2.93
			15/0	1732.5	2.69	2.92
			15/0	1753.5	2.69	2.92

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	1.4	QPSK	6/0	1710.7	1.08	1.24
			6/0	1732.5	1.08	4.26
			6/0	1754.3	1.08	1.23
		16QAM	6/0	1710.7	1.08	1.23
			6/0	1732.5	1.08	1.23
			6/0	1754.3	1.08	1.23

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE2	20	QPSK	100/0	1860	17.79	19.07
			100/0	1880	17.79	19.07
			100/0	1900	17.83	19.25
		16QAM	100/0	1860	17.8	19.14
			100/0	1880	17.82	19.98
			100/0	1900	17.78	19.02

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
------	---------	------	------------	---------	--------------	----------------

LTE2	15	QPSK	75/0	1857.5	13.38	14.38
			75/0	1880	13.4	14.59
			75/0	1902.5	13.38	14.42
		16QAM	75/0	1857.5	13.4	14.43
			75/0	1880	13.4	14.37
			75/0	1902.5	13.37	14.39

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE2	10	QPSK	50/0	1855	8.96	9.76
			50/0	1880	8.94	9.73
			50/0	1905	9.96	9.77
		16QAM	50/0	1855	8.96	9.74
			50/0	1880	8.95	9.75
			50/0	1905	8.94	9.76



Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE2	5	QPSK	25/0	1852.5	4.52	5.06
			25/0	1880	4.52	5.05
			25/0	1907.5	4.52	5.04
		16QAM	25/0	1852.5	4.55	5.06
			25/0	1880	4.54	5.07
			25/0	1907.5	4.52	5.04


Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE2	3	QPSK	15/0	1851.5	2.69	2.96
			15/0	1880	2.7	2.95
			15/0	1908.5	2.69	2.94
		16QAM	15/0	1851.5	2.69	2.95
			15/0	1880	2.69	2.96
			15/0	1908.5	2.69	2.96


Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE2	1.4	QPSK	6/0	1850.7	1.08	1.26
			6/0	1880	1.09	1.25
			6/0	1909.3	1.08	1.26
		16QAM	6/0	1850.7	1.09	1.27
			6/0	1880	1.08	1.26
			6/0	1909.3	1.08	1.26

10.1.3. OCCUPIED BANDWIDTH PLOTS

















Band LTE17 10MHz 16QAM	Agilent 02-24-21 Jul 2, 2014 Ch Freq 710 MHz Trig Free Occupied Bandwidth Rel 34.7 dBm Atten 40 dB #Peak Log 10 dB/ Offset 10.7 dB Center 710.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 1.933 ms (1001 pts) Span 20 MHz Occupied Bandwidth 8.9633 MHz Transmit Freq Error 3.487 kHz x dB Bandwidth 9.678 MHz Occ BW % Pwr 99.00 % x dB -26.00 dB Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz OBW 16QAM Mid Channel FRB.gif Agilent 02-24-47 Jul 2, 2014 Ch Freq 710 MHz Trig Free Occupied Bandwidth Rel 34.7 dBm Atten 40 dB #Peak Log 10 dB/ Offset 10.7 dB Center 710.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 1.933 ms (1001 pts) Span 20 MHz Occupied Bandwidth 8.9548 MHz Transmit Freq Error 7.853 kHz x dB Bandwidth 9.742 MHz Occ BW % Pwr 99.00 % x dB -26.00 dB Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz OBW QPSK Mid Channel FRB.gif	Band LTE17 5MHz 16QAM	Agilent 01-49-49 Jul 2, 2014 Ch Freq 710 MHz Trig Free Occupied Bandwidth Rel 34.7 dBm Atten 40 dB #Peak Log 10 dB/ Offset 10.7 dB Center 710.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 3.733 ms (1001 pts) Span 10 MHz Occupied Bandwidth 4.4689 MHz Transmit Freq Error -580.305 Hz x dB Bandwidth 4.889 MHz Occ BW % Pwr 99.00 % x dB -26.00 dB Copyright 2000-2011 Agilent Technologies Band LTE17 5MHz OBW 16QAM Mid Channel FRB.gif Agilent 01-52-01 Jul 2, 2014 Ch Freq 710 MHz Trig Free Occupied Bandwidth Rel 34.7 dBm Atten 40 dB #Peak Log 10 dB/ Offset 10.7 dB Center 710.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 3.733 ms (1001 pts) Span 10 MHz Occupied Bandwidth 4.4698 MHz Transmit Freq Error -2.439 kHz x dB Bandwidth 4.960 MHz Occ BW % Pwr 99.00 % x dB -26.00 dB Copyright 2000-2011 Agilent Technologies Band LTE17 5MHz OBW QPSK Mid Channel FRB.gif
---	--	--	---














































10.2. BAND EDGE EMISSIONS

RULE PART(S)

FCC: §22.359, §24.238, §27 and § 90.691

LIMITS

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.


TEST PROCEDURE


Per KDB 971168 D01 Power Meas License Digital Systems v02r01



The transmitter output was connected to an Agilent 8960 or a CMW500 Test Set and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.



RESULTS



10.2.1. BAND EDGE PLOTS




















Band LTE17 10MHz 16QAM	Agilent 02:30:11 Jul 2, 2014 Rel 34.7 dBm Atten 40 dB Mkr1 704.00 MHz -30.203 dBm Center Freq 704.000000 MHz Start Freq 694.000000 MHz Stop Freq 714.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 704.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz CBE 16QAM Low Channel 1RB.gif	Agilent 02:31:43 Jul 2, 2014 Rel 34.7 dBm Atten 40 dB Mkr1 704.00 MHz -30.111 dBm Center Freq 704.000000 MHz Start Freq 694.000000 MHz Stop Freq 714.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 704.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz CBE 16QAM Low Channel FRB.gif
	Agilent 02:29:23 Jul 2, 2014 Rel 34.7 dBm Atten 40 dB Mkr1 716.00 MHz -30.324 dBm Center Freq 716.000000 MHz Start Freq 706.000000 MHz Stop Freq 726.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 716.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz CBE 16QAM High Channel 1RB.gif	Agilent 02:27:45 Jul 2, 2014 Rel 34.7 dBm Atten 40 dB Mkr1 716.00 MHz -31.871 dBm Center Freq 716.000000 MHz Start Freq 706.000000 MHz Stop Freq 726.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 716.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE17 10MHz CBE 16QAM High Channel FRB.gif







Band LTE17 5MHz 16QAM	 Band LTE17 5MHz CBE 16QAM Low Channel 1RB.gif	 Band LTE17 5MHz CBE 16QAM Low Channel FRB.gif
Band LTE17 5MHz 16QAM	 Band LTE17 5MHz CBE 16QAM High Channel 1RB.gif	 Band LTE17 5MHz CBE 16QAM High Channel FRB.gif



Band LTE13 10MHz 16QAM	Agilent 01:20:02 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -30.285 dBm Center Freq 777.000000 MHz Start Freq 767.000000 MHz Stop Freq 787.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 10MHz CBE 16QAM High Channel 1RB.gif	Agilent 01:18:50 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -29.470 dBm Center Freq 777.000000 MHz Start Freq 767.000000 MHz Stop Freq 787.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 10MHz CBE 16QAM High Channel FRB.gif
	Agilent 01:19:36 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -29.359 dBm Center Freq 777.000000 MHz Start Freq 767.000000 MHz Stop Freq 787.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 10MHz CBE QPSK High Channel 1RB.gif	Agilent 01:19:13 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -28.512 dBm Center Freq 777.000000 MHz Start Freq 767.000000 MHz Stop Freq 787.000000 MHz CF Step 2.00000000 MHz Freq Cfilset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 100 kHz VBW 300 kHz Sweep 6.067 ms (1001 pts) Span 20 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 10MHz CBE QPSK High Channel FRB.gif

--	--	--

Band LTE13 5MHz 16QAM	Agilent 01:33:46 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -17.595 dBm Center 777.00 MHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE 16QAM Low Channel 1RB.gif	Agilent 01:33:28 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -26.526 dBm Center 777.00 MHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE 16QAM Low Channel FRB.gif
	Freq/Channel Center Freq 777.000000 MHz Start Freq 772.000000 MHz Stop Freq 782.000000 MHz CF Step 1.00000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off	Freq/Channel Center Freq 777.000000 MHz Start Freq 772.000000 MHz Stop Freq 782.000000 MHz CF Step 1.00000000 MHz Auto Man Freq Offset 0.00000000 Hz Signal Track On Off

Band LTE13 5MHz 16QAM	 Agilent 01:30:59 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 787.00 MHz -21.467 dBm Center Freq 787.000000 MHz Start Freq 782.000000 MHz Stop Freq 792.000000 MHz CF Step 1.00000000 MHz Freq Offset 0.00000000 Hz Signal Track On Center 787.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Span 10 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE 16QAM High Channel 1RB.gif	 Agilent 01:30:39 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 787.00 MHz -30.191 dBm Center Freq 787.000000 MHz Start Freq 782.000000 MHz Stop Freq 792.000000 MHz CF Step 1.00000000 MHz Freq Offset 0.00000000 Hz Signal Track On Center 787.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Span 10 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE 16QAM High Channel FRB.gif
Band LTE13 5MHz QPSK	 Agilent 01:34:10 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -20.835 dBm Center Freq 777.000000 MHz Start Freq 772.000000 MHz Stop Freq 782.000000 MHz CF Step 1.00000000 MHz Freq Offset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Span 10 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE QPSK Low Channel 1RB.gif	 Agilent 01:33:11 Jul 2, 2014 Rel 40.7 dBm Atten 40 dB Mkr1 777.00 MHz -27.767 dBm Center Freq 777.000000 MHz Start Freq 772.000000 MHz Stop Freq 782.000000 MHz CF Step 1.00000000 MHz Freq Offset 0.00000000 Hz Signal Track On Center 777.00 MHz #Res BW 51 kHz VBW 150 kHz Sweep 11.67 ms (1001 pts) Span 10 MHz Copyright 2000-2011 Agilent Technologies Band LTE13 5MHz CBE QPSK Low Channel FRB.gif

