

RF Exposure Statement

No. : 22IE0091-YW-1

Applicant : DENSO WAVE INCORPORATED
Type of Equipment : Micro ISA Wireless LAN Adaptor
Model No. : MI802B3
FCC ID : PZWMI802B3

FCC Radiation Exposure Statement:

DENSO WAVE INCORPORATED Model : MI802B3 complies with FCC radiation exposure requirement specified in the FCC Rules 15.247(b)(4).

Notice in Installation Manual

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator and your body (excluding extremities : hands, wrists, and feet) and must not be co-located or operated with any antenna or transmitter.

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "MI802B3" as calculated from FCC OET 65 Appendix B, Table (B) Limits for General Population / Uncontrolled Exposure. This calculation is based on the highest EIRP possible from the system, considering maximum power and antenna gain, and considering a 1.0m W/cm² uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4 * \pi * r^2) \quad \text{or} \quad r = \sqrt{(P * G) / (4 * \pi * S)}$$

Where S = 1.0 mW/cm² for 2400 MHz

P = 38.9mW (Maximum Conducted Power)

G = 0.41(Isotropic antenna gain : Converted absolute value)

r = Minimum safe distance from antenna (cm)

For: MI802B3 **r = 1.13cm**

A-PEX International Co., Ltd.

YOKOWA LAB.

108 Yokowa-cho, Ise-shi, Mie-ken 516-1106 JAPAN

Telephone: int +81 596 39 1485

Facsimile: int +81 596 39 0232