



STEALTH BLADE ANT, 2.4-2.5 GHz**304139****6in RG 174 USCAR SMB CARLOCK INSTALLED****Series : ANTENNA**

All dimensions are in inches

**Issue : 02 28**

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

RADIALL/LARSEN
antenna technologies

STEALTH BLADE ANT, 2.4-2.5 GHz
6in RG 174 USCAR SMB CARLOCK INSTALLED

304139

Series : ANTENNA

ELECTRICAL CHARACTERISTICS

Frequency : **2.4 - 2.5 GHz**
Impedance : **50 Ω**
Gain : **0 dBi $\pm$ 1 dB**
VSWR : **2:1 Max**
Polarization : **Linear**
Maximum Power Input : **3 W**

Connector type : **USCAR SMB CARLOCK
PLUG COLOR BEIGE,
CODE I**

Cable type : **RG-174**

Cable length : **6 Inches**

MECHANICAL CHARACTERISTICS

Material:
Plastic radome : **Polyolefin tube
Adhesive-lined, Black**
Mounting system : **Double sided adhesive tape
3M 4943**

Overall Dimensions:

Depth : **.06 inches**
Length : **2.82 inches**
Width : **.78 inches**



ENVIRONMENTAL CHARACTERISTICS

Operating temperature : **-40 to +70 ° C**

Issue : 02 28

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

RADIALL/LARSEN
antenna technologies

STEALTH BLADE ANT, 2.4-2.5 GHz**304139****6in RG 174 USCAR SMB CARLOCK INSTALLED****Series : ANTENNA****CURVES****VSWR****SB2400
DIPOLE 2.4-2.5GHz****Gain****Gain in dBi/Configuration A
Ref=+5 dBi- 5 dB/div****SB2400
2.4-2.5GHz****Issue : 02 28**

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

RADIALL/LARSEN
antenna technologies