


Overall View of
Transmitter module



End View of
Transmitter module

- Reset Button
- Low Battery Indicator
- Ext. Phone connection
- Low battery audio transducer




The test results contained in this report refer exclusively to the product(s) presented for testing. No liability may be assumed for models or products not referred to herein. This test report may not be published or duplicated in part without permission of the testing body. This test report by itself does not constitute authorization for the use of any TUV Rheinland test mark. This report must not be used by the applicant to claim product endorsement by TUV Rheinland, NVLAP or any agency of the U.S. Government.

Overall View of
Transmitter with the
battery cover removed

Code Data Switches

Note: All switches to
be set to the "ON"
position to allow
broadest pulse data
train to be transmitted
(Worst Case)



Bottom view of
transmitter



The test results contained in this report refer exclusively to the product(s) presented for testing. No liability may be assumed for models or products not referred to herein. This test report may not be published or duplicated in part without permission of the testing body. This test report by itself does not constitute authorization for the use of any TUV Rheinland test mark. This report must not be used by the applicant to claim product endorsement by TUV Rheinland, NVLAP or any agency of the U.S. Government.

TÜV Rheinland of North America, Inc., North American Headquarters, 12 Commerce Road, Newtown, CT 06470 Tel (203)426-0888 - Fax (203)426-4009