

Test Report No.50335243 002

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50335243 002 Appendix D)

Contents

Spurious Emissions, Band Edges..... 2

Spurious Emissions, TX Mode, 9kHz-30MHz 50

Spurious Emissions, TX Mode, 30MHz-1GHz 52

Spurious Emissions, TX Mode, 1GHz-26.5GHz 54


Spurious Emissions, AC Mains..... 78

Spurious Emissions, Band Edges


802.11b




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.65	51.44	14.11	37.33	54.00	-2.56	100	272	Average	HORIZONTAL
2 *	2412.00	114.34	76.94	37.40	54.00	60.34	100	270	Average	HORIZONTAL
3	2493.84	42.34	4.77	37.57	54.00	-11.66	100	298	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2386.23	50.36	13.04	37.32	54.00	-3.64	100	310	Average	VERTICAL
2 *	2412.00	110.50	73.10	37.40	54.00	56.50	300	319	Average	VERTICAL
3	2486.06	41.47	3.91	37.56	54.00	-12.53	200	161	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2368.17	58.16	20.89	37.27	74.00	-15.84	100	272	Peak	horizontal
2 *	2412.00	116.82	79.42	37.40	74.00	42.82	100	270	Peak	horizontal
3	2485.23	53.61	16.05	37.56	74.00	-20.39	100	298	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.30	57.81	20.48	37.33	74.00	-16.19	100	310	Peak	vertical
2 *	2412.00	112.88	75.48	37.40	74.00	38.88	300	319	Peak	vertical
3	2491.25	53.59	16.02	37.57	74.00	-20.41	200	161	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.62	42.97	5.73	37.24	54.00	-11.03	200	260	Average	HORIZONTAL
2 *	2437.00	115.03	77.55	37.48	54.00	61.03	300	267	Average	HORIZONTAL
3	2487.94	42.87	5.30	37.57	54.00	-11.13	100	263	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.91	42.60	5.36	37.24	54.00	-11.40	311	360	Average	VERTICAL
2 *	2437.00	110.06	72.58	37.48	54.00	56.06	100	233	Average	VERTICAL
3	2483.70	41.50	3.94	37.56	54.00	-12.50	100	310	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.28	54.28	17.03	37.25	74.00	-19.72	200	260	Peak	horizontal
2 *	2437.00	117.77	80.29	37.48	74.00	43.77	300	267	Peak	horizontal
3	2485.11	54.28	16.72	37.56	74.00	-19.72	100	263	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.94	53.20	15.87	37.33	74.00	-20.80	311	360	Peak	vertical
2 *	2437.00	112.44	74.96	37.48	74.00	38.44	100	233	Peak	vertical
3	2488.42	53.91	16.34	37.57	74.00	-20.09	100	310	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.56	43.64	6.34	37.30	54.00	-10.36	100	286	Average	HORIZONTAL
2 *	2462.00	114.55	77.01	37.54	54.00	60.55	300	267	Average	HORIZONTAL
3 !	2483.50	51.23	13.67	37.56	54.00	-2.77	100	297	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.87	42.78	5.46	37.32	54.00	-11.22	100	281	Average	VERTICAL
2 *	2462.00	109.89	72.35	37.54	54.00	55.89	100	231	Average	VERTICAL
3	2483.46	45.47	7.91	37.56	54.00	-8.53	200	237	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.46	53.79	16.47	37.32	74.00	-20.21	100	286	Peak	horizontal
2 *	2462.00	115.90	78.36	37.54	74.00	41.90	300	267	Peak	horizontal
3	2484.40	58.32	20.76	37.56	74.00	-15.68	100	297	Peak	horizontal




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.17	54.13	16.81	37.32	74.00	-19.87	100	281	Peak	vertical
2 *	2462.00	112.76	75.22	37.54	74.00	38.76	100	231	Peak	vertical
3	2483.46	57.29	19.73	37.56	74.00	-16.71	200	237	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.89	52.01	14.68	37.33	54.00	-1.99	300	251	Average	HORIZONTAL
2 *	2412.00	107.68	70.28	37.40	54.00	53.68	300	255	Average	HORIZONTAL
3	2498.56	42.25	4.67	37.58	54.00	-11.75	100	241	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.89	46.89	9.56	37.33	54.00	-7.11	108	360	Average	VERTICAL
2 *	2412.00	103.70	66.30	37.40	54.00	49.70	100	230	Average	VERTICAL
3	2488.89	41.45	3.88	37.57	54.00	-12.55	198	360	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.94	64.09	26.76	37.33	74.00	-9.91	300	251	Peak	horizontal
2 *	2412.00	115.62	78.22	37.40	74.00	41.62	300	255	Peak	horizontal
3	2493.49	53.87	16.30	37.57	74.00	-20.13	100	241	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.30	58.80	21.47	37.33	74.00	-15.20	108	360	Peak	vertical
2 *	2412.00	111.90	74.50	37.40	74.00	37.90	100	230	Peak	vertical
3	2487.94	53.80	16.23	37.57	74.00	-20.20	198	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.47	47.87	10.54	37.33	54.00	-6.13	100	295	Average	HORIZONTAL
2 *	2437.00	110.50	73.02	37.48	54.00	56.50	300	271	Average	HORIZONTAL
3	2483.50	47.95	10.39	37.56	54.00	-6.05	400	246	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.00	46.26	8.93	37.33	54.00	-7.74	200	231	Average	VERTICAL
2 *	2437.00	106.84	69.36	37.48	54.00	52.84	100	231	Average	VERTICAL
3	2483.81	45.55	7.99	37.56	54.00	-8.45	400	235	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.21	61.56	24.26	37.30	74.00	-12.44	100	295	Peak	horizontal
2 *	2437.00	119.02	81.54	37.48	74.00	45.02	300	271	Peak	horizontal
3	2484.17	58.21	20.65	37.56	74.00	-15.79	400	246	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.80	60.11	22.81	37.30	74.00	-13.89	200	231	Peak	vertical
2 *	2437.00	115.00	77.52	37.48	74.00	41.00	100	231	Peak	vertical
3	2483.70	58.02	20.46	37.56	74.00	-15.98	400	235	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.04	42.15	4.84	37.31	54.00	-11.85	100	247	Average	HORIZONTAL
2 *	2462.00	105.27	67.73	37.54	54.00	51.27	300	270	Average	HORIZONTAL
3 !	2483.58	49.89	12.33	37.56	54.00	-4.11	300	274	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.80	41.85	4.61	37.24	54.00	-12.15	100	245	Average	VERTICAL
2 *	2462.00	102.00	64.46	37.54	54.00	48.00	100	232	Average	VERTICAL
3	2483.50	47.27	9.71	37.56	54.00	-6.73	200	289	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.29	54.11	16.79	37.32	74.00	-19.89	100	249	Peak	horizontal
2 *	2462.00	113.29	75.75	37.54	74.00	39.29	300	270	Peak	horizontal
3	2483.50	62.30	24.74	37.56	74.00	-11.70	300	274	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.03	53.38	16.08	37.30	74.00	-20.62	100	245	Peak	vertical
2 *	2462.00	110.16	72.62	37.54	74.00	36.16	100	232	Peak	vertical
3	2484.17	61.47	23.91	37.56	74.00	-12.53	200	289	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.92	51.31	13.98	37.33	54.00	-2.69	150	342	Average	Horizontal
2 *	2412.00	104.59	67.19	37.40	54.00	50.59	174	17	Average	Horizontal
3	2492.55	41.50	3.93	37.57	54.00	-12.50	174	17	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2390.00	49.20	11.87	37.33	54.00	-4.80	147	325	Average	Vertical
2 *	2412.00	102.98	65.58	37.40	54.00	48.98	127	322	Average	Vertical
3	2492.90	40.94	3.37	37.57	54.00	-13.06	127	322	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.89	69.25	31.92	37.33	74.00	-4.75	150	342	Peak	Horizontal
2 *	2412.00	114.79	77.39	37.40	74.00	40.79	174	17	Peak	Horizontal
3	2493.02	54.41	16.84	37.57	74.00	-19.59	174	17	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.87	67.91	30.58	37.33	74.00	-6.09	147	325	Peak	Vertical
2 *	2412.00	113.06	75.66	37.40	74.00	39.06	127	322	Peak	Vertical
3	2492.66	53.90	16.33	37.57	74.00	-20.10	127	322	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.76	52.36	15.03	37.33	54.00	-1.64	100	0	Average	Horizontal
2 *	2437.00	110.62	73.14	37.48	54.00	56.62	301	348	Average	Horizontal
3 !	2483.59	51.97	14.41	37.56	54.00	-2.03	296	338	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.95	48.88	11.55	37.33	54.00	-5.12	100	7	Average	Vertical
2 *	2437.00	105.57	68.09	37.48	54.00	51.57	267	12	Average	Vertical
3 !	2483.50	48.71	11.15	37.56	54.00	-5.29	288	5	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.56	73.08	35.75	37.33	74.00	-0.92	100	0	Peak	Horizontal
2 *	2437.00	121.38	83.90	37.48	74.00	47.38	301	348	Peak	Horizontal
3 !	2483.53	71.23	33.67	37.56	74.00	-2.77	296	338	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2390.00	69.36	32.03	37.33	74.00	-4.64	100	7	Peak	Vertical
2 *	2437.00	115.72	78.24	37.48	74.00	41.72	267	12	Peak	Vertical
3 !	2484.45	68.63	31.07	37.56	74.00	-5.37	288	5	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.44	40.83	3.54	37.29	54.00	-13.17	270	0	Average	Horizontal
2 *	2462.00	105.21	67.67	37.54	54.00	51.21	270	0	Average	Horizontal
3 !	2483.61	52.65	15.09	37.56	54.00	-1.35	295	340	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.57	41.38	4.07	37.31	54.00	-12.62	110	323	Average	Vertical
2 *	2462.00	100.84	63.30	37.54	54.00	46.84	110	323	Average	Vertical
3 !	2483.61	49.51	11.95	37.56	54.00	-4.49	140	323	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.69	54.79	17.47	37.32	74.00	-19.21	270	0	Peak	Horizontal
2 *	2462.00	116.32	78.78	37.54	74.00	42.32	270	0	Peak	Horizontal
3 !	2483.63	70.10	32.54	37.56	74.00	-3.90	295	340	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.40	55.39	18.07	37.32	74.00	-18.61	110	323	Peak	Vertical
2 *	2462.00	111.03	73.49	37.54	74.00	37.03	110	323	Peak	Vertical
3	2483.64	67.00	29.44	37.56	74.00	-7.00	140	323	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.87	51.04	13.71	37.33	54.00	-2.96	102	29	Average	horizontal
2 *	2422.00	98.70	61.27	37.43	54.00	44.70	340	0	Average	horizontal
3	2484.35	41.09	3.53	37.56	54.00	-12.91	340	0	Average	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.00	47.76	10.43	37.33	54.00	-6.24	124	329	Average	Vertical
2 *	2422.00	94.71	57.28	37.43	54.00	40.71	124	329	Average	Vertical
3	2484.11	41.48	3.92	37.56	54.00	-12.52	124	329	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.14	67.63	30.30	37.33	74.00	-6.37	102	29	Peak	horizontal
2 *	2422.00	109.81	72.38	37.43	74.00	35.81	340	0	Peak	horizontal
3	2485.64	53.73	16.17	37.56	74.00	-20.27	340	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.36	63.38	26.05	37.33	74.00	-10.62	124	329	Peak	Vertical
2 *	2422.00	105.14	67.71	37.43	74.00	31.14	124	329	Peak	Vertical
3	2496.74	53.86	16.28	37.58	74.00	-20.14	124	329	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	2389.78	49.99	12.66	37.33	54.00	-4.01	198	360	Average	Horizontal
2 *	2437.00	103.96	66.48	37.48	54.00	49.96	338	0	Average	Horizontal
3 !	2483.59	49.62	12.06	37.56	54.00	-4.38	323	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.61	47.58	10.25	37.33	54.00	-6.42	108	331	Average	Vertical
2 *	2437.00	99.22	61.74	37.48	54.00	45.22	120	331	Average	Vertical
3	2483.52	46.93	9.37	37.56	54.00	-7.07	137	36	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.96	67.67	30.34	37.33	74.00	-6.33	198	360	Peak	Horizontal
2 *	2437.00	113.79	76.31	37.48	74.00	39.79	338	0	Peak	Horizontal
3	2483.55	65.51	27.95	37.56	74.00	-8.49	323	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.83	63.38	26.05	37.33	74.00	-10.62	108	331	Peak	Vertical
2 *	2437.00	109.56	72.08	37.48	74.00	35.56	120	331	Peak	Vertical
3	2484.67	63.53	25.97	37.56	74.00	-10.47	137	36	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2329.88	41.49	4.35	37.14	54.00	-12.51	334	0	Average	Horizontal
2 *	2452.00	98.89	61.37	37.52	54.00	44.89	334	0	Average	Horizontal
3 !	2483.63	53.61	16.05	37.56	54.00	-0.39	266	0	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.86	42.28	5.04	37.24	54.00	-11.72	142	326	Average	Vertical
2 *	2452.00	94.78	57.26	37.52	54.00	40.78	142	326	Average	Vertical
3 !	2483.55	50.17	12.61	37.56	54.00	-3.83	122	320	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.25	54.15	16.93	37.22	74.00	-19.85	334	0	Peak	Horizontal
2 *	2452.00	109.33	71.81	37.52	74.00	35.33	334	0	Peak	Horizontal
3 !	2483.68	70.39	32.83	37.56	74.00	-3.61	266	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.48	53.97	16.70	37.27	74.00	-20.03	142	326	Peak	Vertical
2 *	2452.00	104.74	67.22	37.52	74.00	30.74	142	326	Peak	Vertical
3	2483.68	66.60	29.04	37.56	74.00	-7.40	122	320	Peak	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz


802.11n HT40_2452MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	78.16	1.76	76.40	124.74	-46.58	100	61	QP	vertical
2	0.04	66.44	-0.49	66.93	115.03	-48.59	100	353	QP	vertical
3	0.07	58.96	-3.32	62.28	110.61	-51.65	100	5	QP	vertical
4	0.10	56.16	-3.63	59.79	108.00	-51.84	100	282	QP	vertical
5	0.12	53.90	-4.27	58.17	106.12	-52.22	100	31	QP	vertical
6	0.14	52.81	-4.16	56.97	104.72	-51.91	100	308	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.46	60.36	13.00	47.36	94.28	-33.92	100	163	QP	vertical
2	6.31	49.79	11.44	38.35	69.50	-19.71	100	360	QP	vertical
3	10.91	49.22	11.98	37.24	69.50	-20.28	100	166	QP	vertical
4	15.58	49.42	11.81	37.61	69.50	-20.08	100	249	QP	vertical
5	23.26	48.58	13.18	35.40	69.50	-20.92	100	254	QP	vertical
6	28.84	48.05	11.17	36.88	69.50	-21.45	100	244	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz


802.11n HT40_2452MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	47.36	25.03	32.57	-7.54	40.00	-14.97	300	134	QP	horizontal
2	165.80	29.18	36.42	-7.24	43.50	-14.32	200	245	QP	horizontal
3	375.03	34.98	40.07	-5.09	46.00	-11.02	100	302	QP	horizontal
4	524.99	34.37	37.11	-2.74	46.00	-11.63	140	360	QP	horizontal
5	800.08	38.21	36.52	1.69	46.00	-7.79	100	7	QP	horizontal
6	875.06	37.87	35.08	2.79	46.00	-8.13	100	34	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	35.53	31.44	40.09	-8.65	40.00	-8.56	100	38	QP	vertical
2	80.73	29.63	41.91	-12.28	40.00	-10.37	164	360	QP	vertical
3	375.03	32.08	37.17	-5.09	46.00	-13.92	200	40	QP	vertical
4	500.06	34.87	38.07	-3.20	46.00	-11.13	100	308	QP	vertical
5	524.99	34.57	37.31	-2.74	46.00	-11.43	100	304	QP	vertical
6	800.08	34.71	33.02	1.69	46.00	-11.29	100	344	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz


802.11b




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor			cm	deg		
			dB/m	dBuV/m	dB				
1	2368.17	58.16	20.89	37.27	74.00	-15.84	100	272 Peak	horizontal
2 *	2412.00	116.82	79.42	37.40	74.00	42.82	100	270 Peak	horizontal
3	2485.23	53.61	16.05	37.56	74.00	-20.39	100	298 Peak	horizontal
4	4824.00	46.08	56.22	-10.14	74.00	-27.92	300	350 Peak	horizontal
5	7236.00	40.86	48.64	-7.78	74.00	-33.14	300	350 Peak	horizontal
6	9648.00	43.11	48.37	-5.26	74.00	-30.89	200	317 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.30	57.81	20.48	37.33	74.00	-16.19	100	310 Peak	vertical
2 *	2412.00	112.88	75.48	37.40	74.00	38.88	300	319 Peak	vertical
3	2491.25	53.59	16.02	37.57	74.00	-20.41	200	161 Peak	vertical
4	4824.00	45.25	55.39	-10.14	74.00	-28.75	400	270 Peak	vertical
5	7236.00	43.05	50.83	-7.78	74.00	-30.95	200	293 Peak	vertical
6	9648.00	43.99	49.25	-5.26	74.00	-30.01	200	263 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2364.28	54.28	17.03	37.25	74.00	-19.72	200	260 Peak	horizontal
2 *	2437.00	117.77	80.29	37.48	74.00	43.77	300	267 Peak	horizontal
3	2485.11	54.28	16.72	37.56	74.00	-19.72	100	263 Peak	horizontal
4	4874.00	47.55	57.60	-10.05	74.00	-26.45	331	360 Peak	horizontal
5	7311.00	40.58	48.34	-7.76	74.00	-33.42	400	176 Peak	horizontal
6	9748.00	46.94	51.91	-4.97	74.00	-27.06	300	284 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2388.94	53.20	15.87	37.33	74.00	-20.80	311	360 Peak	vertical
2 *	2437.00	112.44	74.96	37.48	74.00	38.44	100	233 Peak	vertical
3	2488.42	53.91	16.34	37.57	74.00	-20.09	100	310 Peak	vertical
4	4874.00	44.87	54.92	-10.05	74.00	-29.13	200	1 Peak	vertical
5	7311.00	42.64	50.40	-7.76	74.00	-31.36	200	289 Peak	vertical
6	9748.00	44.89	49.86	-4.97	74.00	-29.11	100	278 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2384.46	53.79	16.47	37.32	74.00	-20.21	100	286 Peak	horizontal
2 *	2462.00	115.90	78.36	37.54	74.00	41.90	300	267 Peak	horizontal
3	2484.40	58.32	20.76	37.56	74.00	-15.68	100	297 Peak	horizontal
4 !	4924.00	48.62	58.50	-9.88	54.00	-5.38	107	225 Average	horizontal
5	4924.00	51.15	61.03	-9.88	74.00	-22.85	107	225 Peak	horizontal
6	7386.00	40.53	48.23	-7.70	74.00	-33.47	400	100 Peak	horizontal
7	9848.00	44.44	49.22	-4.78	74.00	-29.56	100	303 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2385.17	54.13	16.81	37.32	74.00	-19.87	100	281 Peak	vertical
2 *	2462.00	112.76	75.22	37.54	74.00	38.76	100	231 Peak	vertical
3	2483.46	57.29	19.73	37.56	74.00	-16.71	200	237 Peak	vertical
4	4924.00	47.03	56.91	-9.88	54.00	-6.97	200	360 Average	vertical
5	4924.00	50.02	59.90	-9.88	74.00	-23.98	200	360 Peak	vertical
6	7386.00	42.51	50.21	-7.70	74.00	-31.49	200	294 Peak	vertical
7	9848.00	42.55	47.33	-4.78	74.00	-31.45	133	56 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
			dB/m	dBuV/m	dB				
1	2388.94	64.09	26.76	37.33	74.00	-9.91	300	251 Peak	horizontal
2 *	2412.00	115.62	78.22	37.40	74.00	41.62	300	255 Peak	horizontal
3	2493.49	53.87	16.30	37.57	74.00	-20.13	100	241 Peak	horizontal
4	4824.00	38.54	48.68	-10.14	74.00	-35.46	300	125 Peak	horizontal
5	7236.00	40.29	48.07	-7.78	74.00	-33.71	386	55 Peak	horizontal
6	9648.00	41.97	47.23	-5.26	74.00	-32.03	188	65 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.30	58.80	21.47	37.33	74.00	-15.20	108	360 Peak	vertical
2 *	2412.00	111.90	74.50	37.40	74.00	37.90	100	230 Peak	vertical
3	2487.94	53.80	16.23	37.57	74.00	-20.20	198	360 Peak	vertical
4	4824.00	38.88	49.02	-10.14	74.00	-35.12	258	78 Peak	vertical
5	7236.00	41.23	49.01	-7.78	74.00	-32.77	300	267 Peak	vertical
6	9648.00	41.89	47.15	-5.26	74.00	-32.11	300	124 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2380.21	61.56	24.26	37.30	74.00	-12.44	100	295 Peak	horizontal
2 *	2437.00	119.02	81.54	37.48	74.00	45.02	300	271 Peak	horizontal
3	2484.17	58.21	20.65	37.56	74.00	-15.79	400	246 Peak	horizontal
4	4874.00	47.68	57.73	-10.05	74.00	-26.32	315	0 Peak	horizontal
5	7311.00	42.69	50.45	-7.76	74.00	-31.31	200	296 Peak	horizontal
6	9748.00	44.52	49.49	-4.97	74.00	-29.48	100	322 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2380.80	60.11	22.81	37.30	74.00	-13.89	200	231 Peak	vertical
2 *	2437.00	115.00	77.52	37.48	74.00	41.00	100	231 Peak	vertical
3	2483.70	58.02	20.46	37.56	74.00	-15.98	400	235 Peak	vertical
4	4874.00	43.28	53.33	-10.05	74.00	-30.72	210	360 Peak	vertical
5	7311.00	39.80	47.56	-7.76	54.00	-14.20	201	295 Average	vertical
6	7311.00	54.93	62.69	-7.76	74.00	-19.07	201	295 Peak	vertical
7	9748.00	42.54	47.51	-4.97	74.00	-31.46	100	357 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor			cm	deg		
1	2387.29	54.11	16.79	37.32	74.00	-19.89	100	249 Peak	horizontal
2 *	2462.00	113.29	75.75	37.54	74.00	39.29	300	270 Peak	horizontal
3	2483.50	62.30	24.74	37.56	74.00	-11.70	300	274 Peak	horizontal
4	4924.00	45.71	55.59	-9.88	74.00	-28.29	300	344 Peak	horizontal
5	7386.00	40.44	48.14	-7.70	74.00	-33.56	100	230 Peak	horizontal
6	9848.00	43.05	47.83	-4.78	74.00	-30.95	100	223 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2379.03	53.38	16.08	37.30	74.00	-20.62	100	245 Peak	vertical
2 *	2462.00	110.16	72.62	37.54	74.00	36.16	100	232 Peak	vertical
3	2484.17	61.47	23.91	37.56	74.00	-12.53	200	289 Peak	vertical
4	4924.00	46.16	56.04	-9.88	74.00	-27.84	200	360 Peak	vertical
5	7386.00	40.13	47.83	-7.70	74.00	-33.87	300	0 Peak	vertical
6	9848.00	42.34	47.12	-4.78	74.00	-31.66	135	360 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
			dB/m	dBuV/m	dB	cm	deg		
1 !	2389.89	69.25	31.92	37.33	74.00	-4.75	150	342 Peak	Horizontal
2 *	2412.00	114.79	77.39	37.40	74.00	40.79	174	17 Peak	Horizontal
3	2493.02	54.41	16.84	37.57	74.00	-19.59	174	17 Peak	Horizontal
4	4824.00	42.56	52.70	-10.14	74.00	-31.44	352	360 Peak	horizontal
5	7236.00	39.83	47.61	-7.78	74.00	-34.17	400	6 Peak	horizontal
6	9648.00	42.00	47.26	-5.26	74.00	-32.00	122	68 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
1	2389.87	67.91	30.58	37.33	74.00	-6.09	147	325 Peak	Vertical
2 *	2412.00	113.06	75.66	37.40	74.00	39.06	127	322 Peak	Vertical
3	2492.66	53.90	16.33	37.57	74.00	-20.10	127	322 Peak	Vertical
4	4824.00	38.42	48.56	-10.14	74.00	-35.58	108	25 Peak	vertical
5	7236.00	41.36	49.14	-7.78	74.00	-32.64	200	333 Peak	vertical
6	9648.00	42.03	47.29	-5.26	74.00	-31.97	204	77 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2389.56	73.08	35.75	37.33	74.00	-0.92	100	0 Peak	Horizontal
2 *	2437.00	121.38	83.90	37.48	74.00	47.38	301	348 Peak	Horizontal
3 !	2483.53	71.23	33.67	37.56	74.00	-2.77	296	338 Peak	Horizontal
4	4874.00	45.74	55.79	-10.05	74.00	-28.26	333	360 Peak	horizontal
5	7311.00	35.76	43.52	-7.76	54.00	-18.24	200	19 Average	horizontal
6	7311.00	51.58	59.34	-7.76	74.00	-22.42	200	19 Peak	horizontal
7	9748.00	45.48	50.45	-4.97	74.00	-28.52	300	345 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	2390.00	69.36	32.03	37.33	74.00	-4.64	100	7 Peak	Vertical
2 *	2437.00	115.72	78.24	37.48	74.00	41.72	267	12 Peak	Vertical
3 !	2484.45	68.63	31.07	37.56	74.00	-5.37	288	5 Peak	Vertical
4	4874.00	44.55	54.60	-10.05	74.00	-29.45	315	360 Peak	vertical
5	7311.00	40.07	47.83	-7.76	54.00	-13.93	198	23 Average	vertical
6	7311.00	56.61	64.37	-7.76	74.00	-17.39	198	23 Peak	vertical
7	9748.00	43.56	48.53	-4.97	74.00	-30.44	218	0 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2383.69	54.79	17.47	37.32	74.00	-19.21	270	0 Peak	Horizontal
2 *	2462.00	116.32	78.78	37.54	74.00	42.32	270	0 Peak	Horizontal
3 !	2483.63	70.10	32.54	37.56	74.00	-3.90	295	340 Peak	Horizontal
4	4924.00	43.52	53.40	-9.88	74.00	-30.48	300	360 Peak	horizontal
5	7386.00	40.01	47.71	-7.70	74.00	-33.99	300	268 Peak	horizontal
6	9848.00	41.89	46.67	-4.78	74.00	-32.11	256	0 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor			cm	deg		
1	2384.40	55.39	18.07	37.32	74.00	-18.61	110	323 Peak	Vertical
2 *	2462.00	111.03	73.49	37.54	74.00	37.03	110	323 Peak	Vertical
3	2483.64	67.00	29.44	37.56	74.00	-7.00	140	323 Peak	Vertical
4	4924.00	44.46	54.34	-9.88	74.00	-29.54	200	349 Peak	vertical
5	7386.00	40.36	48.06	-7.70	74.00	-33.64	182	360 Peak	vertical
6	9848.00	41.70	46.48	-4.78	74.00	-32.30	400	108 Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
			dB/m	dBuV/m	dB				
1	2389.14	67.63	30.30	37.33	74.00	-6.37	102	29 Peak	horizontal
2 *	2422.00	109.81	72.38	37.43	74.00	35.81	340	0 Peak	horizontal
3	2485.64	53.73	16.17	37.56	74.00	-20.27	340	0 Peak	horizontal
4	4844.00	38.60	48.69	-10.09	74.00	-35.40	202	0 Peak	horizontal
5	7266.00	39.51	47.31	-7.80	74.00	-34.49	200	237 Peak	horizontal
6	9688.00	42.96	48.10	-5.14	74.00	-31.04	200	145 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.36	63.38	26.05	37.33	74.00	-10.62	124	329 Peak	Vertical
2 *	2422.00	105.14	67.71	37.43	74.00	31.14	124	329 Peak	Vertical
3	2496.74	53.86	16.28	37.58	74.00	-20.14	124	329 Peak	Vertical
4	4844.00	38.69	48.78	-10.09	74.00	-35.31	200	324 Peak	vertical
5	7266.00	39.36	47.16	-7.80	74.00	-34.64	100	112 Peak	vertical
6	9688.00	41.21	46.35	-5.14	74.00	-32.79	149	360 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg	
1	2389.96	67.67	30.34	37.33	74.00	-6.33	198	360 Peak	Horizontal
2 *	2437.00	113.79	76.31	37.48	74.00	39.79	338	0 Peak	Horizontal
3	2483.55	65.51	27.95	37.56	74.00	-8.49	323	0 Peak	Horizontal
4	4874.00	38.87	48.92	-10.05	74.00	-35.13	300	12 Peak	horizontal
5	7311.00	40.53	48.29	-7.76	74.00	-33.47	100	184 Peak	horizontal
6	9748.00	41.41	46.38	-4.97	74.00	-32.59	100	277 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.83	63.38	26.05	37.33	74.00	-10.62	108	331 Peak	Vertical
2 *	2437.00	109.56	72.08	37.48	74.00	35.56	120	331 Peak	Vertical
3	2484.67	63.53	25.97	37.56	74.00	-10.47	137	36 Peak	Vertical
4	4874.00	38.71	48.76	-10.05	74.00	-35.29	110	360 Peak	vertical
5	7311.00	39.36	47.12	-7.76	74.00	-34.64	300	238 Peak	vertical
6	9748.00	41.77	46.74	-4.97	74.00	-32.23	100	206 Peak	vertical



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2355.25	54.15	16.93	37.22	74.00	-19.85	334	0 Peak	Horizontal
2 *	2452.00	109.33	71.81	37.52	74.00	35.33	334	0 Peak	Horizontal
3 !	2483.68	70.39	32.83	37.56	74.00	-3.61	266	0 Peak	Horizontal
4	4904.00	38.56	48.58	-10.02	74.00	-35.44	100	231 Peak	horizontal
5	7356.00	41.03	48.84	-7.81	74.00	-32.97	300	164 Peak	horizontal
6	9808.00	42.55	47.44	-4.89	74.00	-31.45	300	243 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2371.48	53.97	16.70	37.27	74.00	-20.03	142	326 Peak	Vertical
2 *	2452.00	104.74	67.22	37.52	74.00	30.74	142	326 Peak	Vertical
3	2483.68	66.60	29.04	37.56	74.00	-7.40	122	320 Peak	Vertical
4	4904.00	37.97	47.99	-10.02	74.00	-36.03	200	238 Peak	vertical
5	7356.00	39.94	47.75	-7.81	74.00	-34.06	400	16 Peak	vertical
6	9808.00	41.35	46.24	-4.89	74.00	-32.65	100	267 Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel: +886-2172-7000 Fax: +886-2528-0018



Trace: 1

Site : Conduction room
Condition : CISPR22 Class B Conduction(QP) line1
Test Engineer: Aslen Chiu
Product : Firebox
Model No. : Firebox_T40-W
Test Rating : 120Vac / 60Hz
Tmp/Hum : 24.8°C / 42%
Memo : Input 100V-240V 1.8A , 50Hz-60Hz
: Output 54VDC 1.2A

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.158	34.13	9.61	43.74	65.59	-21.85	QP
2	0.158	22.29	9.61	31.90	55.59	-23.69	Average
3	0.182	31.27	9.61	40.88	64.39	-23.51	QP
4	0.182	17.06	9.61	26.67	54.39	-27.72	Average
5	0.477	31.75	9.62	41.37	56.40	-15.03	QP
6	0.477	26.33	9.62	35.95	46.40	-10.45	Average
7	2.854	12.85	9.65	22.50	56.00	-33.50	QP
8	2.854	5.08	9.65	14.73	46.00	-31.27	Average
9	15.080	16.64	9.77	26.41	60.00	-33.59	QP
10	15.080	11.42	9.77	21.19	50.00	-28.81	Average
11	19.639	15.56	9.79	25.35	60.00	-34.65	QP
12	19.639	10.33	9.79	20.12	50.00	-29.88	Average



Trace: 1

Site : Conduction room
Condition : CISPR22 Class B Conduction(QP) neutral
Test Engineer: Aslen Chiu
Product : Firebox
Model No. : Firebox_T40-W
Test Rating : 120Vac / 60Hz
Tmp/Hum : 24.8°C / 42%
Memo : Input 100V-240V 1.8A , 50Hz-60Hz
: Output 54VDC 1.2A

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.152	35.70	9.62	45.32	65.92	-20.60	QP
2	0.152	24.00	9.62	33.62	55.92	-22.30	Average
3	0.180	31.33	9.62	40.95	64.47	-23.52	QP
4	0.180	17.25	9.62	26.87	54.47	-27.60	Average
5	0.474	31.65	9.63	41.28	56.44	-15.16	QP
6	0.474	26.81	9.63	36.44	46.44	-10.00	Average
7	3.381	13.61	9.67	23.28	56.00	-32.72	QP
8	3.381	6.62	9.67	16.29	46.00	-29.71	Average
9	14.204	16.13	9.78	25.91	60.00	-34.09	QP
10	14.204	10.43	9.78	20.21	50.00	-29.79	Average
11	17.512	16.42	9.81	26.23	60.00	-33.77	QP
12	17.512	10.34	9.81	20.15	50.00	-29.85	Average