

Test Report No.50335244 002

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50335244 002 Appendix D)

Contents


Spurious Emissions, Band Edges	2
Spurious Emissions, TX Mode, 9kHz-30MHz.....	74
Spurious Emissions, TX Mode, 30MHz-1GHz.....	78
Spurious Emissions, TX Mode, 1GHz-40GHz.....	82
Spurious Emissions, AC Mains	118

Spurious Emissions, Band Edges


802.11a




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	53.51	10.95	42.56	54.00	-0.49	300	276	Average	HORIZONTAL
2 *	5180.00	107.13	64.43	42.70	54.00	53.13	400	297	Average	HORIZONTAL
3 !	5358.00	48.21	5.07	43.14	54.00	-5.79	100	260	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	53.44	10.88	42.56	54.00	-0.56	237	0	Average	VERTICAL
2 *	5180.00	102.97	60.27	42.70	54.00	48.97	300	206	Average	VERTICAL
3	5402.00	47.13	3.89	43.24	54.00	-6.87	400	339	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.00	66.51	23.97	42.54	74.00	-7.49	300	276	Peak	horizontal
2 *	5180.00	116.22	73.52	42.70	74.00	42.22	400	297	Peak	horizontal
3	5446.00	60.01	16.90	43.11	74.00	-13.99	100	260	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	63.66	21.10	42.56	74.00	-10.34	237	0	Peak	vertical
2 *	5180.00	112.78	70.08	42.70	74.00	38.78	300	206	Peak	vertical
3	5410.50	59.61	16.39	43.22	74.00	-14.39	400	339	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.00	52.99	10.84	42.15	54.00	-1.01	100	265	Average	HORIZONTAL
2 *	5200.00	109.78	66.98	42.80	54.00	55.78	100	230	Average	HORIZONTAL
3 !	5440.00	51.22	8.10	43.12	54.00	-2.78	100	235	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	49.34	6.78	42.56	54.00	-4.66	295	0	Average	VERTICAL
2 *	5200.00	108.38	65.58	42.80	54.00	54.38	300	0	Average	VERTICAL
3 !	5368.00	51.32	8.15	43.17	54.00	-2.68	100	287	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	66.13	23.60	42.53	74.00	-7.87	100	265	Peak	horizontal
2 *	5200.00	118.68	75.88	42.80	74.00	44.68	100	230	Peak	horizontal
3	5366.50	61.73	18.57	43.16	74.00	-12.27	100	235	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	62.06	19.50	42.56	74.00	-11.94	295	0	Peak	vertical
2 *	5200.00	117.00	74.20	42.80	74.00	43.00	300	0	Peak	vertical
3	5357.00	62.65	19.52	43.13	74.00	-11.35	100	287	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4959.50	53.53	11.38	42.15	54.00	-0.47	400	295	Average	HORIZONTAL
2 *	5240.00	109.42	66.43	42.99	54.00	55.42	300	297	Average	HORIZONTAL
3 !	5400.00	51.34	8.09	43.25	54.00	-2.66	100	229	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	50.32	7.76	42.56	54.00	-3.68	100	290	Average	VERTICAL
2 *	5240.00	107.85	64.86	42.99	54.00	53.85	100	241	Average	VERTICAL
3 !	5350.50	51.42	8.31	43.11	54.00	-2.58	200	240	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.00	61.36	18.82	42.54	74.00	-12.64	400	295	Peak	horizontal
2 *	5240.00	117.37	74.38	42.99	74.00	43.37	300	297	Peak	horizontal
3	5356.00	60.66	17.53	43.13	74.00	-13.34	100	229	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.50	62.72	20.31	42.41	74.00	-11.28	100	290	Peak	vertical
2 *	5240.00	117.07	74.08	42.99	74.00	43.07	100	241	Peak	vertical
3	5410.50	62.27	19.05	43.22	74.00	-11.73	200	240	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5112.00	50.59	8.21	42.38	54.00	-3.41	300	313	Average	HORIZONTAL
2 !	5350.50	50.35	7.24	43.11	54.00	-3.65	300	320	Average	HORIZONTAL
3 *	5745.00	107.97	64.64	43.33	54.00	53.97	200	344	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5143.00	49.23	6.71	42.52	54.00	-4.77	264	0	Average	VERTICAL
2 !	5350.50	52.02	8.91	43.11	54.00	-1.98	300	332	Average	VERTICAL
3 *	5745.00	107.25	63.92	43.33	54.00	53.25	300	341	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5103.00	60.99	18.66	42.33	74.00	-13.01	300	313	Peak	horizontal
2	5381.50	62.08	18.88	43.20	74.00	-11.92	300	320	Peak	horizontal
3	5553.50	61.52	18.44	43.08	68.20	-6.68	100	246	Peak	horizontal
4	5698.00	67.70	24.34	43.36	103.73	-36.03	200	272	Peak	horizontal
5	5718.00	75.85	32.49	43.36	110.24	-34.39	100	353	Peak	horizontal
6	5725.00	88.95	45.60	43.35	122.20	-33.25	100	305	Peak	horizontal
7	5745.00	116.14	72.81	43.33	122.20	-6.06	200	344	Peak	horizontal
8	5855.00	57.11	13.58	43.53	110.80	-53.69	200	358	Peak	horizontal
9	5862.00	58.64	15.06	43.58	108.84	-50.20	100	309	Peak	horizontal
10	5920.50	57.78	13.85	43.93	71.52	-13.74	200	250	Peak	horizontal
11	5953.00	58.53	14.45	44.08	68.20	-9.67	264	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.50	61.18	18.72	42.46	74.00	-12.82	264	0	Peak	vertical
2	5362.50	63.80	20.65	43.15	74.00	-10.20	300	332	Peak	vertical
3	5485.50	61.85	18.66	43.19	68.20	-6.35	100	302	Peak	vertical
4	5699.50	66.39	23.01	43.38	104.83	-38.44	261	0	Peak	vertical
5	5720.00	77.94	34.58	43.36	110.80	-32.86	253	0	Peak	vertical
6	5724.50	90.00	46.65	43.35	121.06	-31.06	303	360	Peak	vertical
7 !	5745.00	116.20	72.87	43.33	122.20	-6.00	300	341	Peak	vertical
8	5854.50	58.16	14.63	43.53	111.94	-53.78	300	280	Peak	vertical
9	5855.00	57.99	14.46	43.53	110.80	-52.81	300	280	Peak	vertical
10	5887.50	58.51	14.77	43.74	95.92	-37.41	100	276	Peak	vertical
11	5935.00	58.04	14.04	44.00	68.20	-10.16	100	272	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.00	53.91	11.76	42.15	54.00	-0.09	400	276	Average	HORIZONTAL
2 !	5440.00	53.95	10.83	43.12	54.00	-0.05	100	226	Average	HORIZONTAL
3 *	5785.00	108.30	64.88	43.42	54.00	54.30	100	230	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	51.24	8.69	42.55	54.00	-2.76	100	296	Average	VERTICAL
2 !	5369.00	53.14	9.97	43.17	54.00	-0.86	300	252	Average	VERTICAL
3 *	5785.00	106.00	62.58	43.42	54.00	52.00	300	246	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.50	62.26	19.75	42.51	74.00	-11.74	400	276	Peak	horizontal
2	5373.50	62.80	19.62	43.18	74.00	-11.20	100	226	Peak	horizontal
3	5463.50	61.84	18.71	43.13	68.20	-6.36	100	261	Peak	horizontal
4	5672.50	60.24	17.10	43.14	84.89	-24.65	400	310	Peak	horizontal
5	5712.50	61.62	18.26	43.36	108.70	-47.08	100	303	Peak	horizontal
6	5724.50	60.13	16.78	43.35	121.06	-60.93	100	329	Peak	horizontal
7	5785.00	116.01	72.59	43.42	122.20	-6.19	100	230	Peak	horizontal
8	5852.50	57.62	14.11	43.51	116.50	-58.88	100	237	Peak	horizontal
9	5861.00	57.84	14.27	43.57	109.12	-51.28	200	4	Peak	horizontal
10	5919.00	58.61	14.68	43.93	72.62	-14.01	269	0	Peak	horizontal
11	5974.00	58.16	14.02	44.14	68.20	-10.04	300	339	Peak	horizontal







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4959.50	53.95	11.80	42.15	54.00	-0.05	200	338	Average	HORIZONTAL
2 !	5440.00	53.51	10.39	43.12	54.00	-0.49	100	235	Average	HORIZONTAL
3 *	5825.00	106.16	62.68	43.48	54.00	52.16	200	225	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5140.50	49.57	7.06	42.51	54.00	-4.43	200	241	Average	VERTICAL
2 !	5377.00	52.98	9.80	43.18	54.00	-1.02	100	328	Average	VERTICAL
3 *	5825.00	105.17	61.69	43.48	54.00	51.17	100	0	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.50	61.36	18.83	42.53	74.00	-12.64	200	338	Peak	horizontal
2	5357.00	63.76	20.63	43.13	74.00	-10.24	100	235	Peak	horizontal
3	5499.50	61.96	18.73	43.23	68.20	-6.24	400	295	Peak	horizontal
4	5663.00	60.37	17.32	43.05	77.85	-17.48	100	231	Peak	horizontal
5	5703.50	60.68	17.31	43.37	106.18	-45.50	300	213	Peak	horizontal
6	5721.00	59.29	15.93	43.36	113.08	-53.79	100	250	Peak	horizontal
7	5825.00	114.65	71.17	43.48	122.20	-7.55	200	225	Peak	horizontal
8	5852.50	74.18	30.67	43.51	116.50	-42.32	200	359	Peak	horizontal
9	5856.50	71.83	28.29	43.54	110.38	-38.55	100	359	Peak	horizontal
10	5879.00	64.43	20.74	43.69	102.23	-37.80	300	217	Peak	horizontal
11	5926.50	57.99	14.03	43.96	68.20	-10.21	173	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.50	61.38	18.83	42.55	74.00	-12.62	200	241	Peak	vertical
2	5413.50	64.28	21.07	43.21	74.00	-9.72	100	328	Peak	vertical
3	5489.50	62.22	19.02	43.20	68.20	-5.98	300	360	Peak	vertical
4	5658.50	58.64	15.62	43.02	74.51	-15.87	200	360	Peak	vertical
5	5718.50	58.42	15.06	43.36	110.38	-51.96	200	357	Peak	vertical
6	5720.00	58.32	14.96	43.36	110.80	-52.48	157	360	Peak	vertical
7	5825.00	113.17	69.69	43.48	122.20	-9.03	100	0	Peak	vertical
8	5853.00	73.35	29.83	43.52	115.36	-42.01	200	347	Peak	vertical
9	5861.50	71.02	27.45	43.57	108.98	-37.96	279	0	Peak	vertical
10	5875.00	61.76	18.10	43.66	105.20	-43.44	100	315	Peak	vertical
11	5998.50	57.64	13.43	44.21	68.20	-10.56	100	23	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	52.56	10.00	42.56	54.00	-1.44	280	360	Average	Horizontal
2 *	5180.00	106.48	63.78	42.70	54.00	52.48	384	357	Average	Horizontal
3	5407.25	45.59	2.36	43.23	54.00	-8.41	384	357	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	51.07	8.51	42.56	54.00	-2.93	100	345	Average	Vertical
2 *	5180.00	103.51	60.81	42.70	54.00	49.51	234	345	Average	Vertical
3	5350.50	46.49	3.38	43.11	54.00	-7.51	234	345	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.30	69.58	27.03	42.55	74.00	-4.42	280	360	Peak	Horizontal
2 *	5179.00	116.27	73.57	42.70	74.00	42.27	384	357	Peak	Horizontal
3	5400.75	57.81	14.56	43.25	74.00	-16.19	384	357	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5147.60	68.65	26.10	42.55	74.00	-5.35	100	345	Peak	Vertical
2 *	5180.00	113.18	70.48	42.70	74.00	39.18	234	345	Peak	Vertical
3	5357.25	59.26	16.13	43.13	74.00	-14.74	234	345	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	53.29	10.73	42.56	54.00	-0.71	388	0	Average	horizontal
2 *	5200.00	108.80	66.00	42.80	54.00	54.80	400	22	Average	horizontal
3 !	5367.76	51.80	8.63	43.17	54.00	-2.20	307	330	Average	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.98	51.33	8.77	42.56	54.00	-2.67	100	375	Average	Vertical
2 *	5200.00	106.71	63.91	42.80	54.00	52.71	106	70	Average	Vertical
3 !	5366.76	53.70	10.54	43.16	54.00	-0.30	100	64	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.90	70.31	27.75	42.56	74.00	-3.69	388	0	Peak	horizontal
2 *	5200.00	118.37	75.57	42.80	74.00	44.37	400	22	Peak	horizontal
3	5366.82	65.51	22.35	43.16	74.00	-8.49	307	330	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.78	67.94	25.38	42.56	74.00	-6.06	100	348	Peak	Vertical
2 *	5202.50	116.34	73.53	42.81	74.00	42.34	106	70	Peak	Vertical
3	5354.56	67.78	24.65	43.13	74.00	-6.22	100	64	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.00	52.35	10.20	42.15	54.00	-1.65	100	343	Average	Horizontal
2 *	5240.00	109.31	66.32	42.99	54.00	55.31	290	319	Average	Horizontal
3 !	5357.40	50.71	7.58	43.13	54.00	-3.29	100	319	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5147.06	50.77	8.23	42.54	54.00	-3.23	100	350	Average	Vertical
2 *	5240.00	107.96	64.97	42.99	54.00	53.96	109	295	Average	Vertical
3 !	5353.55	52.80	9.67	43.13	54.00	-1.20	100	65	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	61.95	19.80	42.15	74.00	-12.05	100	343	Peak	Horizontal
2 *	5240.00	118.66	75.67	42.99	74.00	44.66	290	319	Peak	Horizontal
3	5368.51	63.64	20.47	43.17	74.00	-10.36	100	319	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.81	63.80	21.26	42.54	74.00	-10.20	100	350	Peak	Vertical
2 *	5240.00	117.67	74.68	42.99	74.00	43.67	109	295	Peak	Vertical
3	5358.18	66.73	23.59	43.14	74.00	-7.27	100	65	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.00	51.80	9.65	42.15	54.00	-2.20	100	223	Average	HORIZONTAL
2 !	5440.00	52.47	9.35	43.12	54.00	-1.53	300	321	Average	HORIZONTAL
3 *	5745.00	107.03	63.70	43.33	54.00	53.03	100	301	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5145.50	50.81	8.28	42.53	54.00	-3.19	100	244	Average	VERTICAL
2 !	5372.00	53.63	10.46	43.17	54.00	-0.37	100	254	Average	VERTICAL
3 *	5745.00	106.22	62.89	43.33	54.00	52.22	187	360	Average	VERTICAL







	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5123.50	61.22	18.79	42.43	74.00	-12.78	100	244	Peak	vertical
2	5390.50	65.07	21.85	43.22	74.00	-8.93	100	254	Peak	vertical
3	5463.50	61.86	18.73	43.13	68.20	-6.34	306	360	Peak	vertical
4	5700.00	69.31	25.93	43.38	105.20	-35.89	160	360	Peak	vertical
5	5720.00	78.35	34.99	43.36	110.80	-32.45	100	361	Peak	vertical
6	5724.50	91.61	48.26	43.35	121.06	-29.45	200	0	Peak	vertical
7	5745.00	114.70	71.37	43.33	122.20	-7.50	187	360	Peak	vertical
8	5853.50	57.89	14.37	43.52	114.22	-56.33	109	360	Peak	vertical
9	5859.00	57.40	13.85	43.55	109.68	-52.28	200	355	Peak	vertical
10	5887.00	57.95	14.21	43.74	96.29	-38.34	400	201	Peak	vertical
11	5943.00	57.70	13.66	44.04	68.20	-10.50	400	244	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	53.60	11.04	42.56	54.00	-0.40	400	273	Average	HORIZONTAL
2 !	5351.50	53.21	10.10	43.11	54.00	-0.79	100	263	Average	HORIZONTAL
3 *	5785.00	107.16	63.74	43.42	54.00	53.16	200	346	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5145.50	51.73	9.20	42.53	54.00	-2.27	100	201	Average	VERTICAL
2 !	5372.00	53.39	10.22	43.17	54.00	-0.61	100	335	Average	VERTICAL
3 *	5785.00	106.21	62.79	43.42	54.00	52.21	300	272	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	63.23	20.67	42.56	74.00	-10.77	400	273	Peak	horizontal
2	5351.50	62.93	19.82	43.11	74.00	-11.07	100	263	Peak	horizontal
3	5492.00	61.46	18.26	43.20	68.20	-6.74	100	233	Peak	horizontal
4	5685.00	60.35	17.10	43.25	94.13	-33.78	100	254	Peak	horizontal
5	5710.50	60.28	16.91	43.37	108.14	-47.86	100	299	Peak	horizontal
6	5721.50	60.11	16.75	43.36	114.22	-54.11	100	227	Peak	horizontal
7	5785.00	115.85	72.43	43.42	122.20	-6.35	200	346	Peak	horizontal
8	5852.00	59.12	15.61	43.51	117.64	-58.52	200	309	Peak	horizontal
9	5861.50	58.87	15.30	43.57	108.98	-50.11	300	356	Peak	horizontal
10	5876.50	58.04	14.36	43.68	104.09	-46.05	200	0	Peak	horizontal
11	5955.50	58.31	14.22	44.09	68.20	-9.89	164	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.50	61.37	18.85	42.52	74.00	-12.63	100	201	Peak	vertical
2	5372.00	65.17	22.00	43.17	74.00	-8.83	100	335	Peak	vertical
3	5462.00	63.32	20.20	43.12	68.20	-4.88	300	348	Peak	vertical
4	5652.00	58.78	15.81	42.97	69.69	-10.91	100	205	Peak	vertical
5	5715.00	58.63	15.27	43.36	109.40	-50.77	200	233	Peak	vertical
6	5723.50	58.99	15.64	43.35	118.78	-59.79	200	349	Peak	vertical
7	5785.00	115.29	71.87	43.42	122.20	-6.91	300	272	Peak	vertical
8	5850.00	57.07	13.57	43.50	122.20	-65.13	303	360	Peak	vertical
9	5865.50	57.80	14.20	43.60	107.86	-50.06	100	354	Peak	vertical
10	5894.50	57.87	14.07	43.80	90.73	-32.86	100	310	Peak	vertical
11	5964.00	57.99	13.88	44.11	68.20	-10.21	200	233	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.00	53.92	11.77	42.15	54.00	-0.08	400	271	Average	HORIZONTAL
2 !	5440.00	53.54	10.42	43.12	54.00	-0.46	100	236	Average	HORIZONTAL
3 *	5825.00	106.18	62.70	43.48	54.00	52.18	100	335	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5133.00	49.40	6.93	42.47	54.00	-4.60	293	0	Average	VERTICAL
2 !	5398.50	52.01	8.76	43.25	54.00	-1.99	212	0	Average	VERTICAL
3 *	5825.50	104.71	61.23	43.48	54.00	50.71	108	360	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.00	62.32	19.76	42.56	74.00	-11.68	400	271	Peak	horizontal
2	5369.50	64.01	20.84	43.17	74.00	-9.99	100	236	Peak	horizontal
3	5515.50	63.40	20.22	43.18	68.20	-4.80	100	258	Peak	horizontal
4	5679.00	61.21	18.01	43.20	89.70	-28.49	400	282	Peak	horizontal
5	5701.00	59.81	16.43	43.38	105.48	-45.67	200	341	Peak	horizontal
6	5720.00	58.82	15.46	43.36	110.80	-51.98	100	289	Peak	horizontal
7	5825.00	114.86	71.38	43.48	122.20	-7.34	100	335	Peak	horizontal
8	5850.00	80.12	36.62	43.50	122.20	-42.08	200	314	Peak	horizontal
9	5855.50	73.63	30.10	43.53	110.66	-37.03	200	219	Peak	horizontal
10	5877.00	64.24	20.56	43.68	103.71	-39.47	300	227	Peak	horizontal
11	5988.50	58.08	13.90	44.18	68.20	-10.12	100	322	Peak	horizontal







TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.70	51.70	9.14	42.56	54.00	-2.30	100	300	Average	Horizontal
2 *	5190.00	99.37	56.62	42.75	54.00	45.37	361	355	Average	Horizontal
3	5424.50	44.45	1.28	43.17	54.00	-9.55	361	355	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.82	50.51	7.95	42.56	54.00	-3.49	100	24	Average	Vertical
2 *	5190.00	96.73	53.98	42.75	54.00	42.73	233	345	Average	Vertical
3	5368.00	45.56	2.39	43.17	54.00	-8.44	233	345	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.91	65.91	23.35	42.56	74.00	-8.09	100	300	Peak	Horizontal
2 *	5190.00	108.37	65.62	42.75	74.00	34.37	361	355	Peak	Horizontal
3	5433.50	57.05	13.90	43.15	74.00	-16.95	361	355	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.76	65.46	22.90	42.56	74.00	-8.54	100	24	Peak	Vertical
2 *	5190.00	105.94	63.19	42.75	74.00	31.94	233	345	Peak	Vertical
3	5379.00	58.01	14.81	43.20	74.00	-15.99	233	345	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.64	52.32	9.76	42.56	54.00	-1.68	100	320	Average	Horizontal
2 *	5230.00	105.19	62.25	42.94	54.00	51.19	274	360	Average	Horizontal
3	5397.00	47.51	4.27	43.24	54.00	-6.49	274	360	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.62	50.73	8.18	42.55	54.00	-3.27	372	89	Average	Vertical
2 *	5230.00	102.70	59.76	42.94	54.00	48.70	102	66	Average	Vertical
3	5373.50	47.73	4.55	43.18	54.00	-6.27	102	66	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.23	67.96	25.40	42.56	74.00	-6.04	100	320	Peak	Horizontal
2 *	5230.00	115.17	72.23	42.94	74.00	41.17	274	360	Peak	Horizontal
3	5354.50	59.16	16.03	43.13	74.00	-14.84	274	360	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.61	69.85	27.30	42.55	74.00	-4.15	372	89	Peak	Vertical
2 *	5230.00	112.62	69.68	42.94	74.00	38.62	102	66	Peak	Vertical
3	5361.50	59.82	16.68	43.14	74.00	-14.18	102	66	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	52.41	9.86	42.55	54.00	-1.59	400	269	Average	HORIZONTAL
2 !	5375.00	51.76	8.58	43.18	54.00	-2.24	200	298	Average	HORIZONTAL
3 *	5755.00	106.48	63.15	43.33	54.00	52.48	100	304	Average	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	48.86	6.31	42.55	54.00	-5.14	358	360	Average	VERTICAL
2 !	5367.00	49.68	6.52	43.16	54.00	-4.32	312	360	Average	VERTICAL
3 *	5755.00	106.49	63.16	43.33	54.00	52.49	300	308	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.00	62.14	19.58	42.56	74.00	-11.86	400	269	Peak	horizontal
2	5385.50	62.10	18.89	43.21	74.00	-11.90	200	298	Peak	horizontal
3	5644.00	67.38	24.40	42.98	68.20	-0.82	100	298	Peak	horizontal
4	5697.50	83.06	39.70	43.36	103.36	-20.30	100	222	Peak	horizontal
5	5720.00	96.32	52.96	43.36	110.80	-14.48	200	223	Peak	horizontal
6	5720.00	96.32	52.96	43.36	110.80	-14.48	200	223	Peak	horizontal
7	5755.00	114.85	71.52	43.33	122.20	-7.35	100	304	Peak	horizontal
8	5853.50	70.07	26.55	43.52	114.22	-44.15	200	354	Peak	horizontal
9	5857.00	67.00	23.46	43.54	110.24	-43.24	100	284	Peak	horizontal
10	5876.50	65.32	21.64	43.68	104.09	-38.77	200	219	Peak	horizontal
11	5926.00	58.82	14.87	43.95	68.20	-9.38	300	283	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	60.23	17.70	42.53	74.00	-13.77	358	360	Peak	vertical
2	5365.00	61.62	18.47	43.15	74.00	-12.38	312	360	Peak	vertical
3	5619.50	67.32	24.22	43.10	68.20	-0.88	300	326	Peak	vertical
4	5700.00	83.03	39.65	43.38	105.20	-22.17	132	360	Peak	vertical
5	5719.50	96.48	53.12	43.36	110.66	-14.18	0	0	Peak	vertical
6	5722.00	97.20	53.84	43.36	115.36	-18.16	100	7	Peak	vertical
7	5755.00	115.40	72.07	43.33	122.20	-6.80	300	308	Peak	vertical
8	5852.00	67.59	24.08	43.51	117.64	-50.05	144	360	Peak	vertical
9	5859.00	68.50	24.95	43.55	109.68	-41.18	100	341	Peak	vertical
10	5887.00	63.93	20.19	43.74	96.29	-32.36	100	341	Peak	vertical
11	5925.00	58.51	14.56	43.95	68.20	-9.69	100	354	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	52.10	9.54	42.56	54.00	-1.90	200	336	Average	HORIZONTAL
2 !	5360.00	50.99	7.85	43.14	54.00	-3.01	100	287	Average	HORIZONTAL
3 *	5795.00	106.09	62.65	43.44	54.00	52.09	100	229	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5140.00	49.05	6.54	42.51	54.00	-4.95	234	360	Average	VERTICAL
2 !	5366.00	50.03	6.87	43.16	54.00	-3.97	320	0	Average	VERTICAL
3 *	5795.00	104.46	61.02	43.44	54.00	50.46	100	0	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.00	63.13	20.62	42.51	74.00	-10.87	200	336	Peak	horizontal
2	5364.50	62.85	19.70	43.15	74.00	-11.15	100	287	Peak	horizontal
3	5628.00	61.54	18.48	43.06	68.20	-6.66	100	310	Peak	horizontal
4	5699.00	69.86	26.49	43.37	104.46	-34.60	100	229	Peak	horizontal
5	5720.00	71.17	27.81	43.36	110.80	-39.63	100	293	Peak	horizontal
6	5724.00	75.53	32.18	43.35	119.92	-44.39	100	233	Peak	horizontal
7	5795.00	115.68	72.24	43.44	122.20	-6.52	100	229	Peak	horizontal
8	5853.00	80.45	36.93	43.52	115.36	-34.91	100	342	Peak	horizontal
9	5855.00	79.46	35.93	43.53	110.80	-31.34	100	279	Peak	horizontal
10	5875.00	70.58	26.92	43.66	105.20	-34.62	100	306	Peak	horizontal
11	5926.50	62.15	18.19	43.96	68.20	-6.05	200	229	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	60.48	17.95	42.53	74.00	-13.52	234	360	Peak	vertical
2	5409.00	61.71	18.49	43.22	74.00	-12.29	320	0	Peak	vertical
3	5643.00	61.65	18.67	42.98	68.20	-6.55	229	360	Peak	vertical
4	5699.50	69.40	26.02	43.38	104.83	-35.43	192	0	Peak	vertical
5	5718.50	73.10	29.74	43.36	110.38	-37.28	142	0	Peak	vertical
6	5722.00	77.36	34.00	43.36	115.36	-38.00	300	267	Peak	vertical
7	5795.00	113.82	70.38	43.44	122.20	-8.38	100	0	Peak	vertical
8	5855.00	81.99	38.46	43.53	110.80	-28.81	100	8	Peak	vertical
9	5855.00	81.99	38.46	43.53	110.80	-28.81	100	8	Peak	vertical
10	5876.00	74.77	31.09	43.68	104.46	-29.69	100	358	Peak	vertical
11	5929.00	61.78	17.80	43.98	68.20	-6.42	100	46	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.39	50.85	8.30	42.55	54.00	-3.15	112	349	Average	Vertical
2 *	5210.00	92.39	49.55	42.84	54.00	38.39	104	68	Average	Vertical
3	5371.50	47.54	4.37	43.17	54.00	-6.46	104	68	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5145.37	52.53	10.00	42.53	54.00	-1.47	388	0	Average	Horizontal
2 *	5210.00	94.00	51.16	42.84	54.00	40.00	381	354	Average	Horizontal
3	5415.50	45.56	2.36	43.20	54.00	-8.44	381	354	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.63	65.23	22.70	42.53	74.00	-8.77	388	0	Peak	Horizontal
2 *	5210.00	103.83	60.99	42.84	74.00	29.83	381	354	Peak	Horizontal
3	5408.50	57.38	14.15	43.23	74.00	-16.62	381	354	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.97	64.14	21.58	42.56	74.00	-9.86	112	349	Peak	Vertical
2 *	5210.00	101.46	58.62	42.84	74.00	27.46	104	68	Peak	Vertical
3	5379.50	60.51	17.31	43.20	74.00	-13.49	104	68	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4959.50	50.36	8.21	42.15	54.00	-3.64	100	221	Average	HORIZONTAL
2 !	5440.00	51.74	8.62	43.12	54.00	-2.26	100	234	Average	HORIZONTAL
3 *	5775.00	100.36	56.97	43.39	54.00	46.36	100	232	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5140.50	49.92	7.41	42.51	54.00	-4.08	100	256	Average	VERTICAL
2 !	5370.50	51.41	8.24	43.17	54.00	-2.59	100	202	Average	VERTICAL
3 *	5775.00	99.60	56.21	43.39	54.00	45.60	300	272	Average	VERTICAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5112.50	58.38	16.00	42.38	74.00	-15.62	100	211	Peak	horizontal
2	5440.00	59.51	16.39	43.12	74.00	-14.49	100	234	Peak	horizontal
3	5632.00	64.08	21.04	43.04	68.20	-4.12	100	280	Peak	horizontal
4	5699.00	77.53	34.16	43.37	104.46	-26.93	100	353	Peak	horizontal
5	5716.50	81.35	37.99	43.36	109.82	-28.47	300	310	Peak	horizontal
6	5724.50	83.93	40.58	43.35	121.06	-37.13	184	360	Peak	horizontal
7	5775.00	109.08	65.69	43.39	122.20	-13.12	100	232	Peak	horizontal
8	5853.00	77.89	34.37	43.52	115.36	-37.47	179	360	Peak	horizontal
9	5863.00	76.10	32.51	43.59	108.56	-32.46	100	332	Peak	horizontal
10	5875.00	69.48	25.82	43.66	105.20	-35.72	100	321	Peak	horizontal
11	5931.00	58.98	15.00	43.98	68.20	-9.22	174	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5092.50	59.95	17.67	42.28	74.00	-14.05	100	256	Peak	vertical
2	5402.00	61.79	18.55	43.24	74.00	-12.21	100	202	Peak	vertical
3	5646.50	62.69	19.73	42.96	68.20	-5.51	400	6	Peak	vertical
4	5699.00	74.29	30.92	43.37	104.46	-30.17	352	360	Peak	vertical
5	5717.50	80.73	37.36	43.37	110.10	-29.37	332	360	Peak	vertical
6	5724.00	84.39	41.04	43.35	119.92	-35.53	200	0	Peak	vertical
7	5775.00	107.52	64.13	43.39	122.20	-14.68	300	272	Peak	vertical
8	5850.00	77.42	33.92	43.50	122.20	-44.78	184	360	Peak	vertical
9	5868.50	73.91	30.29	43.62	107.02	-33.11	291	0	Peak	vertical
10	5876.00	66.90	23.22	43.68	104.46	-37.56	300	262	Peak	vertical
11	5929.00	58.13	14.15	43.98	68.20	-10.07	100	10	Peak	vertical

Spurious Emissions, TX Mode, 9kHz-30MHz


802.11a



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	79.32	2.44	76.88	125.23	-45.91	100	360	QP	vertical
2	0.03	70.35	-0.07	70.42	117.76	-47.41	100	0	QP	vertical
3	0.06	60.91	-2.24	63.15	111.49	-50.58	100	2	QP	vertical
4	0.09	56.26	-3.66	59.92	108.10	-51.84	100	36	QP	vertical
5	0.11	54.47	-3.92	58.39	106.39	-51.92	100	227	QP	vertical
6	0.13	53.50	-3.88	57.38	105.17	-51.67	100	215	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.44	60.06	12.32	47.74	94.74	-34.68	100	156	QP	vertical
2	3.29	50.66	12.41	38.25	69.50	-18.84	100	168	QP	vertical
3	8.93	49.78	11.98	37.80	69.50	-19.72	100	286	QP	vertical
4	15.07	49.47	11.76	37.71	69.50	-20.03	100	332	QP	vertical
5	21.17	47.90	11.86	36.04	69.50	-21.60	100	182	QP	vertical
6	26.49	46.04	11.74	34.30	69.50	-23.46	100	237	QP	vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.02	77.86	2.49	75.37	123.78	-45.92	100	273	QP	vertical
2	0.04	68.10	-0.02	68.12	115.94	-47.84	100	308	QP	vertical
3	0.07	61.07	-1.88	62.95	111.28	-50.21	100	43	QP	vertical
4	0.09	58.30	-2.09	60.39	108.46	-50.16	100	263	QP	vertical
5	0.13	53.37	-4.39	57.76	105.61	-52.24	100	85	QP	vertical
6	0.14	52.77	-4.27	57.04	104.80	-52.03	100	334	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.55	58.41	12.49	45.92	72.72	-14.31	100	264	QP	vertical
2	6.58	51.21	12.85	38.36	69.50	-18.29	100	257	QP	vertical
3	10.59	50.12	12.77	37.35	69.50	-19.38	100	60	QP	vertical
4	14.95	51.13	13.42	37.71	69.50	-18.37	100	119	QP	vertical
5	20.28	47.54	11.34	36.20	69.50	-21.96	100	29	QP	vertical
6	27.98	48.00	12.90	35.10	69.50	-21.50	100	153	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz


802.11a



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	165.41	30.08	37.34	-7.26	43.50	-13.42	200	258	QP	horizontal
2	247.96	32.68	40.78	-8.10	46.00	-13.32	100	224	QP	horizontal
3	375.03	34.72	39.81	-5.09	46.00	-11.28	100	320	QP	horizontal
4	524.99	33.56	36.30	-2.74	46.00	-12.44	158	360	QP	horizontal
5	800.18	37.24	35.55	1.69	46.00	-8.76	106	360	QP	horizontal
6	875.06	38.95	36.16	2.79	46.00	-7.05	146	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	50.66	31.16	38.62	-7.46	40.00	-8.84	100	28	QP	vertical
2	101.68	28.07	40.46	-12.39	43.50	-15.43	300	360	QP	vertical
3	375.03	32.32	37.41	-5.09	46.00	-13.68	200	72	QP	vertical
4	500.06	35.19	38.39	-3.20	46.00	-10.81	100	243	QP	vertical
5	524.99	34.74	37.48	-2.74	46.00	-11.26	100	295	QP	vertical
6	800.18	35.64	33.95	1.69	46.00	-10.36	100	230	QP	vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	161.63	29.42	36.81	-7.39	43.50	-14.08	100	257	QP	horizontal
2	249.22	31.26	39.35	-8.09	46.00	-14.74	100	225	QP	horizontal
3	375.03	34.22	39.31	-5.09	46.00	-11.78	100	124	QP	horizontal
4	524.99	33.84	36.58	-2.74	46.00	-12.16	133	360	QP	horizontal
5	800.08	37.09	35.40	1.69	46.00	-8.91	100	32	QP	horizontal
6	875.06	38.35	35.56	2.79	46.00	-7.65	100	18	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	35.72	31.51	40.14	-8.63	40.00	-8.49	100	148	QP	vertical
2	375.03	32.47	37.56	-5.09	46.00	-13.53	200	57	QP	vertical
3	500.06	33.72	36.92	-3.20	46.00	-12.28	100	258	QP	vertical
4	524.99	34.64	37.38	-2.74	46.00	-11.36	100	301	QP	vertical
5	625.10	33.14	33.93	-0.79	46.00	-12.86	200	130	QP	vertical
6	800.18	35.04	33.35	1.69	46.00	-10.96	162	360	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz


802.11a





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.00	66.51	23.97	42.54	74.00	-7.49	300	276	Peak	horizontal
2 *	5180.00	116.22	73.52	42.70	74.00	42.22	400	297	Peak	horizontal
3	5446.00	60.01	16.90	43.11	74.00	-13.99	100	260	Peak	horizontal
4	10360.00	59.56	63.37	-3.81	68.20	-8.64	122	316	Peak	horizontal
5 †	15545.00	49.29	45.95	3.34	54.00	-4.71	201	243	Average	horizontal
6	15545.00	63.65	60.31	3.34	74.00	-10.35	201	243	Peak	horizontal
7	20720.00	44.93	44.98	-0.05	74.00	-29.07	200	306	Peak	horizontal
8 †	39502.00	48.00	35.98	12.02	54.00	-6.00	400	2	Average	horizontal
9	39502.00	62.05	50.03	12.02	68.20	-6.15	400	2	Peak	horizontal












	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
						cm	deg		
1	5147.00	61.36	18.82	42.54	74.00	-12.64	400	295 Peak	horizontal
2 *	5240.00	117.37	74.38	42.99	74.00	43.37	300	297 Peak	horizontal
3	5356.00	60.66	17.53	43.13	74.00	-13.34	100	229 Peak	horizontal
4 !	10480.00	62.81	66.45	-3.64	68.20	-5.39	144	334 Peak	horizontal
5 !	15720.00	52.75	49.11	3.64	54.00	-1.25	100	242 Average	horizontal
6	15720.00	66.91	63.27	3.64	74.00	-7.09	100	242 Peak	horizontal
7	20960.00	47.70	47.40	0.30	74.00	-26.30	200	318 Peak	horizontal
8 !	39337.00	49.37	36.80	12.57	54.00	-4.63	200	238 Average	horizontal
9	39337.00	62.03	49.46	12.57	68.20	-6.17	200	238 Peak	horizontal







	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
						cm	deg		
1	5103.00	60.99	18.66	42.33	74.00	-13.01	300	313 Peak	horizontal
2	5381.50	62.08	18.88	43.20	74.00	-11.92	300	320 Peak	horizontal
3	5553.50	61.52	18.44	43.08	68.20	-6.68	100	246 Peak	horizontal
4	5698.00	67.70	24.34	43.36	103.73	-36.03	200	272 Peak	horizontal
5	5718.00	75.85	32.49	43.36	110.24	-34.39	100	353 Peak	horizontal
6	5725.00	88.95	45.60	43.35	122.20	-33.25	100	305 Peak	horizontal
7	5745.00	116.14	72.81	43.33	122.20	-6.06	200	344 Peak	horizontal
8	5855.00	57.11	13.58	43.53	110.80	-53.69	200	358 Peak	horizontal
9	5862.00	58.64	15.06	43.58	108.84	-50.20	100	309 Peak	horizontal
10	5920.50	57.78	13.85	43.93	71.52	-13.74	200	250 Peak	horizontal
11	5953.00	58.53	14.45	44.08	68.20	-9.67	264	0 Peak	horizontal
12	11490.00	41.09	42.81	-1.72	54.00	-12.91	156	338 Average	horizontal
13	11490.00	54.81	56.53	-1.72	74.00	-19.19	156	338 Peak	horizontal
14	17235.00	67.70	61.34	6.36	68.20	-0.50	140	260 Peak	horizontal
15	22980.00	45.14	42.24	2.90	74.00	-28.86	200	318 Peak	horizontal
16	39489.00	48.74	36.68	12.06	54.00	-5.26	100	204 Average	horizontal
17	39489.00	62.74	50.68	12.06	68.20	-5.46	100	204 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5130.50	61.18	18.72	42.46	74.00	-12.82	264	0 Peak	vertical
2	5362.50	63.80	20.65	43.15	74.00	-10.20	300	332 Peak	vertical
3	5485.50	61.85	18.66	43.19	68.20	-6.35	100	302 Peak	vertical
4	5699.50	66.39	23.01	43.38	104.83	-38.44	261	0 Peak	vertical
5	5720.00	77.94	34.58	43.36	110.80	-32.86	253	0 Peak	vertical
6	5724.50	90.00	46.65	43.35	121.06	-31.06	303	360 Peak	vertical
7	5745.00	116.20	72.87	43.33	122.20	-6.00	300	341 Peak	vertical
8	5854.50	58.16	14.63	43.53	111.94	-53.78	300	280 Peak	vertical
9	5855.00	57.99	14.46	43.53	110.80	-52.81	300	280 Peak	vertical
10	5887.50	58.51	14.77	43.74	95.92	-37.41	100	276 Peak	vertical
11	5935.00	58.04	14.04	44.00	68.20	-10.16	100	272 Peak	vertical
12	11490.00	41.51	43.23	-1.72	54.00	-12.49	144	277 Average	vertical
13	11490.00	54.97	56.69	-1.72	74.00	-19.03	144	277 Peak	vertical
14	17235.00	62.71	56.35	6.36	68.20	-5.49	197	265 Peak	vertical
15	22980.00	45.30	42.40	2.90	74.00	-28.70	200	160 Peak	vertical
16	39532.00	48.65	36.58	12.07	54.00	-5.35	100	104 Average	vertical
17	39532.00	62.66	50.59	12.07	68.20	-5.54	100	104 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
						cm	deg		
1	5140.50	62.26	19.75	42.51	74.00	-11.74	400	276 Peak	horizontal
2	5373.50	62.80	19.62	43.18	74.00	-11.20	100	226 Peak	horizontal
3	5463.50	61.84	18.71	43.13	68.20	-6.36	100	261 Peak	horizontal
4	5672.50	60.24	17.10	43.14	84.89	-24.65	400	310 Peak	horizontal
5	5712.50	61.62	18.26	43.36	108.70	-47.08	100	303 Peak	horizontal
6	5724.50	60.13	16.78	43.35	121.06	-60.93	100	329 Peak	horizontal
7	5785.00	116.01	72.59	43.42	122.20	-6.19	100	230 Peak	horizontal
8	5852.50	57.62	14.11	43.51	116.50	-58.88	100	237 Peak	horizontal
9	5861.00	57.84	14.27	43.57	109.12	-51.28	200	4 Peak	horizontal
10	5919.00	58.61	14.68	43.93	72.62	-14.01	269	0 Peak	horizontal
11	5974.00	58.16	14.02	44.14	68.20	-10.04	300	339 Peak	horizontal
12	11570.00	41.62	43.14	-1.52	54.00	-12.38	125	320 Average	horizontal
13	11570.00	55.63	57.15	-1.52	74.00	-18.37	125	320 Peak	horizontal
14	17355.00	66.13	59.61	6.52	68.20	-2.07	193	297 Peak	horizontal
15	23140.00	46.37	43.30	3.07	68.20	-21.83	300	219 Peak	horizontal
16	39298.00	48.71	36.01	12.70	54.00	-5.29	200	39 Average	horizontal
17	39298.00	62.18	49.48	12.70	68.20	-6.02	200	39 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5145.00	62.86	20.33	42.53	74.00	-11.14	100	296 Peak	vertical
2	5365.00	64.33	21.18	43.15	74.00	-9.67	300	252 Peak	vertical
3	5482.50	63.10	19.91	43.19	68.20	-5.10	300	357 Peak	vertical
4	5653.00	58.97	16.00	42.97	70.43	-11.46	200	360 Peak	vertical
5	5700.00	58.71	15.33	43.38	105.20	-46.49	179	360 Peak	vertical
6	5723.50	58.70	15.35	43.35	118.78	-60.08	387	360 Peak	vertical
7	5785.00	114.34	70.92	43.42	122.20	-7.86	300	246 Peak	vertical
8	5855.00	58.19	14.66	43.53	110.80	-52.61	100	2 Peak	vertical
9	5855.00	58.19	14.66	43.53	110.80	-52.61	100	2 Peak	vertical
10	5901.50	57.98	14.13	43.85	85.55	-27.57	300	268 Peak	vertical
11	5938.50	58.15	14.14	44.01	68.20	-10.05	145	360 Peak	vertical
12	11570.00	41.85	43.37	-1.52	54.00	-12.15	148	278 Average	vertical
13	11570.00	56.16	57.68	-1.52	74.00	-17.84	148	278 Peak	vertical
14	17355.00	63.44	56.92	6.52	68.20	-4.76	112	280 Peak	vertical
15	23140.00	45.83	42.76	3.07	68.20	-22.37	100	247 Peak	vertical
16	39309.00	48.62	35.96	12.66	54.00	-5.38	291	0 Average	vertical
17	39309.00	61.49	48.83	12.66	68.20	-6.71	291	0 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5144.50	61.36	18.83	42.53	74.00	-12.64	200	338 Peak	horizontal
2	5357.00	63.76	20.63	43.13	74.00	-10.24	100	235 Peak	horizontal
3	5499.50	61.96	18.73	43.23	68.20	-6.24	400	295 Peak	horizontal
4	5663.00	60.37	17.32	43.05	77.85	-17.48	100	231 Peak	horizontal
5	5703.50	60.68	17.31	43.37	106.18	-45.50	300	213 Peak	horizontal
6	5721.00	59.29	15.93	43.36	113.08	-53.79	100	250 Peak	horizontal
7	5825.00	114.65	71.17	43.48	122.20	-7.55	200	225 Peak	horizontal
8	5852.50	74.18	30.67	43.51	116.50	-42.32	200	359 Peak	horizontal
9	5856.50	71.83	28.29	43.54	110.38	-38.55	100	359 Peak	horizontal
10	5879.00	64.43	20.74	43.69	102.23	-37.80	300	217 Peak	horizontal
11	5926.50	57.99	14.03	43.96	68.20	-10.21	173	360 Peak	horizontal
12	11650.00	43.04	44.40	-1.36	54.00	-10.96	128	336 Average	horizontal
13	11650.00	57.04	58.40	-1.36	74.00	-16.96	128	336 Peak	horizontal
14	17475.00	64.34	57.97	6.37	68.20	-3.86	105	255 Peak	horizontal
15	23300.00	46.88	43.69	3.19	68.20	-21.32	300	159 Peak	horizontal
16	39210.00	48.63	35.97	12.66	54.00	-5.37	278	0 Average	horizontal
17	39210.00	61.69	49.03	12.66	68.20	-6.51	278	0 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5148.50	61.38	18.83	42.55	74.00	-12.62	200	241 Peak	vertical
2	5413.50	64.28	21.07	43.21	74.00	-9.72	100	328 Peak	vertical
3	5489.50	62.22	19.02	43.20	68.20	-5.98	300	360 Peak	vertical
4	5658.50	58.64	15.62	43.02	74.51	-15.87	200	360 Peak	vertical
5	5718.50	58.42	15.06	43.36	110.38	-51.96	200	357 Peak	vertical
6	5720.00	58.32	14.96	43.36	110.80	-52.48	157	360 Peak	vertical
7	5825.00	113.17	69.69	43.48	122.20	-9.03	100	0 Peak	vertical
8	5853.00	73.35	29.83	43.52	115.36	-42.01	200	347 Peak	vertical
9	5861.50	71.02	27.45	43.57	108.98	-37.96	279	0 Peak	vertical
10	5875.00	61.76	18.10	43.66	105.20	-43.44	100	315 Peak	vertical
11	5998.50	57.64	13.43	44.21	68.20	-10.56	100	23 Peak	vertical
12	11650.00	41.10	42.46	-1.36	54.00	-12.90	157	277 Average	vertical
13	11650.00	55.10	56.46	-1.36	74.00	-18.90	157	277 Peak	vertical
14	17475.00	61.02	54.65	6.37	68.20	-7.18	101	264 Peak	vertical
15	23300.00	46.85	43.66	3.19	68.20	-21.35	200	1 Peak	vertical
16	39296.00	48.69	36.00	12.69	54.00	-5.31	400	332 Average	vertical
17	39296.00	62.29	49.60	12.69	68.20	-5.91	400	332 Peak	vertical





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 !	5148.30	69.58	27.03	42.55	74.00	-4.42	280	360 Peak	Horizontal
2 *	5179.00	116.27	73.57	42.70	74.00	42.27	384	357 Peak	Horizontal
3	5400.75	57.81	14.56	43.25	74.00	-16.19	384	357 Peak	Horizontal
4	10360.00	59.47	63.28	-3.81	68.20	-8.73	124	315 Peak	horizontal
5 !	15540.00	48.67	45.34	3.33	54.00	-5.33	214	242 Average	horizontal
6	15540.00	64.34	61.01	3.33	74.00	-9.66	214	242 Peak	horizontal
7	20720.00	47.80	47.85	-0.05	74.00	-26.20	100	184 Peak	horizontal
8 !	39244.00	49.48	36.66	12.82	54.00	-4.52	200	342 Average	horizontal
9 !	39244.00	62.49	49.67	12.82	68.20	-5.71	200	342 Peak	horizontal

















	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5085.50	61.64	19.39	42.25	74.00	-12.36	100	223 Peak	horizontal
2	5354.50	61.89	18.76	43.13	74.00	-12.11	300	321 Peak	horizontal
3	5584.50	61.68	18.52	43.16	68.20	-6.52	300	217 Peak	horizontal
4	5697.50	67.47	24.11	43.36	103.36	-35.89	100	336 Peak	horizontal
5	5720.00	79.28	35.92	43.36	110.80	-31.52	100	322 Peak	horizontal
6	5724.50	88.67	45.32	43.35	121.06	-32.39	200	277 Peak	horizontal
7	5745.00	115.90	72.57	43.33	122.20	-6.30	100	301 Peak	horizontal
8	5852.00	57.81	14.30	43.51	117.64	-59.83	200	339 Peak	horizontal
9	5857.50	57.14	13.60	43.54	110.10	-52.96	300	62 Peak	horizontal
10	5885.00	57.89	14.16	43.73	97.77	-39.88	300	272 Peak	horizontal
11	5939.00	57.99	13.97	44.02	68.20	-10.21	100	325 Peak	horizontal
12	11490.00	40.91	42.63	-1.72	54.00	-13.09	145	207 Average	horizontal
13	11490.00	54.08	55.80	-1.72	74.00	-19.92	145	207 Peak	horizontal
14	17235.00	65.92	59.56	6.36	68.20	-2.28	144	258 Peak	horizontal
15	22980.00	45.47	42.57	2.90	74.00	-28.53	100	149 Peak	horizontal
16	39519.00	48.38	36.33	12.05	54.00	-5.62	300	90 Average	horizontal
17	39519.00	62.28	50.23	12.05	68.20	-5.92	300	90 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5123.50	61.22	18.79	42.43	74.00	-12.78	100	244 Peak	vertical
2	5390.50	65.07	21.85	43.22	74.00	-8.93	100	254 Peak	vertical
3	5463.50	61.86	18.73	43.13	68.20	-6.34	306	360 Peak	vertical
4	5700.00	69.31	25.93	43.38	105.20	-35.89	160	360 Peak	vertical
5	5720.00	78.35	34.99	43.36	110.80	-32.45	100	361 Peak	vertical
6	5724.50	91.61	48.26	43.35	121.06	-29.45	200	0 Peak	vertical
7	5745.00	114.70	71.37	43.33	122.20	-7.50	187	360 Peak	vertical
8	5853.50	57.89	14.37	43.52	114.22	-56.33	109	360 Peak	vertical
9	5859.00	57.40	13.85	43.55	109.68	-52.28	200	355 Peak	vertical
10	5887.00	57.95	14.21	43.74	96.29	-38.34	400	201 Peak	vertical
11	5943.00	57.70	13.66	44.04	68.20	-10.50	400	244 Peak	vertical
12	11490.00	38.23	39.95	-1.72	54.00	-15.77	114	267 Average	vertical
13	11490.00	51.81	53.53	-1.72	74.00	-22.19	114	267 Peak	vertical
14	17235.00	62.14	55.78	6.36	68.20	-6.06	169	266 Peak	vertical
15	22980.00	46.15	43.25	2.90	74.00	-27.85	113	360 Peak	vertical
16	39259.00	48.68	35.86	12.82	54.00	-5.32	133	63 Average	vertical
17	39259.00	62.50	49.68	12.82	68.20	-5.70	133	63 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5150.00	63.23	20.67	42.56	74.00	-10.77	400	273 Peak	horizontal
2	5351.50	62.93	19.82	43.11	74.00	-11.07	100	263 Peak	horizontal
3	5492.00	61.46	18.26	43.20	68.20	-6.74	100	233 Peak	horizontal
4	5685.00	60.35	17.10	43.25	94.13	-33.78	100	254 Peak	horizontal
5	5710.50	60.28	16.91	43.37	108.14	-47.86	100	299 Peak	horizontal
6	5721.50	60.11	16.75	43.36	114.22	-54.11	100	227 Peak	horizontal
7	5785.00	115.85	72.43	43.42	122.20	-6.35	200	346 Peak	horizontal
8	5852.00	59.12	15.61	43.51	117.64	-58.52	200	309 Peak	horizontal
9	5861.50	58.87	15.30	43.57	108.98	-50.11	300	356 Peak	horizontal
10	5876.50	58.04	14.36	43.68	104.09	-46.05	200	0 Peak	horizontal
11	5955.50	58.31	14.22	44.09	68.20	-9.89	164	360 Peak	horizontal
12	11570.00	42.13	43.65	-1.52	54.00	-11.87	145	206 Average	horizontal
13	11570.00	56.04	57.56	-1.52	74.00	-17.96	145	206 Peak	horizontal
14	17355.00	66.98	60.46	6.52	68.20	-1.22	137	302 Peak	horizontal
15	23140.00	46.63	43.56	3.07	68.20	-21.57	134	51 Peak	horizontal
16	39278.00	48.72	35.96	12.76	54.00	-5.28	100	62 Average	horizontal
17	39278.00	62.74	49.98	12.76	68.20	-5.46	100	62 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5141.50	61.37	18.85	42.52	74.00	-12.63	100	201 Peak	vertical
2	5372.00	65.17	22.00	43.17	74.00	-8.83	100	335 Peak	vertical
3 !	5462.00	63.32	20.20	43.12	68.20	-4.88	300	348 Peak	vertical
4	5652.00	58.78	15.81	42.97	69.69	-10.91	100	205 Peak	vertical
5	5715.00	58.63	15.27	43.36	109.40	-50.77	200	233 Peak	vertical
6	5723.50	58.99	15.64	43.35	118.78	-59.79	200	349 Peak	vertical
7	5785.00	115.29	71.87	43.42	122.20	-6.91	300	272 Peak	vertical
8	5850.00	57.07	13.57	43.50	122.20	-65.13	303	360 Peak	vertical
9	5865.50	57.80	14.20	43.60	107.86	-50.06	100	354 Peak	vertical
10	5894.50	57.87	14.07	43.80	90.73	-32.86	100	310 Peak	vertical
11	5964.00	57.99	13.88	44.11	68.20	-10.21	200	233 Peak	vertical
12	11570.00	38.61	40.13	-1.52	54.00	-15.39	111	266 Average	vertical
13	11570.00	52.80	54.32	-1.52	74.00	-21.20	111	266 Peak	vertical
14	17355.00	61.93	55.41	6.52	68.20	-6.27	100	264 Peak	vertical
15	23140.00	46.88	43.81	3.07	68.20	-21.32	100	213 Peak	vertical
16 !	39339.00	48.52	35.96	12.56	54.00	-5.48	100	315 Average	vertical
17 !	39339.00	62.32	49.76	12.56	68.20	-5.88	100	315 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5149.00	62.32	19.76	42.56	74.00	-11.68	400	271 Peak	horizontal
2	5369.50	64.01	20.84	43.17	74.00	-9.99	100	236 Peak	horizontal
3 !	5515.50	63.40	20.22	43.18	68.20	-4.80	100	258 Peak	horizontal
4	5679.00	61.21	18.01	43.20	89.70	-28.49	400	282 Peak	horizontal
5	5701.00	59.81	16.43	43.38	105.48	-45.67	200	341 Peak	horizontal
6	5720.00	58.82	15.46	43.36	110.80	-51.98	100	289 Peak	horizontal
7	5825.00	114.86	71.38	43.48	122.20	-7.34	100	335 Peak	horizontal
8	5850.00	80.12	36.62	43.50	122.20	-42.08	200	314 Peak	horizontal
9	5855.50	73.63	30.10	43.53	110.66	-37.03	200	219 Peak	horizontal
10	5877.00	64.24	20.56	43.68	103.71	-39.47	300	227 Peak	horizontal
11	5988.50	58.08	13.90	44.18	68.20	-10.12	100	322 Peak	horizontal
12	11650.00	42.97	44.33	-1.36	54.00	-11.03	180	336 Average	horizontal
13	11650.00	57.42	58.78	-1.36	74.00	-16.58	180	336 Peak	horizontal
14 !	17475.00	65.46	59.09	6.37	68.20	-2.74	100	255 Peak	horizontal
15	23300.00	45.99	42.80	3.19	68.20	-22.21	300	194 Peak	horizontal
16 !	39474.00	48.99	36.88	12.11	54.00	-5.01	255	0 Average	horizontal
17 !	39474.00	62.87	50.76	12.11	68.20	-5.33	255	0 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5137.50	61.04	18.54	42.50	74.00	-12.96	293	0 Peak	vertical
2	5409.50	64.51	21.29	43.22	74.00	-9.49	212	0 Peak	vertical
3	5486.50	63.50	20.31	43.19	68.20	-4.70	314	360 Peak	vertical
4	5676.00	59.13	15.96	43.17	87.48	-28.35	220	0 Peak	vertical
5	5714.50	58.63	15.27	43.36	109.26	-50.63	200	0 Peak	vertical
6	5722.50	58.67	15.31	43.36	116.50	-57.83	200	236 Peak	vertical
7	5825.00	113.49	70.01	43.48	122.20	-8.71	108	360 Peak	vertical
8	5850.00	75.29	31.79	43.50	122.20	-46.91	100	350 Peak	vertical
9	5858.00	69.54	25.99	43.55	109.96	-40.42	223	0 Peak	vertical
10	5875.00	61.40	17.74	43.66	105.20	-43.80	300	267 Peak	vertical
11	5925.00	57.61	13.66	43.95	68.20	-10.59	112	360 Peak	vertical
12	11650.00	42.44	43.80	-1.36	54.00	-11.56	155	279 Average	vertical
13	11650.00	55.78	57.14	-1.36	74.00	-18.22	155	279 Peak	vertical
14	17475.00	61.78	55.41	6.37	68.20	-6.42	170	265 Peak	vertical
15	23300.00	46.50	43.31	3.19	68.20	-21.70	300	336 Peak	vertical
16	39486.00	48.79	36.72	12.07	54.00	-5.21	200	357 Average	vertical
17	39486.00	61.96	49.89	12.07	68.20	-6.24	200	357 Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5149.91	65.91	23.35	42.56	74.00	-8.09	100	300 Peak	Horizontal
2 *	5190.00	108.37	65.62	42.75	74.00	34.37	361	355 Peak	Horizontal
3	5433.50	57.05	13.90	43.15	74.00	-16.95	361	355 Peak	Horizontal
4	10380.00	46.97	50.74	-3.77	68.20	-21.23	200	306 Peak	horizontal
5	15580.92	51.67	48.28	3.39	74.00	-22.33	200	299 Peak	horizontal
6	20760.00	44.38	44.37	0.01	74.00	-29.62	200	171 Peak	horizontal
7 †	39307.00	48.71	36.05	12.66	54.00	-5.29	100	28 Average	horizontal
8 †	39307.00	62.72	50.06	12.66	68.20	-5.48	100	28 Peak	horizontal






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5149.23	67.96	25.40	42.56	74.00	-6.04	100	320 Peak	Horizontal
2 *	5230.00	115.17	72.23	42.94	74.00	41.17	274	360 Peak	Horizontal
3	5354.50	59.16	16.03	43.13	74.00	-14.84	274	360 Peak	Horizontal
4	10460.00	59.66	63.33	-3.67	68.20	-8.54	138	333 Peak	horizontal
5 †	15690.00	52.91	49.28	3.63	54.00	-1.09	100	240 Average	horizontal
6	15690.00	67.73	64.10	3.63	74.00	-6.27	100	240 Peak	horizontal
7	20920.00	47.82	47.58	0.24	74.00	-26.18	200	321 Peak	horizontal
8 †	39494.00	48.67	36.64	12.03	54.00	-5.33	200	96 Average	horizontal
9	39494.00	61.68	49.65	12.03	68.20	-6.52	200	96 Peak	horizontal







	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5149.00	62.14	19.58	42.56	74.00	-11.86	400	269 Peak	horizontal
2	5385.50	62.10	18.89	43.21	74.00	-11.90	200	298 Peak	horizontal
3	5644.00	67.38	24.40	42.98	68.20	-0.82	100	298 Peak	horizontal
4	5697.50	83.06	39.70	43.36	103.36	-20.30	100	222 Peak	horizontal
5	5720.00	96.32	52.96	43.36	110.80	-14.48	200	223 Peak	horizontal
6	5720.00	96.32	52.96	43.36	110.80	-14.48	200	223 Peak	horizontal
7	5755.00	114.85	71.52	43.33	122.20	-7.35	100	304 Peak	horizontal
8	5853.50	70.07	26.55	43.52	114.22	-44.15	200	354 Peak	horizontal
9	5857.00	67.00	23.46	43.54	110.24	-43.24	100	284 Peak	horizontal
10	5876.50	65.32	21.64	43.68	104.09	-38.77	200	219 Peak	horizontal
11	5926.00	58.82	14.87	43.95	68.20	-9.38	300	283 Peak	horizontal
12	11510.00	42.29	43.96	-1.67	54.00	-11.71	140	207 Average	horizontal
13	11510.00	55.94	57.61	-1.67	74.00	-18.06	140	207 Peak	horizontal
14	17265.00	66.74	60.37	6.37	68.20	-1.46	150	257 Peak	horizontal
15	23020.00	45.94	42.98	2.96	74.00	-28.06	146	360 Peak	horizontal
16	39276.00	48.36	35.59	12.77	54.00	-5.64	100	0 Average	horizontal
17	39276.00	62.10	49.33	12.77	68.20	-6.10	100	0 Peak	horizontal



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5145.00	60.23	17.70	42.53	74.00	-13.77	358	360 Peak	vertical
2	5365.00	61.62	18.47	43.15	74.00	-12.38	312	360 Peak	vertical
3	5619.50	67.32	24.22	43.10	68.20	-0.88	300	326 Peak	vertical
4	5700.00	83.03	39.65	43.38	105.20	-22.17	132	360 Peak	vertical
5	5719.50	96.48	53.12	43.36	110.66	-14.18	100	10 Peak	vertical
6	5722.00	97.20	53.84	43.36	115.36	-18.16	100	7 Peak	vertical
7	5755.00	115.40	72.07	43.33	122.20	-6.80	300	308 Peak	vertical
8	5852.00	67.59	24.08	43.51	117.64	-50.05	144	360 Peak	vertical
9	5859.00	68.50	24.95	43.55	109.68	-41.18	100	341 Peak	vertical
10	5887.00	63.93	20.19	43.74	96.29	-32.36	100	341 Peak	vertical
11	5925.00	58.51	14.56	43.95	68.20	-9.69	100	354 Peak	vertical
12	11510.00	39.04	40.71	-1.67	54.00	-14.96	112	267 Average	vertical
13	11510.00	53.29	54.96	-1.67	74.00	-20.71	112	267 Peak	vertical
14	17265.00	63.78	57.41	6.37	68.20	-4.42	112	280 Peak	vertical
15	23020.00	45.47	42.51	2.96	74.00	-28.53	100	28 Peak	vertical
16	39337.00	49.25	36.68	12.57	54.00	-4.75	133	63 Average	vertical
17	39337.00	62.04	49.47	12.57	68.20	-6.16	133	63 Peak	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5139.00	63.13	20.62	42.51	74.00	-10.87	200	336 Peak	horizontal
2	5364.50	62.85	19.70	43.15	74.00	-11.15	100	287 Peak	horizontal
3	5628.00	61.54	18.48	43.06	68.20	-6.66	100	310 Peak	horizontal
4	5699.00	69.86	26.49	43.37	104.46	-34.60	100	229 Peak	horizontal
5	5720.00	71.17	27.81	43.36	110.80	-39.63	100	293 Peak	horizontal
6	5724.00	75.53	32.18	43.35	119.92	-44.39	100	233 Peak	horizontal
7	5795.00	115.68	72.24	43.44	122.20	-6.52	100	229 Peak	horizontal
8	5853.00	80.45	36.93	43.52	115.36	-34.91	100	342 Peak	horizontal
9	5855.00	79.46	35.93	43.53	110.80	-31.34	100	279 Peak	horizontal
10	5875.00	70.58	26.92	43.66	105.20	-34.62	100	306 Peak	horizontal
11	5926.50	62.15	18.19	43.96	68.20	-6.05	200	229 Peak	horizontal
12	11590.00	42.79	44.25	-1.46	54.00	-11.21	144	334 Average	horizontal
13	11590.00	56.38	57.84	-1.46	74.00	-17.62	144	334 Peak	horizontal
14	17385.00	67.75	61.15	6.60	68.20	-0.45	144	290 Peak	horizontal
15	23180.00	46.54	43.44	3.10	68.20	-21.66	200	129 Peak	horizontal
16	39308.00	49.52	36.86	12.66	54.00	-4.48	144	360 Average	horizontal
17	39308.00	62.12	49.46	12.66	68.20	-6.08	144	360 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5144.00	60.48	17.95	42.53	74.00	-13.52	234	360 Peak	vertical
2	5409.00	61.71	18.49	43.22	74.00	-12.29	320	0 Peak	vertical
3	5643.00	61.65	18.67	42.98	68.20	-6.55	229	360 Peak	vertical
4	5699.50	69.40	26.02	43.38	104.83	-35.43	192	0 Peak	vertical
5	5718.50	73.10	29.74	43.36	110.38	-37.28	142	0 Peak	vertical
6	5722.00	77.36	34.00	43.36	115.36	-38.00	300	267 Peak	vertical
7	5795.00	113.82	70.38	43.44	122.20	-8.38	100	0 Peak	vertical
8	5855.00	81.99	38.46	43.53	110.80	-28.81	100	8 Peak	vertical
9	5855.00	81.99	38.46	43.53	110.80	-28.81	100	8 Peak	vertical
10	5876.00	74.77	31.09	43.68	104.46	-29.69	100	358 Peak	vertical
11	5929.00	61.78	17.80	43.98	68.20	-6.42	100	46 Peak	vertical
12	11590.00	41.98	43.44	-1.46	54.00	-12.02	166	278 Average	vertical
13	11590.00	56.37	57.83	-1.46	74.00	-17.63	166	278 Peak	vertical
14	17385.00	64.31	57.71	6.60	68.20	-3.89	100	280 Peak	vertical
15	23180.00	46.88	43.78	3.10	68.20	-21.32	214	0 Peak	vertical
16	39553.00	48.95	36.86	12.09	54.00	-5.05	100	112 Average	vertical
17	39553.00	62.15	50.06	12.09	68.20	-6.05	100	112 Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5145.63	65.23	22.70	42.53	74.00	-8.77	388	0 Peak	Horizontal
2 *	5210.00	103.83	60.99	42.84	74.00	29.83	381	354 Peak	Horizontal
3	5408.50	57.38	14.15	43.23	74.00	-16.62	381	354 Peak	Horizontal
4	10420.00	42.85	46.55	-3.70	68.20	-25.35	200	312 Peak	horizontal
5	15630.00	49.05	45.57	3.48	74.00	-24.95	258	0 Peak	horizontal
6	20840.00	44.86	44.73	0.13	74.00	-29.14	100	23 Peak	horizontal
7 †	39233.00	49.55	36.77	12.78	54.00	-4.45	200	333 Average	horizontal
8 †	39233.00	62.55	49.77	12.78	68.20	-5.65	200	333 Peak	horizontal





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
						cm	deg		
1	5112.50	58.38	16.00	42.38	74.00	-15.62	100	211 Peak	horizontal
2	5440.00	59.51	16.39	43.12	74.00	-14.49	100	234 Peak	horizontal
3	5632.00	64.08	21.04	43.04	68.20	-4.12	100	280 Peak	horizontal
4	5699.00	77.53	34.16	43.37	104.46	-26.93	100	353 Peak	horizontal
5	5716.50	81.35	37.99	43.36	109.82	-28.47	300	310 Peak	horizontal
6	5724.50	83.93	40.58	43.35	121.06	-37.13	184	360 Peak	horizontal
7	5775.00	109.08	65.69	43.39	122.20	-13.12	100	232 Peak	horizontal
8	5853.00	77.89	34.37	43.52	115.36	-37.47	179	360 Peak	horizontal
9	5863.00	76.10	32.51	43.59	108.56	-32.46	100	332 Peak	horizontal
10	5875.00	69.48	25.82	43.66	105.20	-35.72	100	321 Peak	horizontal
11	5931.00	58.98	15.00	43.98	68.20	-9.22	174	360 Peak	horizontal
12	11550.00	41.11	42.68	-1.57	54.00	-12.89	160	333 Average	horizontal
13	11550.00	53.75	55.32	-1.57	74.00	-20.25	160	333 Peak	horizontal
14	17325.00	66.68	60.23	6.45	68.20	-1.52	193	299 Peak	horizontal
15	23100.00	46.44	43.41	3.03	74.00	-27.56	105	89 Peak	horizontal
16	39518.00	48.90	36.86	12.04	54.00	-5.10	141	100 Average	horizontal
17	39518.00	62.49	50.45	12.04	68.20	-5.71	141	100 Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5092.50	59.95	17.67	42.28	74.00	-14.05	100	256 Peak	vertical
2	5402.00	61.79	18.55	43.24	74.00	-12.21	100	202 Peak	vertical
3	5646.50	62.69	19.73	42.96	68.20	-5.51	400	6 Peak	vertical
4	5699.00	74.29	30.92	43.37	104.46	-30.17	352	360 Peak	vertical
5	5717.50	80.73	37.36	43.37	110.10	-29.37	332	360 Peak	vertical
6	5724.00	84.39	41.04	43.35	119.92	-35.53	200	0 Peak	vertical
7	5775.00	107.52	64.13	43.39	122.20	-14.68	300	272 Peak	vertical
8	5850.00	77.42	33.92	43.50	122.20	-44.78	184	360 Peak	vertical
9	5868.50	73.91	30.29	43.62	107.02	-33.11	291	0 Peak	vertical
10	5876.00	66.90	23.22	43.68	104.46	-37.56	300	262 Peak	vertical
11	5929.00	58.13	14.15	43.98	68.20	-10.07	100	10 Peak	vertical
12	11550.00	40.60	42.17	-1.57	54.00	-13.40	147	279 Average	vertical
13	11550.00	52.87	54.44	-1.57	74.00	-21.13	147	279 Peak	vertical
14	17325.00	61.75	55.30	6.45	68.20	-6.45	100	278 Peak	vertical
15	23100.00	46.66	43.63	3.03	74.00	-27.34	396	360 Peak	vertical
16	39299.00	48.92	36.23	12.69	54.00	-5.08	400	3 Average	vertical
17	39299.00	62.43	49.74	12.69	68.20	-5.77	400	3 Peak	vertical

Spurious Emissions, AC Mains



TUV Rheinland Taiwan Ltd.
11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



Trace: 1

Site : Conduction room

Condition : CISPR22 Class B Conduction(QP) line1

Test Engineer: Aslen Chiu

Product : FireBox

Model No. : Firebox_T40-W


Test Rating : 120Vac / 60Hz

Tmp/Hum : 24.8°C / 42%

Memo : Input 100V-240V 1.8A ,50Hz-60Hz

: Output 54VDC 1.2A

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.151	34.36	9.61	43.97	65.96	-21.99	QP
2	0.151	23.44	9.61	33.05	55.96	-22.91	Average
3	0.205	25.69	9.61	35.30	63.39	-28.09	QP
4	0.205	10.59	9.61	20.20	53.39	-33.19	Average
5	0.477	30.16	9.62	39.78	56.40	-16.62	QP
6	0.477	23.56	9.62	33.18	46.40	-13.22	Average
7	0.603	13.32	9.62	22.94	56.00	-33.06	QP
8	0.603	8.16	9.62	17.78	46.00	-28.22	Average
9	3.030	10.80	9.65	20.45	56.00	-35.55	QP
10	3.030	2.22	9.65	11.87	46.00	-34.13	Average
11	17.776	18.18	9.77	27.95	60.00	-32.05	QP
12	17.776	12.63	9.77	22.40	50.00	-27.60	Average



Trace: 1

Site : Conduction room

Condition : CISPR22 Class B Conduction(QP) neutral

Test Engineer: Aslen Chiu

Product : FireBox

Model No. : Firebox_T40-W

Test Rating : 120Vac / 60Hz

Tmp/Hum : 24.8°C / 42%

Memo : Input 100V-240V 1.8A ,50Hz-60Hz

: Output 54VDC 1.2A

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.158	33.32	9.62	42.94	65.59	-22.65	QP
2	0.158	20.92	9.62	30.54	55.59	-25.05	Average
3	0.183	27.98	9.62	37.60	64.34	-26.74	QP
4	0.183	13.56	9.62	23.18	54.34	-31.16	Average
5	0.315	21.37	9.62	30.99	59.83	-28.84	QP
6	0.315	14.58	9.62	24.20	49.83	-25.63	Average
7	0.465	30.03	9.63	39.66	56.60	-16.94	QP
8	0.465	25.86	9.63	35.49	46.60	-11.11	Average
9	2.715	11.03	9.66	20.69	56.00	-35.31	QP
10	2.715	2.66	9.66	12.32	46.00	-33.68	Average
11	20.643	16.39	9.83	26.22	60.00	-33.78	QP
12	20.643	10.52	9.83	20.35	50.00	-29.65	Average