

ANNEX H: The EUT Appearances and Test Configuration



a: EUT




b: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA2010- 1540SAR01

Page 106 of 110



c: Back view

Picture 6: Constituents of EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA2010- 1540SAR01

Page 107 of 110



Picture 7: Left Hand Touch Cheek Position



Picture 8: Left Hand Tilt 15 Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA2010- 1540SAR01

Page 108 of 110



Picture 9: Right Hand Touch Cheek Position



Picture 10: Right Hand Tilt 15 Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA2010- 1540SAR01


Page 109 of 110



Picture 11: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm(The spacer was removed during testing)



Picture 12: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm(The spacer was removed during testing)



Picture 13: Body with earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm