



# FCC PART 15C TEST REPORT

**No. 2010TAR433**

for

**ZTE Corporation**

**WCDMA GSM(GPRS) MOBILE PHONE**

**Model Name: 003Z**

With

**FCC ID: Q78-003Z**

**Hardware Version: P729B01**

**Software Version: P729JV0.0.0B03**

**Issued Date: 2010-11-02**



**No. DGA-PL-114/01-02**

*DAR accreditation (DIN EN ISO/IEC 17025): No. DGA-PL-114/01-02*

*FCC 2.948 Listed: No.733176*

*IC O.A.T.S listed: No.6629A-1*

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

Shouxiang Science Building, No 51, Xueyuan Road, Haidian District, Beijing, P.R.China 100191

Tel:+86(0)10-62304633-2678, Fax:+86(0)10-62304793 Email:welcome@emcite.com. www.emcite.com

## **CONTENTS**

<b>CONTENTS</b> .....	<b>2</b>
<b>1. TEST LABORATORY</b> .....	<b>3</b>
1.1. TESTING LOCATION.....	3
1.2. TESTING ENVIRONMENT.....	3
1.3. PROJECT DATA .....	3
1.4. SIGNATURE .....	3
<b>2. CLIENT INFORMATION</b> .....	<b>4</b>
2.1. APPLICANT INFORMATION.....	4
2.2. MANUFACTURER INFORMATION.....	4
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>5</b>
3.1. ABOUT EUT .....	5
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST.....	5
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....	5
<b>4. REFERENCE DOCUMENTS .....</b>	<b>6</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT .....	6
4.2. REFERENCE DOCUMENTS FOR TESTING.....	6
<b>5. LABORATORY ENVIRONMENT .....</b>	<b>7</b>
<b>6. SUMMARY OF TEST RESULTS.....</b>	<b>8</b>
6.1. SUMMARY OF TEST RESULTS .....	8
6.2. STATEMENTS.....	8
<b>7. TEST EQUIPMENTS UTILIZED.....</b>	<b>9</b>
<b>ANNEX A: MEASUREMENT RESULTS .....</b>	<b>10</b>
A.1. MEASUREMENT METHOD.....	10
A.2. PEAK OUTPUT POWER - CONDUCTED.....	11
A.3. FREQUENCY BAND EDGES - CONDUCTED.....	12
A.4. CONDUCTED EMISSION.....	19
A.5. RADIATED EMISSION.....	34
A.6. TIME OF OCCUPANCY (DWELL TIME).....	56
A.7. 20dB BANDWIDTH.....	66
A.8. CARRIER FREQUENCY SEPARATION.....	71
A.9. NUMBER OF HOPPING CHANNELS .....	73
A.10. AC POWERLINE CONDUCTED EMISSION .....	77

## 1. Test Laboratory

### 1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT  
Address: Shouxiang Science Building, No 51, Xueyuan Road, Haidian District,  
Beijing, P.R.China  
Postal Code: 100191  
Telephone: 00861062304633  
Fax: 00861062304793

### 1.2. Testing Environment

Normal Temperature: 15-35°C  
Extreme Temperature: -20/+55°C  
Relative Humidity: 20-75%

### 1.3. Project data

Project Leader: Zi Xiaogang  
Testing Start Date: 2010-10-13  
Testing End Date: 2010-11-02

### 1.4. Signature




---

**Zi Xiaogang**  
**(Prepared this test report)**



---

**Sun Xiangqian**  
**(Reviewed this test report)**



---

**Lu Bingsong**  
**Deputy Director of the laboratory**  
**(Approved this test report)**

## **2. Client Information**

### **2.1. Applicant Information**

Company Name: ZTE CORPORATION  
Address /Post: ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R.China  
Contact: Zhang Min  
Email: zhang.min13@zte.com.cn  
Telephone: 0086 21 68897541  
Fax: 0086 21 50801070

### **2.2. Manufacturer Information**

Company Name: ZTE CORPORATION  
Address /Post: ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R.China  
Contact: Zhang Min  
Email: zhang.min13@zte.com.cn  
Telephone: 0086 21 68897541  
Fax: 0086 21 50801070

### 3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

#### 3.1. About EUT

Description	WCDMA GSM(GPRS) MOBILE PHONE
Model Name	003Z
FCC ID	Q78-003Z
Frequency Band	ISM 2400MHz~2483.5MHz
Type of Modulation	GFSK/ $\pi$ /4 DQPSK/8DPSK
Number of Channels	79
Power Supply	3.7V DC by Battery

#### 3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version
N06	000039485642710	P729B01	P729JV0.0.0B03
N11	864927000001098	P729B01	P729JV0.0.0B03

\*EUT ID: is used to identify the test sample in the lab internally.

#### 3.3. Internal Identification of AE used during the test

AE ID*	Description	Type	SN
AE1	Battery	Li3712T42P3h444865	/
AE2	Travel Adapter	STC-A22O50I700USBA-Z	/

\*AE ID: is used to identify the test sample in the lab internally.

#### **4. Reference Documents**

##### **4.1. Documents supplied by applicant**

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

##### **4.2. Reference Documents for testing**

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	July 10, 2008 Edition
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	March 2000

## 5. LABORATORY ENVIRONMENT

**Shielding Room1** (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

**Control room** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω

**Semi-anechoic chamber** (23 meters×17meters×10meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.2 dB, 10 m distance, from 30 to 1000 MHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 2000 MHz

## 6. SUMMARY OF TEST RESULTS

### 6.1. Summary of Test Results

Abbreviations used in this clause:

- P** Pass, The EUT complies with the essential requirements in the standard.
- F** Fail, The EUT does not comply with the essential requirements in the standard
- NA** Not Applicable, The test was not applicable
- NP** Not Performed, The test was not performed by TMC

SUMMARY OF MEASUREMENT RESULTS	Sub-clause	Verdict
Peak Output Power - Conducted	15.247 (b)(1)	<b>P</b>
Frequency Band Edges	15.247 (d)	<b>P</b>
Conducted Emission	15.247 (d)	<b>P</b>
Radiated Emission	15.247, 15.205, 15.209	<b>P</b>
Time of Occupancy (Dwell Time)	15.247 (a) (1)(iii)	<b>P</b>
20dB Bandwidth	15.247 (a)(1)	<b>NA</b>
Carrier Frequency Separation	15.247 (a)(1)	<b>P</b>
Number of hopping channels	15.247 (a)(b)(iii)	<b>P</b>
AC Powerline Conducted Emission	15.107, 15.207	<b>P</b>

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

### 6.2. Statements

TMC has evaluated the test cases requested by the applicant /manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.2

## 7. Test Equipments Utilized

### Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSU26	200030	Rohde & Schwarz	2011-06-18
2	Bluetooth Tester	CBT32	100649	Rohde & Schwarz	2011-02-03

### Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2011-02-11
2	EMI Antenna	VULB 9163	9163 301	Schwarzbeck	2011-04-29
3	EMI Antenna	3117	00034610	EMCO	2011-06-30
4	Dual-Ridge Waveguide Horn Antenna	3116	2663	EMCO	2011-03-01
5	Dual-Ridge Waveguide Horn Antenna	3116	2661	EMCO	2011-03-01
6	Universal Radio Communication Tester	CMU200	105948	Rohde & Schwarz	2011-08-13
7	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2011-08-12
8	Pre-amplifier(18GHz)	/	1005277	Rohde & Schwarz	/
9	Pre-amplifier(26.5GHz)	/	1005277	Rohde & Schwarz	/

### Anechoic chamber

Fully anechoic chamber by Frankonia German.


## ANNEX A: MEASUREMENT RESULTS

### A.1. Measurement Method

#### A.1.1. Conducted Measurements

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode (Transmitter, receiver or transmitter & receiver).
- 3). Set the EUT to the required channel.
- 4). Set the EUT hopping mode (hopping or hopping off).
- 5). Set the spectrum analyzer to start measurement.
- 6). Record the values. Vector Signal Analyzer



#### A.1.2. Radiated Emission Measurements


The measurement is made according to Public notice DA 00-705 and ANSI C63.4

The radiated emission test is performed in semi-anechoic chamber. The distance from the EUT to the reference point of measurement antenna is 3m. The test is carried out on both vertical and horizontal polarization and only maximization result of both polarizations is kept. During the test, the turntable is rotated 360° and the measurement antenna is moved from 1m to 4m to get the maximization result.

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 1MHz;



**A.2. Peak Output Power - Conducted**  
**Measurement Limit:**

Standard	Limit (dBm)
FCC Part 15.247(b)(1)	< 30

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

**Test Condition**

Hopping Mode	RBW	VBW	Span	Sweeptime
Hopping OFF	1MHz	1MHz	5MHz	2.5ms

**Measurement Results:**

**For GFSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	-3.85	-3.06	-2.97	P

**For  $\pi/4$  DQPSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	-3.47	-2.76	-2.56	P

**For 8DPSK**

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
Peak Conducted Output Power (dBm)	-3.66	-2.89	-2.74	P

**Conclusion: PASS**

### A.3. Frequency Band Edges - Conducted

#### Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

#### Measurement Result:

##### For GFSK

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.1	-52.14	P
	Hopping ON	Fig.2	-53.10	P
78	Hopping OFF	Fig.3	-58.24	P
	Hopping ON	Fig.4	-57.97	P

##### For $\pi/4$ DQPSK


Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.5	-54.67	P
	Hopping ON	Fig.6	-55.81	P
78	Hopping OFF	Fig.7	-59.39	P
	Hopping ON	Fig.8	-58.48	P

##### For 8DPSK

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.9	-54.55	P
	Hopping ON	Fig.10	-50.98	P
78	Hopping OFF	Fig.11	-59.42	P
	Hopping ON	Fig.12	-58.54	P


**Conclusion: PASS**

**Test graphs as below**




Date: 25.OCT.2010 06:39:18

Fig.1 Frequency Band Edges: GFSK, Channel 0, Hopping Off




Date: 25.OCT.2010 06:41:37

Fig.2 Frequency Band Edges: GFSK, Channel 0, Hopping On




Date: 25.OCT.2010 06:39:35

Fig.3 Frequency Band Edges: GFSK, Channel 78, Hopping Off




Date: 25.OCT.2010 06:43:40

Fig.4 Frequency Band Edges: GFSK, Channel 78, Hopping On




Date: 25.OCT.2010 06:59:36

Fig.5 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping Off




Date: 25.OCT.2010 07:01:56

Fig.6 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping On




Date: 25.OCT.2010 06:59:54

Fig.7 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping Off




Date: 25.OCT.2010 07:03:59

Fig.8 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping On




Date: 25.OCT.2010 07:19:58

Fig.9 Frequency Band Edges: 8DPSK, Channel 0, Hopping Off




Date: 25.OCT.2010 07:22:18

Fig.10 Frequency Band Edges: 8DPSK, Channel 0, Hopping On



Date: 25.OCT.2010 07:20:15

Fig.11 Frequency Band Edges: 8DPSK, Channel 78, Hopping Off



Date: 25.OCT.2010 07:24:20

Fig.12 Frequency Band Edges: 8DPSK, Channel 78, Hopping On

#### A.4. Conducted Emission

##### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

##### Measurement Results:

###### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.13	P
	30 MHz ~ 1 GHz	Fig.14	P
	1 GHz ~ 26 GHz	Fig.15	P
Ch 39 2441 MHz	Center Frequency	Fig.16	P
	30 MHz ~ 1 GHz	Fig.17	P
	1 GHz ~ 26 GHz	Fig.18	P
Ch 78 2480 MHz	Center Frequency	Fig.19	P
	30 MHz ~ 1 GHz	Fig.20	P
	1 GHz ~ 26 GHz	Fig.21	P


###### For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.22	P
	30 MHz ~ 1 GHz	Fig.23	P
	1 GHz ~ 26 GHz	Fig.24	P
Ch 39 2441 MHz	Center Frequency	Fig.25	P
	30 MHz ~ 1 GHz	Fig.26	P
	1 GHz ~ 26 GHz	Fig.27	P
Ch 78 2480 MHz	Center Frequency	Fig.28	P
	30 MHz ~ 1 GHz	Fig.29	P
	1 GHz ~ 26 GHz	Fig.30	P

###### For 8DPSK


Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.31	P
	30 MHz ~ 1 GHz	Fig.32	P
	1 GHz ~ 26 GHz	Fig.33	P
Ch 39 2441 MHz	Center Frequency	Fig.34	P
	30 MHz ~ 1 GHz	Fig.35	P
	1 GHz ~ 26 GHz	Fig.36	P
Ch 78 2480 MHz	Center Frequency	Fig.37	P
	30 MHz ~ 1 GHz	Fig.38	P
	1 GHz ~ 26 GHz	Fig.39	P

**Conclusion: PASS**  
**Test graphs as below**



Date: 25.OCT.2010 06:43:59


Fig.13 Conducted spurious emission: GFSK, Channel 0,2402MHz



Date: 25.OCT.2010 06:44:15


Fig.14 Conducted spurious emission: GFSK, Channel 0, 30MHz - 1GHz






Date: 25.OCT.2010 06:45:20

Fig.17 Conducted spurious emission: GFSK, Channel 39, 30MHz - 1GHz




Date: 25.OCT.2010 06:45:52

Fig.18 Conducted spurious emission: GFSK, Channel 39, 1GHz - 26GHz




Date: 25.OCT.2010 06:46:08

Fig.19 Conducted spurious emission: GFSK, Channel 78, 2480MHz




Date: 25.OCT.2010 06:46:25

Fig.20 Conducted spurious emission: GFSK, Channel 78, 30MHz - 1GHz




Date: 25.OCT.2010 06:46:57

Fig.21 Conducted spurious emission: GFSK, Channel 78, 1GHz - 26GHz




Date: 25.OCT.2010 07:04:18

Fig.22 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0,2402MHz




Date: 25.OCT.2010 07:04:34

Fig.23 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 30MHz - 1GHz




Date: 25.OCT.2010 07:05:06

Fig.24 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 1GHz - 26GHz




Date: 25.OCT.2010 07:05:23

Fig.25 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 2441MHz




Date: 25.OCT.2010 07:05:39

Fig.26 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 30MHz - 1GHz




Date: 25.OCT.2010 07:06:11

Fig.27 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 1GHz – 26GHz




Date: 25.OCT.2010 07:06:28

Fig.28 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 2480MHz



Date: 25.OCT.2010 07:06:44


Fig.29 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 30MHz - 1GHz



Date: 25.OCT.2010 07:07:16


Fig.30 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 1GHz - 26GHz






Date: 25.OCT.2010 07:25:27

Fig.33 Conducted spurious emission: 8DPSK, Channel 0,1GHz - 26GHz




Date: 25.OCT.2010 07:25:44

Fig.34 Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Date: 25.OCT.2010 07:26:01

Fig.35 Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Date: 25.OCT.2010 07:26:32

Fig.36 Conducted spurious emission: 8DPSK, Channel 39, 1GHz – 26GHz




Date: 25.OCT.2010 07:26:49

Fig.37 Conducted spurious emission: 8DPSK, Channel 78, 2480MHz



Date: 25.OCT.2010 07:27:05

Fig.38 Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz



Date: 25.OCT.2010 07:27:37

Fig.39 Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 26GHz

## A.5. Radiated Emission

### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

### Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

### Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

### Measurement Results:

A "reference path loss" is established and the  $A_{Rpl}$  is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable los.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{Mea}} + A_{\text{Rpl}}$$

### For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.40	P
	1 GHz ~ 4 GHz	Fig.41	P
	4 GHz ~ 18 GHz	Fig.42	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.43	P
	1 GHz ~ 4 GHz	Fig.44	P
	4 GHz ~ 18 GHz	Fig.45	P

Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.46	P
	1 GHz ~ 4 GHz	Fig.47	P
	4 GHz ~ 18 GHz	Fig.48	P
Power	2.45GHz~2.5GHz	Fig.49	P
For all channels	18 GHz ~ 26 GHz	Fig.50	P

**Forπ/4 DQPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.51	P
	1 GHz ~ 4 GHz	Fig.52	P
	4 GHz ~ 18 GHz	Fig.53	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.54	P
	1 GHz ~ 4 GHz	Fig.55	P
	4 GHz ~ 18 GHz	Fig.56	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.57	P
	1 GHz ~ 4 GHz	Fig.58	P
	4 GHz ~ 18 GHz	Fig.59	P
Power	2.45GHz~2.5GHz	Fig.60	P
For all channels	18 GHz ~ 26 GHz	Fig.61	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.62	P
	1 GHz ~ 4 GHz	Fig.63	P
	4 GHz ~ 18 GHz	Fig.64	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.65	P
	1 GHz ~ 4 GHz	Fig.66	P
	4 GHz ~ 18 GHz	Fig.67	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.68	P
	1 GHz ~ 4 GHz	Fig.69	P
	4 GHz ~ 18 GHz	Fig.70	P
Power	2.45GHz~2.5GHz	Fig.71	P
For all channels	18 GHz ~ 26 GHz	Fig.72	P

**GFSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
3993.988	51.12	14.2	36.92	VERTICAL
3711.423	50.99	14.5	36.49	HORIZONTAL
3505.01	50.98	14.5	36.48	HORIZONTAL
3464.93	50.96	11.9	39.06	HORIZONTAL
3919.84	50.89	14.3	36.59	VERTICAL
3621.242	50.83	14	36.83	VERTICAL

**GFSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	53.27	9.1	44.17	VERTICAL
3863.727	51.2	14.2	37	VERTICAL
3486.974	50.46	12.2	38.26	VERTICAL
3537.074	50.44	14.3	36.14	VERTICAL
3691.383	50.39	14.2	36.19	VERTICAL
3701.403	50.32	14.3	36.02	VERTICAL

**GFSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
3957.916	50.52	14.2	36.32	VERTICAL
3715.431	50.48	14.5	35.98	VERTICAL
3965.932	50.41	14.4	36.01	VERTICAL
3761.523	50.38	14.1	36.28	VERTICAL
3987.976	50.36	14.6	35.76	VERTICAL
3805.611	50.35	14.2	36.15	VERTICAL

**$\pi/4$  DQPSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	53.82	9.1	44.72	VERTICAL
3603.206	50.88	14	36.88	VERTICAL
3971.944	50.69	14.5	36.19	VERTICAL
3825.651	50.62	14.1	36.52	VERTICAL
3647.295	50.45	14.1	36.35	VERTICAL
3358.717	50.42	12.1	38.32	VERTICAL

**$\pi/4$  DQPSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
3687.375	51.2	14.2	37	VERTICAL
3699.399	51.03	14.2	36.83	VERTICAL
3675.351	50.55	14.2	36.35	VERTICAL
3613.226	50.38	14	36.38	VERTICAL
3633.267	50.35	14.1	36.25	VERTICAL
3681.363	50.34	14.2	36.14	VERTICAL

**$\pi/4$  DQPSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2402.806	52.52	8.8	43.72	VERTICAL
3555.11	50.69	14.3	36.39	VERTICAL
3553.106	50.62	14.3	36.32	VERTICAL
3583.166	50.45	14.2	36.25	VERTICAL
3921.844	50.4	14.1	36.3	VERTICAL
3895.792	50.39	14.4	35.99	VERTICAL

**8DPSK Ch 0**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
3693.387	51.18	14.2	36.98	VERTICAL
3715.431	50.98	14.5	36.48	VERTICAL
3949.9	50.62	14.1	36.52	VERTICAL
3705.411	50.46	14.3	36.16	VERTICAL
3601.202	50.4	14	36.4	VERTICAL
3739.479	50.4	14.4	36	VERTICAL

**8DPSK Ch 39**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
2478.958	53.56	9.1	44.46	VERTICAL
3703.407	51.16	14.3	36.86	VERTICAL
3484.97	51.06	12.2	38.86	VERTICAL
3819.639	50.84	14.1	36.74	VERTICAL
3709.419	50.83	14.3	36.53	VERTICAL
3591.182	50.65	14.1	36.55	VERTICAL

**8DPSK Ch 78**

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	PMea(dBuV/m)	Polarity
3975.952	50.75	14.5	36.25	VERTICAL
3484.97	50.62	12.2	38.42	VERTICAL
3693.387	50.36	14.2	36.16	VERTICAL
3767.535	50.25	14.1	36.15	VERTICAL
3983.968	50.24	14.6	35.64	VERTICAL
3494.99	50.22	12.3	37.92	VERTICAL

**Conclusion: PASS**

**Test graphs as below:**




Fig.40 Radiated emission: GFSK, Channel 0, 30 MHz - 1 GHz




Fig.41 Radiated emission: GFSK, Channel 0, 1 GHz - 4 GHz




Fig.42 Radiated emission: GFSK, Channel 0, 4 GHz - 18 GHz




Fig.43 Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz




Fig.44 Radiated emission: GFSK, Channel 39, 1 GHz - 4 GHz




Fig.45 Radiated emission: GFSK, Channel 39, 4 GHz - 18 GHz




Fig.46 Radiated emission: GFSK, Channel 78, 30 MHz - 1 GHz




Fig.47 Radiated emission: GFSK, Channel 78, 1 GHz - 4 GHz





Fig.48 Radiated emission: GFSK, Channel 78, 4 GHz - 18 GHz






Fig.49 Radiated emission (Power): GFSK




Fig.50 Radiated emission: GFSK, 18 GHz - 26 GHz




Fig.51 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 30 MHz - 1 GHz




Fig.52 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 1 GHz - 4 GHz




Fig.53 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 4 GHz - 18 GHz




Fig.54 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 30 MHz - 1 GHz




Fig.55 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 1 GHz - 4 GHz




Fig.56 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 4 GHz - 18 GHz




Fig.57 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 30 MHz - 1 GHz




Fig.58 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 1 GHz - 4 GHz





Fig.59 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 4 GHz - 18 GHz






Fig.60 Radiated emission (Power):  $\pi/4$  DQPSK




Fig.61 Radiated emission:  $\pi/4$  DQPSK, 18 GHz - 26 GHz




Fig.62 Radiated emission: 8DPSK, Channel 0, 30 MHz - 1 GHz




Fig.63 Radiated emission: 8DPSK, Channel 0, 1 GHz - 4 GHz




Fig.64 Radiated emission: 8DPSK, Channel 0, 4 GHz - 18 GHz




Fig.65 Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz




Fig.66 Radiated emission: 8DPSK, Channel 39, 1 GHz - 4 GHz




Fig.67 Radiated emission: 8DPSK, Channel 39, 4 GHz - 18 GHz




Fig.68 Radiated emission: 8DPSK, Channel 78, 30 MHz - 1 GHz




Fig.69 Radiated emission: 8DPSK, Channel 78, 1 GHz - 4 GHz





Fig.70 Radiated emission: 8DPSK, Channel 78, 4 GHz - 18 GHz






Fig.71 Radiated emission (Power): 8DPSK




Fig.72 Radiated emission: 8DPSK, 18 GHz - 26 GHz

### A.6. Time of Occupancy (Dwell Time)

#### Measurement Limit:

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

#### Measurement Result:

##### For GFSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.73	115.42	P
		Fig.74		
	DH3	Fig.75	192.63	P
		Fig.76		
	DH5	Fig.77	216.02	P
		Fig.78		

##### For $\pi/4$ DQPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.79	114.15	P
		Fig.80		
	DH3	Fig.81	181.00	P
		Fig.82		
	DH5	Fig.83	218.94	P
		Fig.84		

##### For 8DPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.85	109.32	P
		Fig.86		
	DH3	Fig.87	144.47	P
		Fig.88		
	DH5	Fig.89	230.62	P
		Fig.90		

**Conclusion: PASS**

Test graphs as below:




Fig.73 Time of occupancy (Dwell Time): Channel 39, Packet DH1




Fig.74 Number of Transmissions Measurement:Channel 39,Packet DH1




Fig.75 Time of occupancy (Dwell Time): Channel 39, Packet DH3






Fig.76 Number of Transmissions Measurement:Channel 39,Packet DH3




Date: 25.OCT.2010 06:50:52

Fig.77 Time of occupancy (Dwell Time): Channel 39, Packet DH5




Date: 25.OCT.2010 06:50:40

Fig.78 Number of Transmissions Measurement:Channel 39,Packet DH5




Date: 25.OCT.2010 07:08:39

Fig.79 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1




Date: 25.OCT.2010 07:08:27

Fig.80 Number of Transmissions Measurement:Channel 39,Packet 2-DH1




Date: 25.OCT.2010 07:09:56

Fig.81 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3




Date: 25.OCT.2010 07:09:45

Fig.82 Number of Transmissions Measurement:Channel 39,Packet 2-DH3




Date: 25.OCT.2010 07:11:13

Fig.83 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5




Date: 25.OCT.2010 07:11:01

Fig.84 Number of Transmissions Measurement:Channel 39,Packet 2-DH5




Date: 25.OCT.2010 07:29:02

Fig.85 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1




Date: 25.OCT.2010 07:28:50

Fig.86 Number of Transmissions Measurement:Channel 39,Packet 3-DH1




Date: 25.OCT.2010 07:30:21

Fig.87 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH3




Date: 25.OCT.2010 07:30:09

Fig.88 Number of Transmissions Measurement:Channel 39,Packet 3-DH3



Date: 25.OCT.2010 07:31:38

Fig.89 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH5



Date: 25.OCT.2010 07:31:27

Fig.90 Number of Transmissions Measurement:Channel 39,Packet 3-DH5

### A.7. 20dB Bandwidth

#### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)(1)	NA *

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

\* Comment: This test case is not required according to the latest FCC 47 CFR Part 15.247. But the test results are necessary for “carrier frequency separation” test case, in Annex A.8.

#### Measurement Results:

##### For GFSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.91	875.00	NA
39	Fig.92	870.19	NA
78	Fig.93	870.19	NA

##### Forπ/4 DQPSK


Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.94	1298.08	NA
39	Fig.95	1293.27	NA
78	Fig.96	1298.08	NA

##### For 8DPSK

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.97	1274.04	NA
39	Fig.98	1293.27	NA
78	Fig.99	1274.04	NA


**Conclusion: NA**

Test graphs as below:




Date: 25.OCT.2010 06:51:26

Fig.91 20dB Bandwidth: GFSK, Channel 0




Date: 25.OCT.2010 06:51:58

Fig.92 20dB Bandwidth: GFSK, Channel 39




Date: 25.OCT.2010 06:52:29

Fig.93 20dB Bandwidth: GFSK, Channel 78




Date: 25.OCT.2010 07:11:47

Fig.94 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 0




Date: 25.OCT.2010 07:12:19

Fig.95 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 39




Date: 25.OCT.2010 07:12:51

Fig.96 20dB Bandwidth:  $\pi/4$  DQPSK, Channel 78




Date: 25.OCT.2010 07:32:12

Fig.97 20dB Bandwidth: 8DPSK, Channel 0



Date: 25.OCT.2010 07:32:44

Fig.98 20dB Bandwidth: 8DPSK, Channel 39



Date: 25.OCT.2010 07:33:16

Fig.99 20dB Bandwidth: 8DPSK, Channel 78

### A.8. Carrier Frequency Separation

#### Measurement Limit:

Standard	Limit(kHz)
FCC 47 CFR Part 15.247(a)(1)	over 25 kHz or $(2/3) * 20\text{dB bandwidth}$

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

\* Comment: This limit should be over 25 kHz or  $(2/3) * 20\text{dB bandwidth}$ , whichever is greater.

#### Measurement Result:

##### For GFSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.100	P

##### For $\pi/4$ DQPSK


Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.101	P

##### For 8DPSK

Channel	Carrier frequency separation (kHz)	Conclusion
39	Fig.102	P


**Conclusion: PASS**

Test graphs as below:




Date: 25.OCT.2010 06:54:33

Fig.100 Carrier frequency separation measurement: GFSK, Channel 39



Date: 25.OCT.2010 07:14:55

Fig.101 Carrier frequency separation measurement:  $\pi/4$  DQPSK, Channel 39



Date: 25.OCT.2010 07:35:20

Fig.102 Carrier frequency separation measurement: 8DPSK, Channel 39

### A.9. Number of Hopping Channels

**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247(a) (1)(iii)	At least 15 non-overlapping channels

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

**Measurement Result:**

**For GFSK**

Channel	Number of hopping channels	Conclusion
0~39	Fig.103	P
40~78	Fig.104	

**Forπ/4 DQPSK**


Channel	Number of hopping channels	Conclusion
0~39	Fig.105	P
40~78	Fig.106	

**For 8DPSK**

Channel	Number of hopping channels	Conclusion
0~39	Fig.107	P
40~78	Fig.108	


**Conclusion: PASS**

**Test graphs as below:**




Date: 25.OCT.2010 06:56:37

Fig.103 Number of hopping frequencies: GFSK, Channel 0 - 39




Date: 25.OCT.2010 06:58:40

Fig.104 Number of hopping frequencies: GFSK, Channel 40 - 78




Date: 25.OCT.2010 07:16:59

Fig.105 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 0 - 39




Date: 25.OCT.2010 07:19:01

Fig.106 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 40 - 78



Date: 25.OCT.2010 07:37:24

Fig.107 Number of hopping frequencies: 8DPSK, Channel 0 - 39



Date: 25.OCT.2010 07:39:27

Fig.108 Number of hopping frequencies: 8DPSK, Channel 40 - 78

### A.10. AC Powerline Conducted Emission

#### Test Condition

Voltage (V)	Frequency (Hz)
120	60

#### Measurement Result and limit:

##### Bluetooth (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB $\mu$ V)	Result (dB $\mu$ V)	Conclusion
		With Charger	
0.15 to 0.5	66 o 56	Fig.109	P
0.5 to 5	56		
5 to 30	60		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

##### Bluetooth (Average Limit)

Frequency range (MHz)	Average Limit (dB $\mu$ V)	Result (dB $\mu$ V)	Conclusion
		With Charger	
0.15 to 0.5	56 to 46	Fig.109	P
0.5 to 5	46		
5 to 30	50		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

**Conclusion: PASS**

**Test graphs as below:**




Fig.109 AC Powerline Conducted Emission with charger-TX Mode

**MEASUREMENT RESULT: "10TA820\_BC\_fin QP"**

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dBμV	dB	dBμV	dB		
1.859511	45.20	10.1	56	10.8	L1	GND

**MEASUREMENT RESULT: "10TA820\_BC\_fin AV"**

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dBμV	dB	dBμV	dB		
0.332507	42.20	10.1	49	7.2	N	GND
0.525514	36.70	10.1	46	9.3	N	FLO
0.574747	37.00	10.1	46	9.0	N	GND
0.667263	38.50	10.1	46	7.5	N	FLO

\*\*\* END OF REPORT BODY \*\*\*