


TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (B mode-1Channel) -7GHZ~18GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
17984.600000	52.62	---	74.00	21.38	1000.000	200.0	V	110.0	19.5
17992.300000	---	48.61	54.00	5.39	1000.000	200.0	V	133.0	19.5
16333.133333	50.74	---	74.00	23.26	1000.000	100.0	V	215.0	16.3
15854.633333	50.62	---	74.00	23.38	1000.000	100.0	V	221.0	16.5
13522.633333	41.20	---	74.00	32.80	1000.000	100.0	V	226.0	10.2
14700.733333	44.94	---	74.00	29.06	1000.000	200.0	V	245.0	13.4
16927.866667	50.64	---	74.00	23.36	1000.000	200.0	V	264.0	17.1
14882.966667	---	42.23	54.00	11.77	1000.000	100.0	V	272.0	13.5
16920.166667	---	46.97	54.00	7.03	1000.000	200.0	V	289.0	17.1
16339.000000	---	47.37	54.00	6.63	1000.000	200.0	V	334.0	16.2
13558.200000	---	39.00	54.00	15.00	1000.000	100.0	V	340.0	10.5
15947.766667	---	47.42	54.00	6.58	1000.000	200.0	V	350.0	16.2

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (B mode-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.500000	---	36.13	54.00	17.87	1000.000	100.0	H	206.0	-4.5
2000.900000	41.96	---	74.00	32.04	1000.000	200.0	H	88.0	-3.4
2310.000000	53.51	---	74.00	20.49	1000.000	100.0	H	246.0	-3.1
2312.900000	55.11	---	74.00	18.89	1000.000	200.0	H	238.0	-3.1
2351.500000	---	50.01	54.00	3.99	1000.000	100.0	H	206.0	-3.1
2434.300000	101.71	---	---	---	1000.000	200.0	H	251.0	-2.1
2434.600000	---	99.34	---	---	1000.000	200.0	H	251.0	-2.1
2520.400000	---	46.47	54.00	7.53	1000.000	200.0	H	88.0	-1.6
2521.800000	52.39	---	74.00	21.61	1000.000	200.0	H	88.0	-1.6
6556.400000	53.71	---	74.00	20.29	1000.000	200.0	H	0.0	12.1
6809.700000	53.76	---	74.00	20.24	1000.000	100.0	H	81.0	12.1
6982.900000	---	49.33	54.00	4.67	1000.000	200.0	H	31.0	12.6

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (B mode-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.500000	---	39.61	54.00	14.39	1000.000	100.0	V	193.0	-4.5
1937.600000	41.88	---	74.00	32.12	1000.000	100.0	V	181.0	-4.5
2288.000000	---	48.80	54.00	5.20	1000.000	100.0	V	152.0	-3.0
2309.700000	53.67	---	74.00	20.33	1000.000	100.0	V	152.0	-3.1
2312.500000	56.02	---	74.00	17.98	1000.000	100.0	V	152.0	-3.1
2345.900000	53.29	---	74.00	20.71	1000.000	100.0	V	152.0	-3.2
2346.900000	---	48.95	54.00	5.05	1000.000	200.0	V	303.0	-3.2
2436.500000	---	98.35	---	---	1000.000	200.0	V	0.0	-2.0
2439.800000	99.90	---	---	---	1000.000	200.0	V	303.0	-2.0
6449.500000	53.71	---	74.00	20.29	1000.000	100.0	V	284.0	12.1
6722.700000	---	48.79	54.00	5.21	1000.000	100.0	V	357.0	12.1
6990.400000	53.81	---	74.00	20.19	1000.000	100.0	V	0.0	12.6

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (B mode-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (B mode-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_VER




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (B mode-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.500000	---	39.35	54.00	14.65	1000.000	100.0	H	120.0	-4.5
1937.500000	41.68	---	74.00	32.32	1000.000	100.0	H	120.0	-4.5
2288.100000	54.55	---	74.00	19.45	1000.000	100.0	H	238.0	-3.0
2288.100000	---	50.20	54.00	3.80	1000.000	100.0	H	238.0	-3.0
2335.500000	54.35	---	74.00	19.65	1000.000	100.0	H	238.0	-3.2
2336.700000	54.39	---	74.00	19.61	1000.000	200.0	H	98.0	-3.2
2339.000000	54.54	---	74.00	19.46	1000.000	200.0	H	236.0	-3.2
2377.500000	---	49.68	54.00	4.32	1000.000	200.0	H	249.0	-2.9
2459.300000	102.06	---	---	---	1000.000	200.0	H	249.0	-1.8
2461.000000	---	99.82	---	---	1000.000	200.0	H	98.0	-1.8
6850.700000	---	49.74	54.00	4.26	1000.000	100.0	H	282.0	12.2
6850.700000	55.06	---	74.00	18.94	1000.000	100.0	H	282.0	12.2


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.402000	89.75	---	---	1000.000	100.0	H	25.0	-0.9
2483.618000	37.86	74.00	36.14	1000.000	100.0	H	43.0	-1.0
2489.300000	40.39	74.00	33.61	1000.000	100.0	H	45.0	-1.0
2494.316000	42.06	74.00	31.94	1000.000	100.0	H	33.0	-1.0

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2465.660000	84.27	---	---	1000.000	100.0	H	44.0	-0.9
2476.724000	38.80	54.00	15.20	1000.000	100.0	H	44.0	-1.0
2483.516000	32.21	54.00	21.79	1000.000	100.0	H	44.0	-1.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
 Manufacturer: ZTE Corporation
 Operating Condition: Running
 Test Site: ZTETS EMC Shenzhen LAB
 Operator: Zhang Qichao
 Test Specification: FCC Part 15 CLASS B
 Comment: Vertical (B mode-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2287.900000	---	50.59	54.00	3.41	1000.000	100.0	V	155.0	-3.0
2289.300000	46.80	---	74.00	27.20	1000.000	200.0	V	321.0	-3.0
2340.100000	55.26	---	74.00	18.74	1000.000	200.0	V	159.0	-3.2
2372.900000	---	46.94	54.00	7.06	1000.000	200.0	V	307.0	-2.9
2463.400000	---	98.99	---	---	1000.000	200.0	V	307.0	-1.8
2464.700000	100.76	---	---	---	1000.000	200.0	V	307.0	-1.8
2937.300000	46.95	---	74.00	27.05	1000.000	100.0	V	170.0	0.1
2937.500000	---	45.15	54.00	8.85	1000.000	100.0	V	170.0	0.1
4221.700000	55.56	---	74.00	18.44	1000.000	200.0	V	247.0	8.6
4315.400000	54.77	---	74.00	19.23	1000.000	200.0	V	268.0	9.0
6027.400000	---	47.92	54.00	6.08	1000.000	100.0	V	340.0	11.9
6989.500000	---	49.29	54.00	4.71	1000.000	100.0	V	159.0	12.6


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2465.048000	95.20	---	---	1000.000	100.0	V	24.0	-0.9
2483.618000	40.25	74.00	33.75	1000.000	100.0	V	22.0	-1.0
2496.782000	43.55	74.00	30.45	1000.000	100.0	V	14.0	-1.0
2505.290000	44.63	74.00	29.37	1000.000	100.0	V	22.0	-1.0

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.660000	92.65	---	---	1000.000	100.0	V	0.0	-0.9
2476.724000	42.20	54.00	11.8	1000.000	100.0	V	43.0	-1.0
2483.648000	33.96	54.00	20.04	1000.000	100.0	V	21.0	-1.0
2500.004000	35.05	54.00	18.95	1000.000	100.0	V	0.0	-1.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (B mode-13Channel) -7GHZ~18GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
17737.833333	---	48.75	54.00	5.25	1000.000	100.0	H	18.0	18.0
15830.433333	50.32	---	74.00	23.68	1000.000	100.0	H	26.0	16.5
17955.266667	52.38	---	74.00	21.62	1000.000	200.0	H	28.0	19.2
16910.266667	---	47.80	54.00	6.20	1000.000	100.0	H	101.0	17.1
16910.633333	50.94	---	74.00	23.06	1000.000	100.0	H	101.0	17.1
16312.600000	51.06	---	74.00	22.94	1000.000	100.0	H	124.0	16.4
14602.833333	---	41.94	54.00	12.06	1000.000	100.0	H	175.0	13.3
15923.200000	---	46.91	54.00	7.09	1000.000	200.0	H	230.0	16.3
13498.433333	41.23	---	74.00	32.77	1000.000	200.0	H	248.0	9.9
15087.566667	---	43.54	54.00	10.46	1000.000	100.0	H	254.0	14.3
16321.033333	---	47.97	54.00	6.03	1000.000	100.0	H	321.0	16.4
14638.766667	44.71	---	74.00	29.29	1000.000	100.0	H	332.0	13.4

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (B mode-13Channel) -7GHZ~18GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
14674.700000	---	42.72	54.00	11.28	1000.000	200.0	V	106.0	13.4
13524.833333	41.12	---	74.00	32.88	1000.000	200.0	V	123.0	10.2
15888.366667	50.53	---	74.00	23.47	1000.000	200.0	V	162.0	16.4
15412.800000	---	44.87	54.00	9.13	1000.000	200.0	V	202.0	15.0
15900.833333	---	48.15	54.00	5.85	1000.000	200.0	V	213.0	16.4
17998.166667	---	49.00	54.00	5.00	1000.000	200.0	V	225.0	19.6
16330.933333	51.06	---	74.00	22.94	1000.000	100.0	V	233.0	16.3
16740.133333	51.04	---	74.00	22.96	1000.000	100.0	V	272.0	17.1
16719.966667	---	47.80	54.00	6.20	1000.000	100.0	V	283.0	17.0
17997.800000	52.60	---	74.00	21.40	1000.000	100.0	V	294.0	19.6
16322.866667	---	48.57	54.00	5.43	1000.000	100.0	V	350.0	16.4
14563.233333	45.50	---	74.00	28.50	1000.000	200.0	V	358.0	13.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-1Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.400000	41.37	---	74.00	32.63	1000.000	100.0	H	112.0	-4.5
1937.600000	---	37.18	54.00	16.82	1000.000	100.0	H	94.0	-4.5
2326.800000	---	52.67	54.00	1.33	1000.000	200.0	H	238.0	-3.2
2327.100000	59.05	---	74.00	14.95	1000.000	200.0	H	238.0	-3.2
2416.600000	102.89	---	---	---	1000.000	100.0	H	208.0	-2.5
2418.500000	---	97.45	---	---	1000.000	200.0	H	238.0	-2.5
2463.900000	---	48.50	54.00	5.50	1000.000	200.0	H	252.0	-1.8
2463.900000	53.63	---	74.00	20.37	1000.000	200.0	H	252.0	-1.8
2498.800000	---	47.73	54.00	6.27	1000.000	200.0	H	252.0	-1.8
2498.800000	54.49	---	74.00	19.51	1000.000	200.0	H	252.0	-1.8
4822.200000	---	46.29	54.00	7.71	1000.000	100.0	H	73.0	9.9
4822.200000	50.90	---	74.00	23.10	1000.000	100.0	H	73.0	9.9


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2320.290000	48.20	74.00	25.80	1000.000	100.0	H	89.0	-2.0
2329.964000	47.85	74.00	26.15	1000.000	100.0	H	57.0	-2.1
2400.006000	60.87	74.00	13.13	1000.000	100.0	H	1.0	-1.8
2412.494000	88.19	---	---	1000.000	100.0	H	36.0	-1.5

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2329.572000	31.30	54.00	22.70	1000.000	100.0	H	0.0	-2.1
2400.020000	40.18	54.00	13.82	1000.000	100.0	H	0.0	-1.8
2411.668000	74.44	---	---	1000.000	100.0	H	0.0	-1.5

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-1Channel) -1GHZ~7GHZ

Full Spectrum




Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2317.041667	---	47.81	54.00	6.19	1000.000	100.0	V	152.0	-3.1

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.600000	42.42	---	74.00	31.58	1000.000	100.0	V	180.0	-4.5
1937.600000	---	39.97	54.00	14.03	1000.000	100.0	V	180.0	-4.5
2324.900000	58.36	---	74.00	15.64	1000.000	100.0	V	195.0	-3.2
2407.000000	---	97.50	---	---	1000.000	200.0	V	2.0	-2.6
2411.100000	101.32	---	---	---	1000.000	200.0	V	334.0	-2.6
2464.000000	---	45.93	54.00	8.07	1000.000	100.0	V	180.0	-1.8
2493.900000	---	44.33	54.00	9.67	1000.000	200.0	V	322.0	-1.8
2493.900000	50.33	---	74.00	23.67	1000.000	200.0	V	322.0	-1.8
2937.400000	---	43.11	54.00	10.89	1000.000	100.0	V	167.0	0.1
2937.800000	46.27	---	74.00	27.73	1000.000	200.0	V	172.0	0.1
6837.900000	---	49.38	54.00	4.62	1000.000	100.0	V	0.0	12.2


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2318.806000	50.49	74.00	23.51	1000.000	100.0	V	24.0	-2.1
2360.190000	41.67	74.00	32.33	1000.000	100.0	V	6.0	-2.3
2400.006000	63.09	74.00	10.91	1000.000	100.0	V	2.0	-1.8
2412.984000	96.03	---	---	1000.000	100.0	V	36.0	-1.5

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2324.700000	42.80	54.00	11.2	1000.000	100.0	V	22.0	-2.1
2338.980000	36.24	54.00	17.76	1000.000	100.0	V	22.0	-2.2
2400.020000	45.11	54.00	8.89	1000.000	100.0	V	35.0	-1.8
2412.536000	85.56	---	---	1000.000	100.0	V	35.0	-1.5

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-1Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-1Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_VER




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1249.800000	35.51	---	74.00	38.49	1000.000	100.0	H	78.0	-9.2
1250.100000	---	30.47	54.00	23.53	1000.000	100.0	H	0.0	-9.2
1391.100000	37.35	---	74.00	36.65	1000.000	200.0	H	236.0	-8.6
2311.300000	57.73	---	74.00	16.27	1000.000	100.0	H	236.0	-3.1
2314.000000	---	47.42	54.00	6.58	1000.000	200.0	H	236.0	-3.1
2342.600000	55.93	---	74.00	18.07	1000.000	100.0	H	207.0	-3.2
2344.200000	---	50.26	54.00	3.74	1000.000	200.0	H	236.0	-3.2
2440.600000	---	98.83	---	---	1000.000	100.0	H	207.0	-2.0
2440.900000	103.40	---	---	---	1000.000	100.0	H	207.0	-2.0
2520.900000	53.47	---	74.00	20.53	1000.000	200.0	H	88.0	-1.6
4874.000000	---	42.92	54.00	11.08	1000.000	200.0	H	7.0	10.4
4874.300000	47.75	---	74.00	26.25	1000.000	200.0	H	18.0	10.4

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.400000	42.82	---	74.00	31.18	1000.000	100.0	V	194.0	-4.5
1937.400000	---	39.19	54.00	14.81	1000.000	100.0	V	194.0	-4.5
2288.100000	---	49.38	54.00	4.62	1000.000	100.0	V	152.0	-3.0
2317.800000	57.27	---	74.00	16.73	1000.000	100.0	V	167.0	-3.1
2430.900000	---	97.70	---	---	1000.000	200.0	V	312.0	-2.2
2431.900000	102.64	---	---	---	1000.000	200.0	V	1.0	-2.2
2937.500000	---	43.08	54.00	10.92	1000.000	100.0	V	167.0	0.1
3062.600000	46.96	---	74.00	27.04	1000.000	200.0	V	298.0	1.2
3062.600000	---	39.70	54.00	14.30	1000.000	200.0	V	298.0	1.2
4874.400000	---	43.24	54.00	10.76	1000.000	100.0	V	66.0	10.4
4874.700000	49.62	---	74.00	24.38	1000.000	200.0	V	0.0	10.4
6979.900000	---	49.51	54.00	4.49	1000.000	100.0	V	8.0	12.6

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR



TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_VER

