


TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1812.100000	39.68	---	74.00	34.32	1000.000	100.0	H	129.0	-5.4
1812.500000	---	34.89	54.00	19.11	1000.000	100.0	H	129.0	-5.4
2287.700000	55.39	---	74.00	18.61	1000.000	100.0	H	239.0	-3.0
2287.800000	---	50.28	54.00	3.72	1000.000	100.0	H	239.0	-3.0
2463.400000	105.15	---	---	---	1000.000	200.0	H	253.0	-1.8
2464.000000	---	98.97	---	---	1000.000	200.0	H	90.0	-1.8
2501.600000	47.97	---	74.00	26.03	1000.000	200.0	H	253.0	-1.8
2508.400000	53.87	---	74.00	20.13	1000.000	200.0	H	253.0	-1.7
2551.800000	52.71	---	74.00	21.29	1000.000	200.0	H	90.0	-1.4
2552.100000	---	46.58	54.00	7.42	1000.000	100.0	H	253.0	-1.4
4924.200000	---	44.48	54.00	9.52	1000.000	200.0	H	195.0	10.8
4924.800000	51.42	---	74.00	22.58	1000.000	100.0	H	204.0	10.8


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.654000	89.25	---	---	1000.000	100.0	H	23.0	-0.9
2483.594000	40.03	74.00	33.97	1000.000	100.0	H	40.0	-1.0
2498.432000	41.98	74.00	32.02	1000.000	100.0	H	33.0	-1.0
2509.742000	42.92	74.00	31.08	1000.000	100.0	H	45.0	-1.0

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.564000	80.67	---	---	1000.000	100.0	H	24.0	-0.9
2483.492000	33.07	54.00	20.93	1000.000	100.0	H	24.0	-1.0
2495.732000	33.39	54.00	20.61	1000.000	100.0	H	24.0	-1.0
2508.032000	33.69	54.00	20.31	1000.000	100.0	H	24.0	-1.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1937.500000	---	38.76	54.00	15.24	1000.000	100.0	V	180.0	-4.5
1937.700000	42.06	---	74.00	31.94	1000.000	100.0	V	180.0	-4.5
2288.100000	---	49.98	54.00	4.02	1000.000	100.0	V	151.0	-3.0
2332.400000	56.98	---	74.00	17.02	1000.000	100.0	V	151.0	-3.2
2466.400000	102.45	---	---	---	1000.000	200.0	V	40.0	-1.8
2466.500000	---	97.47	---	---	1000.000	200.0	V	40.0	-1.8
2548.300000	50.86	---	74.00	23.14	1000.000	100.0	V	328.0	-1.4
2548.400000	---	43.70	54.00	10.30	1000.000	200.0	V	22.0	-1.4
4924.500000	---	44.48	54.00	9.52	1000.000	200.0	V	124.0	10.8
4924.600000	49.71	---	74.00	24.29	1000.000	100.0	V	0.0	10.8
6578.500000	---	48.68	54.00	5.32	1000.000	100.0	V	130.0	12.2
6998.900000	---	49.46	54.00	4.54	1000.000	100.0	V	71.0	12.6


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2467.304000	98.33	---	---	1000.000	100.0	V	37.0	-0.9
2483.528000	44.65	74.00	29.35	1000.000	100.0	V	44.0	-1.0
2485.394000	47.51	74.00	26.49	1000.000	100.0	V	44.0	-1.0
2506.496000	45.45	74.00	28.55	1000.000	100.0	V	22.0	-1.0

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.708000	84.92	---	---	1000.000	100.0	V	0.0	-0.9
2483.516000	36.33	54.00	17.67	1000.000	100.0	V	45.0	-1.0
2499.908000	35.73	54.00	18.27	1000.000	100.0	V	21.0	-1.0
2508.176000	35.32	54.00	18.68	1000.000	100.0	V	21.0	-1.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (G mode-13Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (G mode-13Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_VER




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (N mode-20MHz-1Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1499.800000	---	33.61	54.00	20.39	1000.000	100.0	H	209.0	-7.3
1499.800000	38.11	---	74.00	35.89	1000.000	100.0	H	209.0	-7.3
1937.400000	---	39.95	54.00	14.05	1000.000	100.0	H	129.0	-4.5
1937.500000	42.79	---	74.00	31.21	1000.000	100.0	H	129.0	-4.5
2326.600000	55.60	---	74.00	18.40	1000.000	200.0	H	245.0	-3.2
2328.100000	---	48.88	54.00	5.12	1000.000	200.0	H	245.0	-3.2
2411.900000	94.68	---	---	---	1000.000	100.0	H	195.0	-2.6
2412.000000	---	88.36	---	---	1000.000	100.0	H	249.0	-2.6
2493.500000	---	44.85	54.00	9.15	1000.000	100.0	H	99.0	-1.8
2496.000000	52.21	---	74.00	21.79	1000.000	200.0	H	245.0	-1.8
4824.100000	49.53	---	74.00	24.47	1000.000	200.0	H	340.0	9.9
4824.300000	---	42.97	54.00	11.03	1000.000	200.0	H	41.0	9.9


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2318.540000	56.52	74.00	17.48	1000.000	100.0	H	238.0	-2.1
2360.344000	49.21	74.00	24.79	1000.000	100.0	H	195.0	-2.3
2400.006000	72.75	74.00	1.25	1000.000	100.0	H	98.0	-1.8
2412.060000	94.96	---	---	1000.000	100.0	H	195.0	-1.5

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.756000	44.63	54.00	9.37	1000.000	100.0	H	241.0	-2.1
2359.840000	38.26	54.00	15.74	1000.000	100.0	H	245.0	-2.3
2400.020000	52.71	54.00	1.29	1000.000	100.0	H	101.0	-1.8
2412.004000	84.99	---	---	1000.000	100.0	H	185.0	-1.5

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (N mode-20MHz-1Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1499.900000	38.16	---	74.00	35.84	1000.000	100.0	V	180.0	-7.3
1500.000000	---	34.98	54.00	19.02	1000.000	200.0	V	183.0	-7.3
2287.800000	52.82	---	74.00	21.18	1000.000	100.0	V	149.0	-3.0
2287.900000	---	49.77	54.00	4.23	1000.000	100.0	V	149.0	-3.0
2410.400000	---	90.36	---	---	1000.000	200.0	V	333.0	-2.6
2412.100000	95.69	---	---	---	1000.000	200.0	V	333.0	-2.6
2464.000000	---	45.98	54.00	8.02	1000.000	200.0	V	333.0	-1.8
2464.000000	49.95	---	74.00	24.05	1000.000	100.0	V	165.0	-1.8
2937.400000	48.41	---	74.00	25.59	1000.000	100.0	V	149.0	0.1
2937.500000	---	46.83	54.00	7.17	1000.000	100.0	V	149.0	0.1
4824.000000	---	42.69	54.00	11.31	1000.000	200.0	V	220.0	9.9
4824.000000	49.36	---	74.00	24.64	1000.000	200.0	V	220.0	9.9


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2324.686000	54.39	74.00	19.61	1000.000	100.0	V	155.0	-2.1
2360.050000	49.87	74.00	24.13	1000.000	100.0	V	155.0	-2.3
2400.034000	68.50	74.00	5.50	1000.000	100.0	V	170.0	-1.8
2412.018000	94.06	---	---	1000.000	100.0	V	183.0	-1.5

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2331.896000	46.11	54.00	7.89	1000.000	100.0	V	160.0	-2.1
2338.980000	41.70	54.00	12.3	1000.000	100.0	V	160.0	-2.2
2400.020000	50.93	54.00	3.07	1000.000	100.0	V	169.0	-1.8
2412.144000	84.98	---	---	1000.000	100.0	V	187.0	-1.5

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (N mode-20MHz-1Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (N mode-20MHz-1Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (N mode-20MHz-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1500.000000	---	34.53	54.00	19.47	1000.000	100.0	H	205.0	-7.3
1500.000000	38.79	---	74.00	35.21	1000.000	100.0	H	205.0	-7.3
1937.600000	---	38.91	54.00	15.09	1000.000	100.0	H	124.0	-4.5
1937.600000	41.62	---	74.00	32.38	1000.000	100.0	H	124.0	-4.5
2343.200000	---	47.55	54.00	6.45	1000.000	200.0	H	234.0	-3.2
2343.900000	53.99	---	74.00	20.01	1000.000	200.0	H	234.0	-3.2
2436.900000	100.72	---	---	---	1000.000	200.0	H	103.0	-2.0
2437.800000	---	93.84	---	---	1000.000	200.0	H	103.0	-2.0
2529.500000	---	45.28	54.00	8.72	1000.000	200.0	H	86.0	-1.5
2529.500000	52.19	---	74.00	21.81	1000.000	200.0	H	86.0	-1.5
4873.900000	46.46	---	74.00	27.54	1000.000	200.0	H	313.0	10.4
4874.100000	---	42.10	54.00	11.90	1000.000	100.0	H	192.0	10.4

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (N mode-20MHz-7Channel) -1GHZ~7GHZ

Full Spectrum



Final Result


Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2287.900000	52.90	---	74.00	21.10	1000.000	100.0	V	150.0	-3.0
2288.100000	---	49.10	54.00	4.90	1000.000	100.0	V	150.0	-3.0
2436.800000	96.12	---	---	---	1000.000	200.0	V	2.0	-2.0
2437.100000	---	90.09	---	---	1000.000	200.0	V	357.0	-2.0
2937.600000	---	46.15	54.00	7.85	1000.000	100.0	V	165.0	0.1
2937.600000	48.05	---	74.00	25.95	1000.000	100.0	V	165.0	0.1
4873.900000	---	44.63	54.00	9.37	1000.000	100.0	V	359.0	10.4
4874.800000	49.14	---	74.00	24.86	1000.000	100.0	V	21.0	10.4
6570.900000	---	49.36	54.00	4.64	1000.000	100.0	V	67.0	12.2
6812.100000	54.26	---	74.00	19.74	1000.000	100.0	V	281.0	12.1
6949.400000	---	49.35	54.00	4.65	1000.000	100.0	V	255.0	12.5
6982.700000	55.24	---	74.00	18.76	1000.000	100.0	V	79.0	12.6

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (N mode-20MHz-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_HOR




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (N mode-20MHz-7Channel) -7GHZ~18GHZ

FCC CLASS B HF7.0_7G-18G_VER




TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Horizontal (N mode-20MHz-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1812.400000	---	34.39	54.00	19.61	1000.000	100.0	H	116.0	-5.4
1812.600000	40.32	---	74.00	33.68	1000.000	100.0	H	116.0	-5.4
1937.600000	---	40.09	54.00	13.91	1000.000	100.0	H	130.0	-4.5
1937.600000	43.63	---	74.00	30.37	1000.000	100.0	H	130.0	-4.5
2328.500000	53.71	---	74.00	20.29	1000.000	200.0	H	243.0	-3.2
2331.800000	---	46.90	54.00	7.10	1000.000	200.0	H	243.0	-3.2
2461.900000	---	89.05	---	---	1000.000	100.0	H	250.0	-1.8
2461.900000	95.04	---	---	---	1000.000	100.0	H	250.0	-1.8
2543.500000	50.87	---	74.00	23.13	1000.000	100.0	H	99.0	-1.4
2551.900000	---	44.05	54.00	9.95	1000.000	100.0	H	250.0	-1.4
4923.800000	---	45.07	54.00	8.93	1000.000	200.0	H	9.0	10.8
4924.600000	49.75	---	74.00	24.25	1000.000	200.0	H	338.0	10.8


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2461.952000	93.10	---	---	1000.000	100.0	H	203.0	-0.9
2483.510000	52.47	74.00	21.53	1000.000	100.0	H	100.0	-1.0
2499.938000	49.15	74.00	24.85	1000.000	100.0	H	244.0	-1.0
2508.908000	48.29	74.00	25.71	1000.000	100.0	H	249.0	-1.0

Full Spectrum



Final Result


Frequency (MHz)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2461.820000	86.50	---	---	1000.000	100.0	H	128.0	-0.9
2483.504000	41.71	54.00	12.29	1000.000	100.0	H	201.0	-1.0
2500.088000	40.31	54.00	13.69	1000.000	100.0	H	106.0	-1.0
2508.008000	38.97	54.00	15.03	1000.000	100.0	H	106.0	-1.0

TEST

Electric Field Strength

EUT: ZXR10 1800-2S(W)
Manufacturer: ZTE Corporation
Operating Condition: Running
Test Site: ZTETS EMC Shenzhen LAB
Operator: Zhang Qichao
Test Specification: FCC Part 15 CLASS B
Comment: Vertical (N mode-20MHz-13Channel) -1GHZ~7GHZ


Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2012.600000	---	39.97	54.00	14.03	1000.000	200.0	V	324.0	-3.5
2012.900000	43.12	---	74.00	30.88	1000.000	200.0	V	324.0	-3.5
2288.100000	---	48.84	54.00	5.16	1000.000	100.0	V	161.0	-3.0
2342.400000	53.29	---	74.00	20.71	1000.000	100.0	V	161.0	-3.2
2468.300000	---	94.96	---	---	1000.000	200.0	V	0.0	-1.8
2468.600000	101.19	---	---	---	1000.000	100.0	V	146.0	-1.8
2937.500000	---	46.82	54.00	7.18	1000.000	100.0	V	161.0	0.1
4923.900000	50.61	---	74.00	23.39	1000.000	200.0	V	29.0	10.8
4923.900000	---	44.29	54.00	9.71	1000.000	200.0	V	29.0	10.8
6529.800000	53.88	---	74.00	20.12	1000.000	200.0	V	242.0	11.9
6912.000000	---	49.06	54.00	4.94	1000.000	200.0	V	0.0	12.3
6982.500000	55.01	---	74.00	18.99	1000.000	200.0	V	145.0	12.6

Full Spectrum



Final Result

Frequency (MHz)	MaxPeak (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
2462.630000	97.25	---	---	1000.000	100.0	V	145.0	-0.9
2483.504000	45.91	74.00	28.09	1000.000	100.0	V	187.0	-1.0
2484.938000	48.09	74.00	25.91	1000.000	100.0	V	162.0	-1.0
2508.080000	45.97	74.00	28.03	1000.000	100.0	V	155.0	-1.0