

Fig.A.6.1.33 Conducted Spurious Emission (802.11g, Ch6, Center Frequency)




Fig.A.6.1.34 Conducted Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Fig.A.6.1.35 Conducted Spurious Emission (802.11g, Ch6, 1 GHz-2.5 GHz)




Fig.A.6.1.36 Conducted Spurious Emission (802.11g, Ch6, 2.5 GHz-7.5 GHz)




Fig.A.6.1.37 Conducted Spurious Emission (802.11g, Ch6, 7.5 GHz-10 GHz)




Fig.A.6.1.38 Conducted Spurious Emission (802.11g, Ch6, 10 GHz-15 GHz)




Fig.A.6.1.39 Conducted Spurious Emission (802.11g, Ch6, 15 GHz-20 GHz)




Fig.A.6.1.40 Conducted Spurious Emission (802.11g, Ch6, 20 GHz-26 GHz)




Fig.A.6.1.41 Conducted Spurious Emission (802.11g, Ch11, Center Frequency)




Fig.A.6.1.42 Conducted Spurious Emission (802.11g, Ch11, 30 MHz-1 GHz)




Fig.A.6.1.43 Conducted Spurious Emission (802.11g, Ch11, 1 GHz-2.5 GHz)




Fig.A.6.1.44 Conducted Spurious Emission (802.11g, Ch11, 2.5 GHz-7.5 GHz)




Fig.A.6.1.45 Conducted Spurious Emission (802.11g, Ch11, 7.5 GHz-10 GHz)




Fig.A.6.1.46 Conducted Spurious Emission (802.11g, Ch11, 10 GHz-15 GHz)




Fig.A.6.1.47 Conducted Spurious Emission (802.11g, Ch11, 15 GHz-20 GHz)




Fig.A.6.1.48 Conducted Spurious Emission (802.11g, Ch11, 20 GHz-26 GHz)




Fig.A.6.1.49 Conducted Spurious Emission (802.11n-HT20, Ch1, Center Frequency)




Fig.A.6.1.50 Conducted Spurious Emission (802.11n-HT20, Ch1, 30 MHz-1 GHz)




Fig.A.6.1.51 Conducted Spurious Emission (802.11n-HT20, Ch1, 1 GHz-2.5 GHz)




Fig.A.6.1.52 Conducted Spurious Emission (802.11n-HT20, Ch1, 2.5 GHz-7.5 GHz)




Fig.A.6.1.53 Conducted Spurious Emission (802.11n-HT20, Ch1, 7.5 GHz-10 GHz)




Fig.A.6.1.54 Conducted Spurious Emission (802.11n-HT20, Ch1, 10 GHz-15 GHz)




Fig.A.6.1.55 Conducted Spurious Emission (802.11n-HT20, Ch1, 15 GHz-20 GHz)




Fig.A.6.1.56 Conducted Spurious Emission (802.11n-HT20, Ch1, 20 GHz-26 GHz)




Fig.A.6.1.57 Conducted Spurious Emission (802.11n-HT20, Ch6, Center Frequency)




Fig.A.6.1.58 Conducted Spurious Emission (802.11n-HT20, Ch6, 30 MHz-1 GHz)




Fig.A.6.1.59 Conducted Spurious Emission (802.11n-HT20, Ch6, 1 GHz-2.5 GHz)




Fig.A.6.1.60 Conducted Spurious Emission (802.11n-HT20, Ch6, 2.5 GHz-7.5 GHz)




Fig.A.6.1.61 Conducted Spurious Emission (802.11n-HT20, Ch6, 7.5 GHz-10 GHz)




Fig.A.6.1.62 Conducted Spurious Emission (802.11n-HT20, Ch6, 10 GHz-15 GHz)




Fig.A.6.1.63 Conducted Spurious Emission (802.11n-HT20, Ch6, 15 GHz-20 GHz)




Fig.A.6.1.64 Conducted Spurious Emission (802.11n-HT20, Ch6, 20 GHz-26 GHz)




Fig.A.6.1.65 Conducted Spurious Emission (802.11n-HT20, Ch11, Center Frequency)




Fig.A.6.1.66 Conducted Spurious Emission (802.11n-HT20, Ch11, 30 MHz-1 GHz)




Fig.A.6.1.67 Conducted Spurious Emission (802.11n-HT20, Ch11, 1 GHz-2.5 GHz)




Fig.A.6.1.68 Conducted Spurious Emission (802.11n-HT20, Ch11, 2.5 GHz-7.5 GHz)




Fig.A.6.1.69 Conducted Spurious Emission (802.11n-HT20, Ch11, 7.5 GHz-10 GHz)




Fig.A.6.1.70 Conducted Spurious Emission (802.11n-HT20, Ch11, 10 GHz-15 GHz)




Fig.A.6.1.71 Conducted Spurious Emission (802.11n-HT20, Ch11, 15 GHz-20 GHz)




Fig.A.6.1.72 Conducted Spurious Emission (802.11n-HT20, Ch11, 20 GHz-26 GHz)

A.6.2 Transmitter Spurious Emission - Radiated

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to KDB558074.

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

EUT ID:EUT1

Modulation type and data rate tested:

802.11b	802.11g	802.11n-HT20
5.5Mbps(CCK)	12Mbps(OFDM)	MCS0(OFDM)

Measurement Results:

802.11b/g mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11b	Power	2.38GHz ~2.45GHz	Fig.A.6.2.1	P
	1	30 MHz ~1 GHz	Fig.A.6.2.2	P
		1 GHz ~ 3 GHz	Fig.A.6.2.3	P
		3 GHz ~ 18 GHz	Fig.A.6.2.4	P
	6	30 MHz ~1 GHz	Fig.A.6.2.5	P
		1 GHz ~ 3 GHz	Fig.A.6.2.6	P
		3 GHz ~ 18 GHz	Fig.A.6.2.7	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.8	P
	11	30 MHz ~1 GHz	Fig.A.6.2.9	P
		1 GHz ~ 3 GHz	Fig.A.6.2.10	P
		3 GHz ~ 18 GHz	Fig.A.6.2.11	P
	802.11g	Power	2.38GHz ~2.43GHz	Fig.A.6.2.12
1		30 MHz ~1 GHz	Fig.A.6.2.13	P
		1 GHz ~ 3 GHz	Fig.A.6.2.14	P
		3 GHz ~ 18 GHz	Fig.A.6.2.15	P
6		30 MHz ~1 GHz	Fig.A.6.2.16	P
		1 GHz ~ 3 GHz	Fig.A.6.2.17	P
		3 GHz ~ 18 GHz	Fig.A.6.2.18	P
Power		2.45GHz ~2.5GHz	Fig.A.6.2.19	P
11		30 MHz ~1 GHz	Fig.A.6.2.20	P
		1 GHz ~ 3 GHz	Fig.A.6.2.21	P
		3 GHz ~ 18 GHz	Fig.A.6.2.22	P

802.11n mode

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (HT20)	Power	2.38GHz ~2.45GHz	Fig.A.6.2.23	P
	1	30 MHz ~1 GHz	Fig.A.6.2.24	P
		1 GHz ~ 3 GHz	Fig.A.6.2.25	P
		3 GHz ~ 18 GHz	Fig.A.6.2.26	P
	6	30 MHz ~1 GHz	Fig.A.6.2.27	P
		1 GHz ~ 3 GHz	Fig.A.6.2.28	P
		3 GHz ~ 18 GHz	Fig.A.6.2.29	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.30	P
	11	30 MHz ~1 GHz	Fig.A.6.2.31	P
		1 GHz ~ 3 GHz	Fig.A.6.2.32	P
		3 GHz ~ 18 GHz	Fig.A.6.2.33	P
	/	All channels	18 GHz~ 26.5 GHz	Fig.A.6.2.34

Conclusion: Pass

Measurement Uncertainty:

Frequency Range	Uncertainty(dB)
$f \leq 1\text{GHz}$	3.9
$f > 1\text{GHz}$	4.3

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

$$\text{Result} = P_{Mea} + A_{Rpl} = P_{Mea} + \text{Cable Loss} + \text{Antenna Factor}$$

802.11b

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
2390.000	36.3	-38.8	27.7	47.400	HORIZONTAL
17983.125	54.1	-17.7	45.6	26.200	HORIZONTAL
17631.563	53.7	-18.9	45.6	27.000	HORIZONTAL
17848.594	53.6	-18.5	45.6	26.500	VERTICAL
17936.250	53.6	-17.7	45.6	25.700	VERTICAL
17928.750	53.3	-17.7	45.6	25.400	VERTICAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
17792.344	53.9	-18.5	45.6	26.800	HORIZONTAL
17773.594	53.8	-18.5	45.6	26.700	VERTICAL
17792.813	53.3	-18.5	45.6	26.200	VERTICAL
17833.125	53.1	-18.5	45.6	26.000	VERTICAL
17910.938	53.0	-18.5	45.6	25.900	VERTICAL
17981.719	52.9	-17.7	45.6	25.000	HORIZONTAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
2438.500	40.1	-39.0	27.7	51.400	HORIZONTAL
17917.031	54.3	-17.7	45.6	26.400	VERTICAL
17917.500	54.2	-17.7	45.6	26.300	HORIZONTAL
17914.219	53.9	-18.5	45.6	26.800	HORIZONTAL
17893.594	53.6	-18.5	45.6	26.500	HORIZONTAL
17572.969	53.5	-18.9	45.6	26.800	VERTICAL

802.11g

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2390.000	37.5	-38.8	27.7	48.600	VERTICAL
17782.031	54.3	-18.5	45.6	27.200	VERTICAL
17910.469	54.1	-18.5	45.6	27.000	VERTICAL
17793.750	53.9	-18.5	45.6	26.800	HORIZONTAL
17928.281	53.9	-17.7	45.6	26.000	VERTICAL
17696.719	53.8	-18.9	45.6	27.100	HORIZONTAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17945.156	54.3	-17.7	45.6	26.400	VERTICAL
17779.688	53.1	-18.5	45.6	26.000	HORIZONTAL
17883.750	53.1	-18.5	45.6	26.000	HORIZONTAL
17746.875	53.1	-18.5	45.6	26.000	HORIZONTAL
17925.469	53.0	-17.7	45.6	25.100	VERTICAL
17986.406	52.9	-17.7	45.6	25.000	VERTICAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2483.500	47.9	-38.9	27.7	59.100	HORIZONTAL
17767.969	54.0	-18.5	45.6	26.900	VERTICAL
17952.656	53.7	-17.7	45.6	25.800	VERTICAL
17606.719	53.1	-18.9	45.6	26.400	VERTICAL
17862.656	52.8	-18.5	45.6	25.700	VERTICAL
17925.469	52.7	-17.7	45.6	24.800	VERTICAL

802.11n-HT20

Ch1

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2390.000	39.2	-38.8	27.7	50.300	HORIZONTAL
17920.781	54.1	-17.7	45.6	26.200	HORIZONTAL
17935.313	53.7	-17.7	45.6	25.800	HORIZONTAL
17602.031	53.7	-18.9	45.6	27.000	VERTICAL
17867.344	53.1	-18.5	45.6	26.000	VERTICAL
17947.500	53.0	-17.7	45.6	25.100	VERTICAL

Ch6

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
17876.250	54.0	-18.5	45.6	26.900	VERTICAL
17914.219	53.4	-18.5	45.6	26.300	VERTICAL
17913.750	53.3	-18.5	45.6	26.200	VERTICAL
17857.500	53.2	-18.5	45.6	26.100	VERTICAL
17980.313	52.9	-17.7	45.6	25.000	VERTICAL
17792.813	52.9	-18.5	45.6	25.800	HORIZONTAL

Ch11

Frequency(MHz)	Result (dBuV/m)	Cable Loss(dB)	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
2483.500	54.9	-38.9	27.7	66.100	HORIZONTAL
17759.531	53.2	-18.5	45.6	26.100	VERTICAL
17995.313	53.1	-17.7	45.6	25.200	VERTICAL
17917.969	52.9	-17.7	45.6	25.000	VERTICAL
17935.781	52.6	-17.7	45.6	24.700	HORIZONTAL
17670.469	52.5	-18.9	45.6	25.800	HORIZONTAL

Test graphs as below:




Fig.A.6.2.1 Radiated Spurious Emission (Power): 802.11b, ch1, 2.38 GHz – 2.45GHz




Fig.A.6.2.2 Radiated Spurious Emission (802.11b, Ch1, 30 MHz-1 GHz)




Fig.A.6.2.3 Radiated Spurious Emission (802.11b, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.4 Radiated Spurious Emission (802.11b, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.5 Radiated Spurious Emission (802.11b, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.6 Radiated Spurious Emission (802.11b, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.7 Radiated Spurious Emission (802.11b, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.8 Radiated Spurious Emission (Power): 802.11b, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.9 Radiated Spurious Emission (802.11b, Ch11, 30 MHz-1 GHz)




Fig.A.6.2.10 Radiated Spurious Emission (802.11b, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.11 Radiated Spurious Emission (802.11b, Ch11, 3 GHz-18 GHz)




Fig.A.6.2.12 Radiated Spurious Emission (Power): 802.11g, ch1, 2.38 GHz - 2.45GHz




Fig.A.6.2.13 Radiated Spurious Emission (802.11g, Ch1, 30 MHz-1 GHz)




Fig.A.6.2.14 Radiated Spurious Emission (802.11g, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.15 Radiated Spurious Emission (802.11g, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.16 Radiated Spurious Emission (802.11g, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.17 Radiated Spurious Emission (802.11g, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.18 Radiated Spurious Emission (802.11g, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.19 Radiated Spurious Emission (Power): 802.11g, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.20 Radiated Spurious Emission (802.11g, Ch11, 30 MHz-1 GHz)




Fig.A.6.2.21 Radiated Spurious Emission (802.11g, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.22 Radiated Spurious Emission (802.11g, Ch11, 3 GHz-18 GHz)




Fig.A.6.2.23 Radiated Spurious Emission (Power): 802.11n-HT20, ch1, 2.38 GHz - 2.45GHz




Fig.A.6.2.24 Radiated Spurious Emission (802.11n-HT20, Ch1, 30 MHz-1 GHz)




Fig.A.6.2.25 Radiated Spurious Emission (802.11n-HT20, Ch1, 1 GHz-3 GHz)




Fig.A.6.2.26 Radiated Spurious Emission (802.11n-HT20, Ch1, 3 GHz-18 GHz)




Fig.A.6.2.27 Radiated Spurious Emission (802.11n-HT20, Ch6, 30 MHz-1 GHz)




Fig.A.6.2.28 Radiated Spurious Emission (802.11n-HT20, Ch6, 1 GHz-3 GHz)




Fig.A.6.2.29 Radiated Spurious Emission (802.11n-HT20, Ch6, 3 GHz-18 GHz)




Fig.A.6.2.30 Radiated Spurious Emission (Power): 802.11n-HT20, ch11, 2.45 GHz - 2.50GHz




Fig.A.6.2.31 Radiated Spurious Emission (802.11n-HT20, Ch11, 30 MHz-1 GHz)




Fig.A.6.2.32 Radiated Spurious Emission (802.11n-HT20, Ch11, 1 GHz-3 GHz)




Fig.A.6.2.33 Radiated Spurious Emission (802.11n-HT20, Ch11, 3 GHz-18 GHz)




Fig.A.6.2.34 Radiated Spurious Emission (All channels): 18GHz – 26.5GHz

A.7. AC Powerline Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

WLAN (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)		Conclusion
		With charger		
		802.11b	Idle	
0.15 to 0.5	66 to 56	Fig.A.7.1	Fig.A.7.2	P
0.5 to 5	56			
5 to 30	60			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

WLAN (Average Limit)

Frequency range (MHz)	Average Limit (dB μ V)	Result (dB μ V)		Conclusion
		With charger		
		802.11b	Idle	
0.15 to 0.5	56 to 46	Fig.A.7.1	Fig.A.7.2	P
0.5 to 5	46			
5 to 30	50			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to KDB558074.

Conclusion: Pass

Measurement uncertainty:

Expanded measurement uncertainty for this test item is $U = 3.2\text{dB}$, $k=2$.

Test graphs as below:




Fig.A.7.1 AC Powerline Conducted Emission-802.11b

Note: The graphic result above is the maximum of the measurements for both phase line and neutral line.

Final Result 1

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
1.635001	36.2	GND	N	9.9	19.8	56.0
1.666501	38.8	GND	N	9.9	17.2	56.0
1.698001	39.3	GND	N	9.9	16.7	56.0
1.716001	39.3	GND	N	9.9	16.7	56.0
1.729501	39.4	GND	N	9.9	16.6	56.0
1.797001	36.5	GND	N	9.9	19.5	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.303001	36.0	GND	L1	9.9	14.2	50.2
1.666501	28.8	GND	N	9.9	17.2	46.0
1.698001	29.1	GND	N	9.9	16.9	46.0
1.716001	29.3	GND	N	9.9	16.7	46.0
1.747501	29.0	GND	N	9.9	17.0	46.0
1.765501	29.1	GND	N	9.9	16.9	46.0




Fig.A.7.2 AC Powerline Conducted Emission-Idle

Note: The graphic result above is the maximum of the measurements for both phase line and neutral line.

Final Result 1

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.298501	44.3	GND	N	9.9	16.0	60.3
1.239001	35.6	GND	N	9.9	20.4	56.0
1.257001	35.9	GND	N	9.9	20.1	56.0
1.657501	33.9	GND	N	9.9	22.1	56.0
1.720501	33.4	GND	N	9.9	22.6	56.0
1.738501	33.8	GND	N	9.9	22.2	56.0

Final Result 2

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.294001	40.2	GND	L1	9.9	10.2	50.4
0.537001	30.8	GND	L1	9.9	15.2	46.0
1.117501	31.3	GND	L1	9.9	14.7	46.0
1.135501	30.5	GND	L1	9.9	15.5	46.0
1.176001	31.6	GND	L1	9.9	14.4	46.0
1.257001	28.4	GND	N	9.9	17.6	46.0

*** END OF REPORT BODY ***