

ANNEX I: The EUT Appearances and Test Configuration



a: EUT



b: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1104-0608SAR

Page 147 of 153




c: Back View

Picture 8: Constituents of EUT



Picture 9: Left Hand Touch Cheek Position




Picture 10: Left Hand Tilt 15 Degree Position




Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Body, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Body, the EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1104-0608SAR


Page 151 of 153



Picture 15: left edge, the distance from handset to the bottom of the Phantom is 10mm




Picture 16: right edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 17: bottom edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: Top edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 19: Body with Earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm