
Report No.: RZA1203-0414SAR01R2 Page 243 of 250

## **ANNEX J: The EUT Appearances and Test Configuration**



a: EUT






b: Battery

## TA Technology (Shanghai) Co., Ltd. Test Report


Report No.: RZA1203-0414SAR01R2 Page 244 of 250




c: Back View

Picture 10: Constituents of EUT

Report No.: RZA1203-0414SAR01R2 Page 245 of 250




Picture 11: Left Hand Touch Cheek Position




Picture 12: Left Hand Tilt 15 Degree Position

Report No.: RZA1203-0414SAR01R2 Page 246 of 250




Picture 13: Right Hand Touch Cheek Position



Picture 14: Right Hand Tilt 15 Degree Position

Report No.: RZA1203-0414SAR01R2 Page 247 of 250




Picture 15: Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Front Side, the distance from handset to the bottom of the Phantom is 10mm

Report No.: RZA1203-0414SAR01R2 Page 248 of 250




Picture 17: Left Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: Right Edge, the distance from handset to the bottom of the Phantom is 10mm

Report No.: RZA1203-0414SAR01R2 Page 249 of 250




Picture 19: Top Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 20: Bottom Edge, the distance from handset to the bottom of the Phantom is 10mm

Report No.: RZA1203-0414SAR01R2 Page 250 of 250



Picture 21: Back Side with earphone, the distance from handset to the bottom of the Phantom is 10mm



Picture 22: Front Side with earphone, the distance from handset to the bottom of the Phantom is 10mm