

ANNEX I: The EUT Appearances and Test Configuration



a: EUT




b: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1107-1271SAR

Page 172 of 178




c: Back View

Picture 8: Constituents of EUT



Picture 9: Left Hand Touch Cheek Position



Picture 10: Left Hand Tilt 15 Degree Position


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1107-1271SAR


Page 174 of 178



Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Back Side, the distance from handset to the bottom of the Phantom is 10mm




Picture 14: Front Side, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1107-1271SAR

Page 176 of 178



Picture 15: left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: right edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1107-1271SAR

Page 177 of 178



Picture 17: Top edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: bottom edge, the distance from handset to the bottom of the Phantom is 10mm


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1107-1271SAR

Page 178 of 178



Picture 19: Back Side with earphone, the distance from handset to the bottom of the Phantom is 10mm



Picture 20: Front Side with earphone, the distance from handset to the bottom of the Phantom is 10mm