Test Mode:	UNII-2A/TX N20 Mode_ANT 3

TX mode CH52



Date: 18.DEC.2015 17:49:03

TX mode CH64



Date: 18.DEC.2015 17:58:13

Test Mode:	UNII-2A/TX N40 Mode_ANT 1

TX mode CH54



Date: 19.DEC.2015 16:19:13

TX mode CH62



Date: 11.DEC.2015 15:56:39

Test Mode:	UNII-2A/TX N40 Mode_ANT 2

TX mode CH54



Date: 19.DEC.2015 16:18:49

TX mode CH62



Date: 23.DEC.2015 15:38:46

Test Mode:	UNII-2A/TX N40 Mode_ANT 3

TX mode CH54



Date: 19.DEC.2015 16:18:22

TX mode CH62



Date: 23.DEC.2015 15:33:14

Test Mode:	UNII-2C/TX A Mode

TX mode CH100



Date: 18.DEC.2015 15:46:04

TX mode CH140



Date: 26.FEB.2016 08:50:13

Test Mode:	UNII-2C/TX N20 Mode_ANT 1

TX mode CH100



Date: 18.DEC.2015 18:03:19

TX mode CH140



Date: 18.DEC.2015 18:16:32

Test Mode:	UNII-2C/TX N20 Mode_ANT 2

TX mode CH100



Date: 18.DEC.2015 18:04:06

TX mode CH140



Date: 18.DEC.2015 18:16:08

Test Mode:	UNII-2C/TX N20 Mode_ANT 3

TX mode CH100



Date: 18.DEC.2015 18:04:43

TX mode CH140



Date: 18.DEC.2015 18:15:39

Test Mode:	UNII-2C/TX N40 Mode_ANT 1

TX mode CH102



Date: 19.DEC.2015 16:23:37

TX mode CH134



Date: 19.DEC.2015 16:46:26

Test Mode:	UNII-2C/TX N40 Mode_ANT 2

TX mode CH102



Date: 19.DEC.2015 16:24:14

TX mode CH134



Date: 19.DEC.2015 16:46:48

Test Mode:	UNII-2C/TX N40 Mode_ANT 3

TX mode CH102



Date: 19.DEC.2015 16:24:58

TX mode CH134



Date: 19.DEC.2015 16:47:19

Test Mode:	UNII-3/TX A Mode

TX A Mode CH149



Date: 18.DEC.2015 16:00:44

TX A Mode CH165



Date: 18.DEC.2015 16:30:11

Test Mode:	UNII-3/TX N20 Mode_ANT 1

TX HT20 mode CH149



Date: 18.DEC.2015 18:22:33

TX HT20 mode CH165



Date: 18.DEC.2015 18:31:02

Test Mode:	UNII-3/TX N20 Mode_ANT 2

TX HT20 mode CH149



Date: 18.DEC.2015 18:20:12

X HT20 mode CH165



Date: 18.DEC.2015 18:31:59

Test Mode:	UNII-3/TX N20 Mode_ANT 3

TX HT20 mode CH149



Date: 18.DEC.2015 18:19:34

X HT20 mode CH165



Date: 18.DEC.2015 18:29:39

Test Mode:	UNII-3/TX N40 Mode_ANT 1

UNII-3/TX HT40 mode CH151



Date: 19.DEC.2015 16:50:18

UNII-3/TX HT40 mode CH159



Date: 19.DEC.2015 16:59:39

Test Mode:	UNII-3/TX N40 Mode_ANT 2

TX HT40 mode CH151



Date: 19.DEC.2015 16:49:56

HT40 mode CH159

Date: 19.DEC.2015 16:59:07

Test Mode:	UNII-3/TX N40 Mode_ANT 3

TX HT40 mode CH151



Date: 19.DEC.2015 16:48:55

HT40 mode CH159

Date: 19.DEC.2015 16:58:36

Test Mode:	UNII-1/TX AC20 Mode_ANT 1

TX mode CH36



Date: 19.DEC.2015 15:05:21

TX mode CH48



Date: 19.DEC.2015 15:14:00

Test Mode:	UNII-1/TX AC20 Mode_ANT 2

TX mode CH36



Date: 19.DEC.2015 15:04:55

TX mode CH48



Date: 29.DEC.2015 11:05:33

Test Mode:	UNII-1/TX AC20 Mode_ANT 3

TX mode CH36



Date: 19.DEC.2015 15:03:39

TX mode CH48



Date: 19.DEC.2015 15:14:26

Test Mode:	UNII-1/TX AC40 Mode_ANT 1

TX mode CH38



Date: 19.DEC.2015 17:05:03

TX mode CH46



Date: 19.DEC.2015 17:07:32

Test Mode:	UNII-1/TX AC40 Mode_ANT 2

TX mode CH38



Date: 19.DEC.2015 17:04:26

TX mode CH46



Date: 19.DEC.2015 17:08:12

Test Mode:	UNII-1/TX AC40 Mode_ANT 3

TX mode CH38



Date: 19.DEC.2015 17:03:46

TX mode CH46



Date: 23.DEC.2015 15:32:29

Test Mode:	UNII-1/TX AC80 Mode_ANT 1

TX mode CH42



Date: 19.DEC.2015 18:10:31



Date: 19.DEC.2015 18:09:51

Test Mode:	UNII-1/TX AC80 Mode_ANT 2

TX mode CH42



Date: 19.DEC.2015 18:08:35



Date: 19.DEC.2015 18:08:43

Test Mode:	UNII-1/TX AC80 Mode_ANT 3

TX mode CH42



Date: 19.DEC.2015 18:07:40



Date: 19.DEC.2015 18:07:48

Test Mode:	UNII-2A/TX AC20 Mode_ANT 1

TX mode CH52



Date: 19.DEC.2015 15:18:43

TX mode CH64



Date: 19.DEC.2015 15:24:35

Test Mode:	UNII-2A/TX AC20 Mode_ANT 2

TX mode CH52



Date: 19.DEC.2015 15:19:08

TX mode CH64



Date: 19.DEC.2015 15:23:52

Test Mode:	UNII-2A/TX AC20 Mode_ANT 3

TX mode CH52



Date: 19.DEC.2015 15:19:38

TX mode CH64



Date: 19.DEC.2015 15:23:28

Test Mode:	UNII-2A/TX AC40 Mode_ANT 1

TX mode CH54



Date: 19.DEC.2015 17:17:41

TX mode CH62



Date: 19.DEC.2015 17:21:09

Test Mode:	UNII-2A/TX AC40 Mode_ANT 2

TX mode CH54



Date: 19.DEC.2015 17:18:08

TX mode CH62



Date: 19.DEC.2015 17:20:32

Test Mode:	UNII-2A/TX AC40 Mode_ANT 3

TX mode CH54



Date: 19.DEC.2015 17:18:46

TX mode CH62



Date: 19.DEC.2015 17:19:54

Test Mode:	UNII-2A/TX AC80 Mode_ANT 1

TX mode CH58



Date: 19.DEC.2015 18:23:55



Date: 19.DEC.2015 18:25:56

Test Mode:	UNII-2A/TX AC80 Mode_ANT 2

TX mode CH58



Date: 19.DEC.2015 18:27:21



Date: 19.DEC.2015 18:30:31

Test Mode:	UNII-2A/TX AC80 Mode_ANT 3

TX mode CH58





Test Mode:	UNII-2C/TX AC20 Mode_ANT 1

TX mode CH100



Date: 19.DEC.2015 15:28:09

TX mode CH140



Date: 19.DEC.2015 15:32:46

Test Mode:	UNII-2C/TX AC20 Mode_ANT 2

TX mode CH100



Date: 19.DEC.2015 15:27:41

TX mode CH140



Date: 19.DEC.2015 15:32:22

Test Mode:	UNII-2C/TX AC20 Mode_ANT 3

TX mode CH100



Date: 19.DEC.2015 15:27:15

TX mode CH140



Date: 19.DEC.2015 15:31:59

Test Mode:	UNII-2C/TX AC40 Mode_ANT 1

TX mode CH102



Date: 19.DEC.2015 17:23:14

TX mode CH134



Date: 19.DEC.2015 17:49:34

Test Mode:	UNII-2C/TX AC40 Mode_ANT 2

TX mode CH102



Date: 19.DEC.2015 17:24:09

TX mode CH134



Date: 19.DEC.2015 17:49:57

Test Mode:	UNII-2C/TX AC40 Mode_ANT 3

TX mode CH102



Date: 19.DEC.2015 17:24:33

TX mode CH134



Date: 19.DEC.2015 17:50:21

Test Mode:	UNII-2C/TX AC80 Mode_ANT 1

TX mode CH106



Date: 19.DEC.2015 18:44:40

TX mode CH122



Date: 19.DEC.2015 18:49:42

Test Mode:	UNII-2C/TX AC80 Mode_ANT 2

TX mode CH106



Date: 19.DEC.2015 18:42:43

TX mode CH122



Date: 19.DEC.2015 18:50:54

Test Mode:	UNII-2C/TX AC80 Mode_ANT 3

TX mode CH106



Date: 19.DEC.2015 18:41:09

TX mode CH122



Date: 19.DEC.2015 18:51:34

Test Mode:	UNII-3/TX AC20 Mode_ANT 1

TX AC HT20 mode CH149



Date: 19.DEC.2015 15:38:38

TX AC HT20 mode CH165



Date: 19.DEC.2015 15:46:08

Test Mode:	UNII-3/TX AC20 Mode_ANT 2

TX AC HT20 mode CH149



Date: 19.DEC.2015 15:39:09

TX AC HT20 mode CH165



Date: 19.DEC.2015 15:46:51

Test Mode:	UNII-3/TX AC20 Mode_ANT 3

TX AC HT20 mode CH149



Date: 19.DEC.2015 15:39:39

TX AC HT20 mode CH165



Date: 19.DEC.2015 16:04:48

Test Mode:	UNII-3/TX AC40 Mode_ANT 1

TX AC HT40 mode CH151



Date: 19.DEC.2015 17:53:17

TX AC HT40 mode CH159



Date: 19.DEC.2015 18:04:50

Test Mode:	UNII-3/TX AC40 Mode_ANT 2

TX AC HT40 mode CH151



Date: 19.DEC.2015 17:52:56

TX AC HT40 mode CH159



Date: 19.DEC.2015 18:04:24

Test Mode:	UNII-3/TX AC40 Mode_ANT 3

TX AC HT40 mode CH151



Date: 19.DEC.2015 17:52:33

TX AC HT40 mode CH159



Date: 19.DEC.2015 17:56:00

Test Mode:	UNII-3/TX AC80 Mode_ANT 1

TX AC HT80 mode CH155



Date: 26.FEB.2016 08:56:04



Date: 19.DEC.2015 18:57:54

Test Mode:	UNII-3/TX AC80 Mode_ANT 2

TX AC HT80 mode CH155



Date: 19.DEC.2015 18:55:47



Date: 19.DEC.2015 18:55:55

Test Mode:	UNII-3/TX AC80 Mode_ANT 3

TX AC HT80 mode CH155



Date: 26.FEB.2016 09:12:30



Date: 19.DEC.2015 18:55:06

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.39	0.10	9.49	17.00
CH40	5200	8.86	0.10	8.96	17.00
CH48	5240	10.65	0.10	10.75	17.00

CH36



CH40



Date: 18.DEC.2015 15:33:34

CH48



Date: 18.DEC.2015 15:38:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.36	0.26	4.62	17.00
CH40	5200	5.15	0.26	5.41	17.00
CH48	5240	7.32	0.26	7.58	17.00

CH36



CH40



Date: 18.DEC.2015 17:17:23

CH48



Date: 18.DEC.2015 17:18:33

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.42	0.26	4.68	17.00
CH40	5200	5.28	0.26	5.54	17.00
CH48	5240	6.33	0.26	6.59	17.00

CH36



CH40



Date: 18.DEC.2015 17:16:58

CH48



Date: 18.DEC.2015 17:19:11

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.12	0.26	4.38	17.00
CH40	5200	5.00	0.26	5.26	17.00
CH48	5240	7.22	0.26	7.48	17.00

CH36



Date: 18.DEC.2015 17:04:53

CH40



Date: 18.DEC.2015 17:15:14

CH48



Date: 18.DEC.2015 17:19:46

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.33	17.00
CH40	5200	10.18	17.00
CH48	5240	12.01	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.32	1.29	3.61	17.00
CH46	5230	6.11	1.29	7.40	17.00

CH38



Date: 19.DEC.2015 15:50:50

CH46



Date: 19.DEC.2015 15:58:14

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.78	1.29	3.07	17.00
CH46	5230	4.94	1.29	6.23	17.00

CH38



Date: 19.DEC.2015 15:51:19

CH46



Date: 19.DEC.2015 15:57:49

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.99	1.29	3.28	17.00
CH46	5230	6.00	1.29	7.29	17.00

CH38



Date: 19.DEC.2015 15:51:44

CH46



Date: 19.DEC.2015 15:57:24

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.10	17.00
CH46	5230	11.78	17.00

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.50	0.10	7.60	10.00
CH40	5200	7.52	0.10	7.62	10.00
CH48	5240	7.36	0.10	7.46	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.60	2.00	9.60	10.00
CH40	5200	7.62	2.00	9.62	10.00
CH48	5240	7.46	2.00	9.46	10.00

CH36



Date: 19.DEC.2015 19:15:08

CH40



Date: 19.DEC.2015 19:16:43

CH48



Date: 19.DEC.2015 19:18:01

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.20	0.26	2.46	10.00
CH40	5200	1.89	0.26	2.15	10.00
CH48	5240	2.52	0.26	2.78	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.46	2.00	4.46	10.00
CH40	5200	2.15	2.00	4.15	10.00
CH48	5240	2.78	2.00	4.78	10.00

CH36



Date: 19.DEC.2015 19:22:38

CH40



Date: 19.DEC.2015 19:25:01

CH48



Date: 19.DEC.2015 19:28:11

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.92	0.26	2.18	10.00
CH40	5200	2.30	0.26	2.56	10.00
CH48	5240	2.01	0.26	2.27	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.18	2.00	4.18	10.00
CH40	5200	2.56	2.00	4.56	10.00
CH48	5240	2.27	2.00	4.27	10.00

CH36



Date: 19.DEC.2015 19:22:10

CH40



Date: 19.DEC.2015 19:25:54

CH48



Date: 19.DEC.2015 19:27:44

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.77	0.26	3.03	10.00
CH40	5200	2.79	0.26	3.05	10.00
CH48	5240	2.24	0.26	2.50	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.03	2.00	5.03	10.00
CH40	5200	3.05	2.00	5.05	10.00
CH48	5240	2.50	2.00	4.50	10.00

CH36



Date: 19.DEC.2015 19:21:12

CH40



Date: 19.DEC.2015 19:26:25

CH48



Date: 19.DEC.2015 19:29:10

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.34	10.00
CH40	5200	9.37	10.00
CH48	5240	9.29	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.50	1.29	2.79	10.00
CH46	5230	1.89	1.29	3.18	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.79	2.00	4.79	10.00
CH46	5230	3.18	2.00	5.18	10.00

CH38



Date: 19.DEC.2015 19:38:03

CH46



Date: 19.DEC.2015 19:40:50

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.50	1.29	2.79	10.00
CH46	5230	0.92	1.29	2.21	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.79	2.00	4.79	10.00
CH46	5230	2.21	2.00	4.21	10.00

CH38



Date: 19.DEC.2015 19:37:02

CH46



Date: 19.DEC.2015 19:40:05

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.60	1.29	2.89	10.00
CH46	5230	1.60	1.29	2.89	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.89	2.00	4.89	10.00
CH46	5230	2.89	2.00	4.89	10.00

CH38



Date: 19.DEC.2015 19:36:16

CH46



Date: 19.DEC.2015 19:39:05

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.60	10.00
CH46	5230	9.55	10.00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.47	0.10	9.57	11.00
CH60	5300	9.94	0.10	10.04	11.00
CH64	5320	9.85	0.10	9.95	11.00

CH52



CH60



Date: 18.DEC.2015 15:41:56

CH64



Date: 18.DEC.2015 15:42:31

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.45	0.26	5.71	11.00
CH60	5300	5.47	0.26	5.73	11.00
CH64	5320	5.49	0.26	5.75	11.00

CH52



CH60



Date: 18.DEC.2015 17:52:10

CH64



Date: 18.DEC.2015 17:56:47

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.98	0.26	5.24	11.00
CH60	5300	5.62	0.26	5.88	11.00
CH64	5320	5.62	0.26	5.88	11.00

CH52



Date: 18.DEC.2015 17:27:57

CH60



Date: 18.DEC.2015 17:52:40

CH64



Date: 18.DEC.2015 17:56:11

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.49	0.26	5.75	11.00
CH60	5300	5.61	0.26	5.87	11.00
CH64	5320	5.70	0.26	5.96	11.00

CH52



Date: 18.DEC.2015 17:28:27

CH60



Date: 18.DEC.2015 17:54:05

CH64



Date: 18.DEC.2015 17:55:39

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.34	11.00
CH60	5300	10.60	11.00
CH64	5320	10.64	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.27	1.29	1.02	11.00
CH62	5310	-0.51	1.29	0.78	11.00

CH54



Date: 25.MAY.2016 16:38:33

CH62



Date: 25.MAY.2016 16:38:58

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.19	1.29	0.10	11.00
CH62	5310	-0.86	1.29	0.43	11.00

CH54



Date: 25.MAY.2016 16:39:22

CH62



Date: 25.MAY.2016 16:39:49

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.18	1.29	1.47	11.00
CH62	5310	0.40	1.29	1.69	11.00

CH54



Date: 25.MAY.2016 16:40:29

CH62



Date: 25.MAY.2016 16:40:53

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.67	11.00
CH62	5310	5.77	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.72	0.10	9.82	11.00
CH116	5580	10.44	0.10	10.54	11.00
CH140	5700	8.53	0.10	8.63	11.00

CH100



Date: 18.DEC.2015 15:45:56

CH116



Date: 18.DEC.2015 15:50:19

CH140



Date: 18.DEC.2015 15:56:35

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.38	0.26	5.64	11.00
CH116	5580	5.51	0.26	5.77	11.00
CH140	5700	5.51	0.26	5.77	11.00

CH100



CH116



Date: 18.DEC.2015 18:10:15

CH140



Date: 18.DEC.2015 18:14:44

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.16	0.26	5.42	11.00
CH116	5580	5.46	0.26	5.72	11.00
CH140	5700	5.80	0.26	6.06	11.00

CH100



Date: 18.DEC.2015 18:00:27

CH116



Date: 18.DEC.2015 18:11:52

CH140



Date: 18.DEC.2015 18:13:26

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.23	0.26	5.49	11.00
CH116	5580	5.39	0.26	5.65	11.00
CH140	5700	5.16	0.26	5.42	11.00

CH100



Date: 18.DEC.2015 17:59:51

CH116



Date: 18.DEC.2015 18:05:53

CH140



Date: 18.DEC.2015 18:15:12

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.29	11.00
CH116	5580	10.48	11.00
CH140	5700	10.53	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.21	1.29	3.50	11.00
CH110	5550	4.42	1.29	5.71	11.00
CH134	5670	4.20	1.29	5.49	11.00

CH102



Date: 19.DEC.2015 16:23:29

CH110



Date: 19.DEC.2015 16:35:10

CH134



Date: 19.DEC.2015 16:45:44

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.82	1.29	3.11	11.00
CH110	5550	3.64	1.29	4.93	11.00
CH134	5670	4.38	1.29	5.67	11.00

CH102



CH110



Date: 19.DEC.2015 16:34:49

CH134



Date: 19.DEC.2015 16:45:12

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.12	1.29	3.41	11.00
CH110	5550	4.55	1.29	5.84	11.00
CH134	5670	4.54	1.29	5.83	11.00

CH102



Date: 19.DEC.2015 16:24:50

CH110



Date: 19.DEC.2015 16:34:11

CH134



Date: 19.DEC.2015 16:42:25

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	8.11	11.00
CH110	5550	10.28	11.00
CH134	5670	10.44	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.38	0.10	6.48	30.00
CH157	5785	12.30	0.10	12.40	30.00
CH165	5825	4.64	0.10	4.74	30.00

TX CH149



Date: 18.DEC.2015 16:00:54

TX CH157



Date: 18.DEC.2015 16:03:29

TX CH165



Date: 18.DEC.2015 16:30:22

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.44	0.26	6.70	30.00
CH157	5785	11.64	0.26	11.90	30.00
CH165	5825	6.64	0.26	6.90	30.00

TX CH149



TX CH157



Date: 18.DEC.2015 18:26:00

TX CH165



Date: 11.DEC.2015 14:45:06

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.93	0.26	6.19	30.00
CH157	5785	10.80	0.26	11.06	30.00
CH165	5825	3.85	0.26	4.11	30.00

TX CH149



TX CH157



Date: 18.DEC.2015 18:26:29

TX CH165



Date: 29.DEC.2015 11:12:45

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.28	0.26	6.54	30.00
CH157	5785	10.78	0.26	11.04	30.00
CH165	5825	4.78	0.26	5.04	30.00

TX CH149



TX CH157



Date: 18.DEC.2015 18:26:59

TX CH165



Date: 29.DEC.2015 11:13:25

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.25	30.00
CH157	5785	16.12	30.00
CH165	5825	10.28	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.73	1.29	0.56	30.00
CH159	5795	3.56	1.29	4.85	30.00

TX CH151



Date: 19.DEC.2015 16:51:07

TX CH159



Date: 19.DEC.2015 17:00:06

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.23	1.29	0.06	30.00
CH159	5795	3.46	1.29	4.75	30.00

TX CH151



Date: 19.DEC.2015 16:51:33

TX CH159



Date: 19.DEC.2015 17:00:49

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.53	1.29	0.76	30.00
CH159	5795	3.91	1.29	5.20	30.00

TX CH151



Date: 19.DEC.2015 16:52:46

TX CH159



Date: 19.DEC.2015 17:01:21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.24	30.00
CH159	5795	9.71	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.38	0.13	4.51	17.00
CH40	5200	5.22	0.13	5.35	17.00
CH48	5240	11.27	0.13	11.40	17.00

CH36



Date: 19.DEC.2015 15:01:02

CH40



Date: 19.DEC.2015 15:06:08

CH48



Date: 19.DEC.2015 15:11:51

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.05	0.13	4.18	17.00
CH40	5200	4.50	0.13	4.63	17.00
CH48	5240	10.26	0.13	10.39	17.00

CH36



Date: 19.DEC.2015 15:02:43

CH40



Date: 19.DEC.2015 15:06:38

CH48



Date: 19.DEC.2015 15:11:19

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.68	0.13	3.81	17.00
CH40	5200	4.91	0.13	5.04	17.00
CH48	5240	11.47	0.13	11.60	17.00

CH36



Date: 19.DEC.2015 15:03:15

CH40



Date: 19.DEC.2015 15:08:27

CH48



Date: 19.DEC.2015 15:10:50

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.95	17.00
CH40	5200	9.79	17.00
CH48	5240	15.93	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.53	1.03	2.56	17.00
CH46	5230	5.08	1.03	6.11	17.00

CH38



Date: 19.DEC.2015 17:04:55

CH46



Date: 19.DEC.2015 17:07:25

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.86	1.03	1.89	17.00
CH46	5230	4.05	1.03	5.08	17.00

CH38



Date: 19.DEC.2015 17:04:18

CH46



Date: 19.DEC.2015 17:08:04

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.40	1.03	2.43	17.00
CH46	5230	5.30	1.03	6.33	17.00

CH38



Date: 19.DEC.2015 17:03:38

CH46



Date: 19.DEC.2015 17:13:25

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.07	17.00
CH46	5230	10.64	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.75	1.38	0.63	17.00

CH42



Date: 19.DEC.2015 18:09:36

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.89	1.38	-0.51	17.00

CH42



Date: 19.DEC.2015 18:08:28

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.21	1.38	0.17	17.00

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.89	17.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.25	0.13	2.38	10.00
CH40	5200	2.75	0.13	2.88	10.00
CH48	5240	2.46	0.13	2.59	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.38	2.00	4.38	10.00
CH40	5200	2.88	2.00	4.88	10.00
CH48	5240	2.59	2.00	4.59	10.00

CH36



CH40



Date: 19.DEC.2015 19:54:40

CH48



Date: 19.DEC.2015 19:56:33

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.61	0.13	2.74	10.00
CH40	5200	2.22	0.13	2.35	10.00
CH48	5240	1.41	0.13	1.54	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.74	2.00	4.74	10.00
CH40	5200	2.35	2.00	4.35	10.00
CH48	5240	1.54	2.00	3.54	10.00

CH36



CH40



Date: 19.DEC.2015 19:54:15

CH48



Date: 19.DEC.2015 19:55:52

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.82	0.13	1.95	10.00
CH40	5200	2.79	0.13	2.92	10.00
CH48	5240	2.97	0.13	3.10	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.95	2.00	3.95	10.00
CH40	5200	2.92	2.00	4.92	10.00
CH48	5240	3.10	2.00	5.10	10.00

CH36



CH40



Date: 19.DEC.2015 19:53:50

CH48



Date: 19.DEC.2015 19:55:28

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.14	10.00
CH40	5200	9.50	10.00
CH48	5240	9.23	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.97	1.03	3.00	10.00
CH46	5230	2.07	1.03	3.10	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.00	2.00	5.00	10.00
CH46	5230	3.10	2.00	5.10	10.00

CH38



Date: 19.DEC.2015 19:48:36

CH46



Date: 19.DEC.2015 19:46:41

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.48	1.03	2.51	10.00
CH46	5230	1.39	1.03	2.42	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.51	2.00	4.51	10.00
CH46	5230	2.42	2.00	4.42	10.00

CH38



Date: 19.DEC.2015 19:48:13

CH46



Date: 19.DEC.2015 19:45:50

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.78	1.03	2.81	10.00
CH46	5230	2.08	1.03	3.11	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.81	2.00	4.81	10.00
CH46	5230	3.11	2.00	5.11	10.00

CH38



Date: 19.DEC.2015 19:47:47

CH46



Date: 19.DEC.2015 19:47:15

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.55	10.00
CH46	5230	9.66	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.03	1.38	0.35	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.35	2.00	2.35	10.00

CH42



Date: 4.JAN.2016 16:54:30

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.15	1.38	0.23	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.23	2.00	2.23	10.00

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.44	1.38	-0.06	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.06	2.00	1.94	10.00

CH42



Date: 4.JAN.2016 16:54:57

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	6.95	10.00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.33	0.13	5.46	11.00
CH60	5300	5.15	0.13	5.28	11.00
CH64	5320	4.94	0.13	5.07	11.00

CH52



Date: 19.DEC.2015 15:18:15

CH60



Date: 19.DEC.2015 15:21:10

CH64



Date: 19.DEC.2015 15:22:01

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.51	0.13	4.64	11.00
CH60	5300	5.07	0.13	5.20	11.00
CH64	5320	5.23	0.13	5.36	11.00

CH52



Date: 19.DEC.2015 15:17:33

CH60



Date: 19.DEC.2015 15:20:42

CH64



Date: 19.DEC.2015 15:22:31

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.41	0.13	5.54	11.00
CH60	5300	5.51	0.13	5.64	11.00
CH64	5320	5.42	0.13	5.55	11.00

CH52



Date: 19.DEC.2015 15:17:02

CH60



Date: 19.DEC.2015 15:20:17

CH64



Date: 19.DEC.2015 15:23:03

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.00	11.00
CH60	5300	10.15	11.00
CH64	5320	10.10	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.87	1.03	1.90	11.00
CH62	5310	0.75	1.03	1.78	11.00

CH54



Date: 25.MAY.2016 16:41:53

CH62



Date: 19.DEC.2015 17:21:01

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.12	1.03	0.91	11.00
CH62	5310	0.47	1.03	1.50	11.00

CH54



Date: 25.MAY.2016 16:42:02

CH62



Date: 19.DEC.2015 17:20:24

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.69	1.03	1.72	11.00
CH62	5310	1.01	1.03	2.04	11.00

CH54



Date: 25.MAY.2016 16:42:11

CH62



Date: 19.DEC.2015 17:19:46

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.30	11.00
CH62	5310	6.55	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.56	1.38	1.18	11.00

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.35	1.38	-1.97	11.00

CH58



Date: 25.MAY.2016 16:43:30

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.56	1.38	-1.18	11.00

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	4.33	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.72	0.13	5.85	11.00
CH116	5580	5.32	0.13	5.45	11.00
CH140	5700	5.60	0.13	5.73	11.00

CH100



Date: 19.DEC.2015 15:25:16

CH116



Date: 19.DEC.2015 15:35:52

CH140



Date: 19.DEC.2015 15:29:37

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.42	0.13	5.55	11.00
CH116	5580	4.60	0.13	4.73	11.00
CH140	5700	5.43	0.13	5.56	11.00

CH100



Date: 19.DEC.2015 15:26:08

CH116



Date: 19.DEC.2015 15:35:23

CH140



Date: 19.DEC.2015 15:30:25

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.73	0.13	5.86	11.00
CH116	5580	5.78	0.13	5.91	11.00
CH140	5700	5.67	0.13	5.80	11.00

CH100



Date: 19.DEC.2015 15:26:38

CH116



Date: 19.DEC.2015 15:34:56

CH140



Date: 19.DEC.2015 15:30:52

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.53	11.00
CH116	5580	10.16	11.00
CH140	5700	10.47	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.98	1.03	3.01	11.00
CH110	5550	4.44	1.03	5.47	11.00
CH134	5670	4.55	1.03	5.58	11.00

CH102



Date: 19.DEC.2015 17:26:17

CH110



Date: 19.DEC.2015 17:46:45

CH134



Date: 19.DEC.2015 17:49:11

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.55	1.03	2.58	11.00
CH110	5550	3.63	1.03	4.66	11.00
CH134	5670	4.84	1.03	5.87	11.00

CH102



Date: 19.DEC.2015 17:25:48

CH110



Date: 19.DEC.2015 17:45:06

CH134



Date: 19.DEC.2015 17:48:37

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.98	1.03	3.01	11.00
CH110	5550	4.74	1.03	5.77	11.00
CH134	5670	4.97	1.03	6.00	11.00

CH102



Date: 19.DEC.2015 17:25:23

CH110



Date: 19.DEC.2015 17:43:31

CH134



Date: 19.DEC.2015 17:48:11

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.64	11.00
CH110	5550	10.10	11.00
CH134	5670	10.59	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.10	1.38	1.28	11.00
CH122	5610	2.55	1.38	3.93	11.00

CH106



Date: 19.DEC.2015 18:43:30

CH122



Date: 19.DEC.2015 18:50:13

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.84	1.38	0.54	11.00
CH122	5610	2.30	1.38	3.68	11.00

CH106



Date: 19.DEC.2015 18:41:43

CH122



Date: 19.DEC.2015 18:50:46

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.08	1.38	1.30	11.00
CH122	5610	3.52	1.38	4.90	11.00

CH106



Date: 19.DEC.2015 18:40:44

CH122



Date: 19.DEC.2015 18:51:27

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	5.83	11.00
CH122	5610	8.97	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.67	0.13	4.80	30.00
CH157	5785	10.89	0.13	11.02	30.00
CH165	5825	4.59	0.13	4.72	30.00

TX CH149



TX CH157



Date: 19.DEC.2015 15:45:24

TX CH165



Date: 19.DEC.2015 15:49:20

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.35	0.13	4.48	30.00
CH157	5785	10.14	0.13	10.27	30.00
CH165	5825	3.68	0.13	3.81	30.00

TX CH149



TX CH157



Date: 19.DEC.2015 15:44:57

TX CH165



Date: 19.DEC.2015 15:48:55

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.97	0.13	5.10	30.00
CH157	5785	10.34	0.13	10.47	30.00
CH165	5825	4.85	0.13	4.98	30.00

TX CH149



TX CH157



Date: 19.DEC.2015 15:44:05

TX CH165



Date: 19.DEC.2015 15:48:19

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.57	30.00
CH157	5785	15.37	30.00
CH165	5825	9.30	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.79	1.03	0.24	30.00
CH159	5795	4.29	1.03	5.32	30.00

TX CH151



Date: 19.DEC.2015 17:54:31

TX CH159



Date: 19.DEC.2015 18:05:12

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.33	1.03	-0.30	30.00
CH159	5795	3.77	1.03	4.80	30.00

TX CH151



Date: 19.DEC.2015 17:54:56

TX CH159



Date: 19.DEC.2015 18:05:53

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.69	1.03	0.34	30.00
CH159	5795	4.42	1.03	5.45	30.00

TX CH151



Date: 19.DEC.2015 17:55:16

TX CH159



Date: 19.DEC.2015 18:06:17

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.87	30.00
CH159	5795	9.97	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.05	1.38	-0.67	30.00

TX CH155



Date: 19.DEC.2015 18:56:35

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.64	1.38	-1.26	30.00

TX CH155



Date: 19.DEC.2015 18:55:39

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.96	1.38	-0.58	30.00

TX CH155



Date: 19.DEC.2015 18:54:23

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.94	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9824
120	5179.9820
108	5179.9820
Max. Deviation (MHz)	0.0180
Max. Deviation (ppm)	3.4749

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
0	5179.9816
10	5179.9812
20	5179.9812
30	5179.9808
40	5179.9808
Max. Deviation (MHz)	0.0192
Max. Deviation (ppm)	3.7066

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9872
120	5259.9856
108	5259.9848
Max. Deviation (MHz)	0.0152
Max. Deviation (ppm)	2.8897

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5260.0000
0	5259.9840
10	5259.9832
20	5259.9828
30	5259.9824
40	5259.9820
Max. Deviation (MHz)	0.0180
Max. Deviation (ppm)	3.4221

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9816
120	5499.9816
108	5499.9812
Max. Deviation (MHz)	0.0188
Max. Deviation (ppm)	3.4182

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5500.0000
0	5499.9812
10	5499.9808
20	5499.9804
30	5499.9804
40	5499.9800
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.6364

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9848
120	5744.9832
108	5744.9808
Max. Deviation (MHz)	0.0192
Max. Deviation (ppm)	3.3420

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
0	5744.9796
10	5744.9792
20	5744.9792
30	5744.9792
40	5744.9788
Max. Deviation (MHz)	0.0212
Max. Deviation (ppm)	3.6902