


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.99	10.49
CH40	5200	9.05	10.49
CH48	5240	8.96	10.49

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.21	0.86	3.07	10.49
CH46	5230	2.67	0.86	3.53	10.49

CH38



Date: 26.NOV.2017 19:50:30

CH46




Date: 26.NOV.2017 19:51:20

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.30	0.86	2.16	10.49
CH46	5230	1.52	0.86	2.38	10.49

CH38



Date: 26.NOV.2017 20:01:04

CH46




Date: 26.NOV.2017 20:01:50

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.65	10.49
CH46	5230	6.00	10.49

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.80	1.20	-4.60	10.49



Date: 26.NOV.2017 20:15:46

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.55	1.20	-5.35	10.49




Date: 26.NOV.2017 20:10:35

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.95	10.49


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.73	0.25	6.98	10.49
CH60	5300	6.77	0.25	7.02	10.49
CH64	5320	6.73	0.25	6.98	10.49




Date: 26.NOV.2017 18:41:45

CH60



Date: 26.NOV.2017 18:42:40


CH64



Date: 26.NOV.2017 19:04:55


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.53	0.25	5.78	10.49
CH60	5300	5.56	0.25	5.81	10.49
CH64	5320	5.61	0.25	5.86	10.49




Date: 26.NOV.2017 18:53:19

CH60



Date: 26.NOV.2017 18:54:36

CH64



Date: 26.NOV.2017 18:57:13


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.43	10.49
CH60	5300	9.47	10.49
CH64	5320	9.47	10.49

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.83	0.86	3.69	10.49
CH62	5310	2.78	0.86	3.64	10.49

CH54



Date: 26.NOV.2017 19:52:13

CH62




Date: 26.NOV.2017 19:53:06

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.56	0.86	2.42	10.49
CH62	5310	1.79	0.86	2.65	10.49

CH54



Date: 26.NOV.2017 20:02:54

CH62




Date: 26.NOV.2017 20:03:48

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.11	10.49
CH62	5310	6.18	10.49

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.16	1.20	-3.96	10.49



Date: 26.NOV.2017 20:16:51

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.47	1.20	-5.27	10.49



Date: 26.NOV.2017 20:11:27


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.56	10.49

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.67	0.25	5.92	10.49
CH116	5580	6.62	0.25	6.87	10.49
CH140	5700	5.69	0.25	5.94	10.49

CH100




Date: 26.NOV.2017 18:44:35

CH116



Date: 26.NOV.2017 18:45:23

CH140




Date: 26.NOV.2017 18:46:18

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.10	0.25	5.35	10.49
CH116	5580	4.82	0.25	5.07	10.49
CH140	5700	3.87	0.25	4.12	10.49

CH100




Date: 26.NOV.2017 18:58:08

CH116



Date: 26.NOV.2017 18:59:08

CH140



Date: 26.NOV.2017 19:00:28


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.65	10.49
CH116	5580	9.07	10.49
CH140	5700	8.13	10.49

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.73	0.86	2.59	10.49
CH110	5550	2.02	0.86	2.88	10.49
CH134	5670	2.03	0.86	2.89	10.49

CH102




Date: 26.NOV.2017 19:54:06

CH110



Date: 26.NOV.2017 19:55:04

CH134




Date: 26.NOV.2017 19:56:00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.42	0.86	2.28	10.49
CH110	5550	0.57	0.86	1.43	10.49
CH134	5670	0.29	0.86	1.15	10.49

CH102




Date: 26.NOV.2017 20:04:52

CH110



Date: 26.NOV.2017 20:05:43

CH134



Date: 26.NOV.2017 20:06:40


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.45	10.49
CH110	5550	5.23	10.49
CH134	5670	5.12	10.49

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.42	1.20	-5.22	10.49
CH122	5610	-5.93	1.20	-4.73	10.49

CH106



Date: 26.NOV.2017 20:17:54

CH122




Date: 26.NOV.2017 20:18:58

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-8.16	1.20	-6.96	10.49
CH122	5610	-8.07	1.20	-6.87	10.49

CH106



Date: 26.NOV.2017 20:12:34

CH122




Date: 26.NOV.2017 20:13:32

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-2.99	10.49
CH122	5610	-2.66	10.49


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.08	0.25	2.33	29.49
CH157	5785	1.51	0.25	1.76	29.49
CH165	5825	2.02	0.25	2.27	29.49




Date: 26.NOV.2017 18:47:18

TX CH157



Date: 26.NOV.2017 18:48:16

TX CH165




Date: 26.NOV.2017 18:49:03

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.79	0.25	1.04	29.49
CH157	5785	0.35	0.25	0.60	29.49
CH165	5825	0.73	0.25	0.98	29.49

TX CH149




Date: 26.NOV.2017 19:01:21

TX CH157



Date: 26.NOV.2017 19:02:25

TX CH165



Date: 26.NOV.2017 19:03:36


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.74	29.49
CH157	5785	4.23	29.49
CH165	5825	4.68	29.49

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.82	0.86	-0.96	29.49
CH159	5795	-2.18	0.86	-1.32	29.49

TX CH151



Date: 26.NOV.2017 19:56:58

TX CH159




Date: 26.NOV.2017 19:57:56

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.93	0.86	-2.07	29.49
CH159	5795	-3.40	0.86	-2.54	29.49

TX CH151



Date: 26.NOV.2017 20:07:43

TX CH159



Date: 26.NOV.2017 20:08:47


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.53	29.49
CH159	5795	1.12	29.49

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.06	1.20	-7.86	29.49

TX CH155




Date: 26.NOV.2017 20:19:59

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-11.49	1.20	-10.29	29.49

TX CH155



Date: 26.NOV.2017 20:14:25

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.90	29.49

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9932
120	5179.9936
108	5179.9944
Max. Deviation (MHz)	0.0068
Max. Deviation (ppm)	1.3127

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9952
5	5179.9960
15	5179.9972
25	5179.9976
35	5179.9984
45	5179.9984
50	5179.9984
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.9266

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9900
120	5259.9932
108	5259.9948
Max. Deviation (MHz)	0.0100
Max. Deviation (ppm)	1.9011

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9968
5	5259.9976
15	5259.9988
25	5259.9996
35	5260.0000
45	5260.0000
50	5260.0008
Max. Deviation (MHz)	0.0032
Max. Deviation (ppm)	0.6084

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9920
120	5499.9948
108	5499.9972
Max. Deviation (MHz)	0.0080
Max. Deviation (ppm)	1.4545

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9984
5	5499.9996
15	5500.0004
25	5500.0008
35	5500.0016
45	5500.0024
50	5500.0028
Max. Deviation (MHz)	0.0028
Max. Deviation (ppm)	0.5091

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9924
120	5744.9964
108	5744.9984
Max. Deviation (MHz)	0.0076
Max. Deviation (ppm)	1.3229

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0004
5	5745.0016
15	5745.0024
25	5745.0036
35	5745.0040
45	5745.0044
50	5745.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8355