


Appendix D. Radiated Emission Co-location Report

1. Results of Radiated Emissions for Co-located


Temperature	28°C	Humidity	57%
Test Engineer	Alvin Li	Configurations	2.4G + 5G

Horizontal



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	2329.10	43.74	74.00	-30.26	47.26	2.81	28.24	34.57	171	101	Peak	HORIZONTAL
2	2337.30	32.40	54.00	-21.60	35.93	2.82	28.22	34.57	171	101	Average	HORIZONTAL

Vertical



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	2364.10	51.29	74.00	-22.71	54.84	2.83	28.19	34.57	178	100	Peak	VERTICAL
2	2366.30	40.68	54.00	-13.32	44.24	2.83	28.19	34.58	178	100	Average	VERTICAL