

FCC Test Report

FCC ID : Q9DAPEX0565567
Equipment : Wireless Access Point
Brand Name : aruba 、Hewlett Packard Enterprise
Model Name : APEX0565,APEX0567
Applicant : Hewlett Packard Enterprise Company
3333 Scott Blvd Santa Clara, CA. 95054
Manufacturer : Hewlett Packard Enterprise Company
3333 Scott Blvd Santa Clara, CA. 95054
Standard : 47 CFR FCC Part 15.247

The product was received on Apr. 30, 2020, and testing was started from May 14, 2020 and completed on Jul. 21, 2020. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.



Approved by: Allen Lin

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)

Table of Contents

HISTORY OF THIS TEST REPORT	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Information.....	5
1.2 Testing Applied Standards	16
1.3 Testing Location Information	17
1.4 Measurement Uncertainty	17
2 TEST CONFIGURATION OF EUT.....	18
2.1 Test Condition	18
2.2 Test Channel Mode	18
2.3 The Worst Case Measurement Configuration.....	22
2.4 Support Equipment.....	23
2.5 Test Setup Diagram	24
3 TRANSMITTER TEST RESULT	26
3.1 AC Power-line Conducted Emissions	26
3.2 DTS Bandwidth.....	28
3.3 Maximum Conducted Output Power	29
3.4 Power Spectral Density	31
3.5 Emissions in Non-restricted Frequency Bands	32
3.6 Emissions in Restricted Frequency Bands.....	33
4 TEST EQUIPMENT AND CALIBRATION DATA	37
APPENDIX A. TEST RESULTS OF AC POWER-LINE CONDUCTED EMISSIONS	
APPENDIX B. TEST RESULTS OF DTS BANDWIDTH	
APPENDIX C. TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER	
APPENDIX D. TEST RESULTS OF POWER SPECTRAL DENSITY	
APPENDIX E. TEST RESULTS OF EMISSIONS IN NON-RESTRICTED FREQUENCY BANDS	
APPENDIX F. TEST RESULTS OF EMISSIONS IN RESTRICTED FREQUENCY BANDS	
APPENDIX G. TEST PHOTOS	
PHOTOGRAPHS OF EUT V02	

History of this test report

[illegible]

Summary of Test Result

Report Clause	Ref. Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.207	AC Power-line Conducted Emissions	PASS	-
3.2	15.247(a)	DTS Bandwidth	PASS	-
3.3	15.247(b)	Maximum Conducted Output Power	PASS	-
3.4	15.247(e)	Power Spectral Density	PASS	-
3.5	15.247(d)	Emissions in Non-restricted Frequency Bands	PASS	-
3.6	15.247(d)	Emissions in Restricted Frequency Bands	PASS	-

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and explanations:

According to the applicant's requirements, The Beamforming Function refer as "Letter of Beamforming Declaration".

Reviewed by: Sam Tsai

Report Producer: Jenny Yang

1 General Description

1.1 Information

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
2400-2483.5	b, g, n (HT20), VHT20, ax(HEW20)	2412-2462	1-11 [11]
2400-2483.5	n (HT40), VHT40, ax(HEW40)	2422-2452	3-9 [7]

Band	Mode	BWch (MHz)	Nant
2.4-2.4835GHz	802.11b	20	2TX
2.4-2.4835GHz	802.11g	20	2TX
2.4-2.4835GHz	802.11n HT20	20	2TX
2.4-2.4835GHz	802.11n HT40	40	2TX
2.4-2.4835GHz	VHT20	20	2TX
2.4-2.4835GHz	VHT40	40	2TX
2.4-2.4835GHz	802.11ax HEW20	20	2TX
2.4-2.4835GHz	802.11ax HEW40	40	2TX

Note:

- 11b mode uses a combination of DSSS-DBPSK, DQPSK, CCK modulation.
- 11g, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- VHT20, VHT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- HEW20, HEW40 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- BWch is the nominal channel bandwidth.
- The resource unit of HEW 20, HEW 40 only support full loading.

1.1.2 Antenna Information

Sample 1

Ant.	Brand	Model Name	Antenna Type	Connector
1	HL Technologies	N/A	Dipole (omnidirectional)	MMCX
2	HL Technologies	N/A	Dipole (omnidirectional)	MMCX
3	HL Technologies	N/A	PIFA	Mini Murata

Ant.	Gain (dBi)					BT	Zigbee
	2.4G		5G				
	Vertical polarized	Horizontal polarized	Vertical polarized	Horizontal polarized			
1	-	3.2 dBi	-	5.4 dBi	-	-	
2	3.2 dBi	-	5.4 dBi	-	-	-	
3	-	-	-	-	3.3 dBi	3.3 dBi	

Sample 2

Ant.	Brand	Model Name	Antenna Type	Connector
4	Shanghai Amphenol Airwave Communication Electronics Co., Ltd.	N/A	Dipole (directivity)	MMCX
5	Shanghai Amphenol Airwave Communication Electronics Co., Ltd.	N/A	Dipole (directivity)	MMCX
6	Shanghai Amphenol Airwave Communication Electronics Co., Ltd.	N/A	monopole	Mini Murata

Ant.	Gain (dBi)					BT	Zigbee
	2.4G		5G				
	+45 degree	-45 degree	+45 degree	-45 degree			
4	-	6.8 dBi	-	7.1 dBi	-	-	
5	6.8 dBi	-	7.1 dBi	-	-	-	
6	-	-	-	-	3 dBi	3 dBi	

Note 1: The EUT has six antennas.

Note 2: The antenna for each mode is cross polarized.

For 2.4GHz function:

For IEEE 802.11 b/g/n/ax mode (2TX/2RX)

Ant. 1 (Ant. 4) and Ant. 2 (Ant. 5) could transmit/receive simultaneously.

Cross-polarized antenna combination is Ant. 1 (Ant. 4) and Ant. 2 (Ant. 5).

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX)

Only Ant. 3 (Ant. 6) can be used as transmitting/receiving antenna.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax mode (2TX/2RX)

Ant. 1 (Ant. 4) and Ant. 2 (Ant. 5) could transmit/receive simultaneously.

Cross-polarized antenna combination is Ant. 1 (Ant. 4) and Ant. 2 (Ant. 5).

For Zigbee function:

Only Ant. 3 (Ant. 6) can be used as transmitting/receiving antenna.


1.1.3 EUT Information

Identify EUT				
FW Version	RVAB-A65 V1.0			
Operational Condition				
EUT Power Type	From PoE			
EUT Function	☒	Point-to-multipoint	☐	Point-to-point
Beamforming Function	☒	With beamforming	☐	Without beamforming
Type of EUT				
☒	Stand-alone			
☐	Combined (EUT where the radio part is fully integrated within another device)			
	Combined Equipment - Brand Name / Model No.:		...	
☐	Plug-in radio (EUT intended for a variety of host systems)			
	Host System - Brand Name / Model No.:		...	
☐	Other:			


1.1.4 Mode Test Duty Cycle
Sample 1

Mode	DC	DCF(dB)	T(s)	VBW(Hz) $\geq 1/T$
802.11b	0.935	0.29	12.418m	100
802.11g	0.952	0.21	2.065m	1k
802.11n HT20	0.95	0.22	1.921m	1k
802.11n HT40	0.906	0.43	945u	3k
VHT20	0.986	0.06	n/a (DC $\geq$ 0.98)	n/a (DC $\geq$ 0.98)
VHT40	0.97	0.13	953.125u	3k
802.11ax HEW20	0.98	0.09	n/a (DC $\geq$ 0.98)	n/a (DC $\geq$ 0.98)
802.11ax HEW40	0.964	0.16	773.125u	3k


Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

802.11b



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	20ms	32001	625ns	18.708125ms	0.935

802.11g



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	20ms	32001	625ns	19.034375ms	0.952

HT20



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	20ms	32001	625ns	19.005ms	0.95

HT40



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	20ms	32001	625ns	18.11125ms	0.906

VHT20



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	20ms	32001	625ns	19.71625ms	0.986

VHT40


Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	20ms	32001	625ns	19.39625ms	0.97

802.11ax HEW20


Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	20ms	32001	625ns	19.595ms	0.98


802.11ax HEW40



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	20ms	32001	625ns	19.271875ms	0.964

Sample 2


Mode	DC	DCF(dB)	T(s)	VBW(Hz) $\geq 1/T$
802.11b_Nss1,(1Mbps)_2TX	0.948	0.23	12.419m	100
802.11g_Nss1,(6Mbps)_2TX	0.951	0.22	2.068m	1k
802.11n HT20_Nss1,(MCS0)_2TX	0.951	0.22	1.925m	1k
802.11n HT40_Nss1,(MCS0)_2TX	0.906	0.43	947.5u	3k
VHT20_Nss1,(MCS0)_2TX	0.987	0.06	1.933m	10
VHT40_Nss1,(MCS0)_2TX	0.972	0.12	955u	3k
802.11ax HEW20_Nss1,(MCS0)_2TX	0.981	0.08	1.49m	10
802.11ax HEW40_Nss1,(MCS0)_2TX	0.964	0.16	775u	3k

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.




802.11g



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	80ms	32001	2.5us	76.09ms	0.951

HT20



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	80ms	32001	2.5us	76.1025ms	0.951

HT40



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	80ms	32001	2.5us	72.485ms	0.906

VHT20



Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	80ms	32001	2.5us	78.9725ms	0.987

VHT40


Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.422GHz	10MHz	10MHz	80ms	32001	2.5us	77.795ms	0.972

802.11ax HEW20


Ch Freq	RBW	VBW	Sweep Time	Total Sample	Sample Time	TX Time	DC
2.412GHz	10MHz	10MHz	80ms	32001	2.5us	78.4525ms	0.981



1.1.5 Table for Multiple Listing

Sample Number	Model Name	Description
1	APEX0565	There are two Samples for EUT. The only difference between Sample 1 and Sample 2 is the Antenna. For detailed specifications, please refer to section 1.1.2.
2	APEX0567	

1.2 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2013

The following reference test guidance is not within the scope of accreditation of TAF:

- ♦ KDB 558074 D01 v05r02
- ♦ KDB 662911 D01 v02r01
- ♦ KDB 414788 D01 v01r01

1.3 Testing Location Information

Testing Location			
☒	HWA YA	ADD : No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)	
		TEL : 886-3-327-3456	FAX : 886-3-327-0973
Test site Designation No. TW1190 with FCC.			
☐	JHUBEI	ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County, Taiwan (R.O.C.)	
		TEL : 886-3-656-9065	FAX : 886-3-656-9085
Test site Designation No. TW0006 with FCC.			
☒	Wen Shan	ADD : No.14-1, Ln. 19, Wen 33rd St., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)	
		TEL : 886-3-318-0787	FAX : 886-3-318-0287
Test site Designation No. TW1097 with FCC.			

Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
AC Conduction	CO04-HY	Edward Wang	21.4~23.2°C / 52~ 57%	03/Jun/2020~ 04/Jun/2020
RF Conducted	TH01-HY	Barry Hsiao	22.1~25.9°C / 54~60%	15/May/2020~ 23/Jul/2020
Radiated	03CH09-HY	Daniel Hsu	22.3~23.7°C / 53~ 59%	14/May/2020~ 21/Jul/2020

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
Conducted Emission (150kHz ~ 30MHz)	0.9 dB	Confidence levels of 95%
Radiated Emission (9kHz ~ 30MHz)	2.4 dB	Confidence levels of 95%
Radiated Emission (30MHz ~ 1,000MHz)	3.7 dB	Confidence levels of 95%
Radiated Emission (1GHz ~ 18GHz)	3.6 dB	Confidence levels of 95%
Radiated Emission (18GHz ~ 40GHz)	3.5 dB	Confidence levels of 95%
Conducted Emission	1.0 dB	Confidence levels of 95%
Temperature	0.41 °C	Confidence levels of 95%
Humidity	3.4 %	Confidence levels of 95%

2 Test Configuration of EUT

2.1 Test Condition

RF Conducted	Abbreviation	Remark
TnomVnom	Tnom	20°C
-	Vnom	120V

2.2 Test Channel Mode

Test Software Version	MTool_3_1_0_5
-----------------------	---------------

Sample 1

Mode	Power Setting
802.11b_Nss1,(1Mbps)_2TX	-
2412MHz	92
2417MHz	92
2437MHz	92
2457MHz	92
2462MHz	92
802.11g_Nss1,(6Mbps)_2TX	-
2412MHz	81
2417MHz	92
2437MHz	92
2457MHz	90
2462MHz	80
802.11n HT20_Nss1,(MCS0)_2TX	-
2412MHz	81
2417MHz	89
2437MHz	91
2457MHz	85
2462MHz	76
802.11n HT40_Nss1,(MCS0)_2TX	-
2422MHz	77
2427MHz	81
2437MHz	85
2447MHz	79
2452MHz	76
VHT20_Nss1,(MCS0)_2TX	-

Mode	Power Setting
2412MHz	81
2417MHz	89
2437MHz	91
2457MHz	85
2462MHz	76
VHT40_Nss1,(MCS0)_2TX	-
2422MHz	77
2427MHz	81
2437MHz	85
2447MHz	79
2452MHz	76
802.11ax HEW20_Nss1,(MCS0)_2TX	-
2412MHz	81
2417MHz	89
2437MHz	91
2457MHz	85
2462MHz	76
802.11ax HEW40_Nss1,(MCS0)_2TX	-
2422MHz	77
2427MHz	81
2437MHz	85
2447MHz	79
2452MHz	76

Sample 2

Mode	Power Setting
802.11b_Nss1,(1Mbps)_2TX	-
2412MHz	87
2417MHz	87
2437MHz	87
2457MHz	87
2462MHz	87
802.11g_Nss1,(6Mbps)_2TX	-
2412MHz	81
2417MHz	86
2437MHz	86
2457MHz	86
2462MHz	82
802.11n HT20_Nss1,(MCS0)_2TX	-
2412MHz	82
2417MHz	85
2437MHz	85
2457MHz	86
2462MHz	83
802.11n HT40_Nss1,(MCS0)_2TX	-
2422MHz	81
2427MHz	81
2437MHz	83
2447MHz	77
2452MHz	77
VHT20_Nss1,(MCS0)_2TX	-
2412MHz	82
2417MHz	85
2437MHz	85
2457MHz	86
2462MHz	83
VHT40_Nss1,(MCS0)_2TX	-
2422MHz	81
2427MHz	81
2437MHz	83
2447MHz	77
2452MHz	77



Mode	Power Setting
802.11ax HEW20_Nss1,(MCS0)_2TX	-
2412MHz	82
2417MHz	85
2437MHz	85
2457MHz	86
2462MHz	83
802.11ax HEW40_Nss1,(MCS0)_2TX	-
2422MHz	81
2427MHz	81
2437MHz	83
2447MHz	77
2452MHz	77

2.3 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral
Operating Mode	CTX
1	PoE Mode; Sample 1
2	PoE Mode; Sample 2

The Worst Case Mode for Following Conformance Tests	
Tests Item	DTS Bandwidth Maximum Conducted Output Power Power Spectral Density Emissions in Non-restricted Frequency Bands
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests			
Tests Item	Emissions in Restricted Frequency Bands		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX		
1	PoE Mode; Sample 1		
2	PoE Mode; Sample 2		
Operating Mode > 1GHz	CTX		
Orthogonal Planes of EUT	X Plane	Y Plane	Z Plane
			
Worst Planes of EUT	V		V

The Worst Case Mode for Following Conformance Tests	
Tests Item	Simultaneous Transmission Analysis
Operating Mode	CTX
1	WLAN 2.4GHz + WLAN 5GHz + Bluetooth
Refer to Sporton Test Report No.: FA042903 for Co-location RF Exposure Evaluation.	

2.4 Support Equipment

Support Equipment – AC Conduction					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	PoE	Microsemi	PD-9001GO/AC-INTL	-	Note 1
2	Ground Cable	SPORTON	SPORTON	-	-
3	RJ-45 Cable	Power Sync	CAT-6E-10	-	-


Note 1: Support equipment No.1 was provided by customer.


Support Equipment –Conducted					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	DELL	E5410	-	-
2	Adapter for NB	DELL	HA65NM130	-	-

Support Equipment –Radiated					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Ground Cable	SPORTON	SPORTON	-	-
2	RJ-45 Cable	Power Sync	CAT-6E-10	-	-
3	PoE	Microsemi	PD-9001GO/AC-INTL	-	Note 1 / Remote

Note 1: Support equipment No.3 was provided by customer.

2.5 Test Setup Diagram



Test Setup Diagram - Radiated Test


Item	Connection	Shielded	Length(m)
1	AC Power cable	No	4.2
2	RJ-45 cable	No	10.0
3	Ground Cable	No	1.6

3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50
Note 1: * Decreases with the logarithm of the frequency.		


3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures

Test Method
☒ Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions.

3.1.4 Test Setup



3.1.5 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 DTS Bandwidth

3.2.1 6dB Bandwidth Limit

6dB Bandwidth Limit	
Systems using digital modulation techniques:	
▪	6 dB bandwidth $\geq$ 500 kHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
▪	For the emission bandwidth shall be measured using one of the options below:
☒	Refer as KDB 558074. clause 8.2 (11.8 of ANSI C63.10) DTS bandwidth measurement.
☐	Refer as RSS-Gen, clause 6.7 for occupied bandwidth testing.
☐	Refer as ANSI C63.10, clause 6.9.3 for occupied bandwidth testing.

3.2.4 Test Setup



3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

3.3 Maximum Conducted Output Power

3.3.1 Maximum Conducted Output Power Limit

Maximum Conducted Output Power Limit		
	▪	If $G_{TX} \leq 6$ dBi, then $P_{Out} \leq 30$ dBm (1 W)
	▪	Point-to-multipoint systems (P2M): If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$ dBm
	▪	Point-to-point systems (P2P): If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)/3$ dBm
	▪	Smart antenna system (SAS):
	-	Single beam: If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)/3$ dBm
	-	Overlap beam: If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)/3$ dBm
	-	Aggregate power on all beams: If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)/3 + 8$ dB dBm
e.i.r.p. Power Limit:		
	▪	2400-2483.5 MHz Band
	▪	Point-to-multipoint systems (P2M): $P_{eirp} \leq 36$ dBm (4 W)
	▪	Point-to-point systems (P2P): $P_{eirp} \leq \text{MAX}(36, [P_{Out} + G_{TX}])$ dBm
	▪	Smart antenna system (SAS)
	-	Single beam: $P_{eirp} \leq \text{MAX}(36, P_{Out} + G_{TX})$ dBm
	-	Overlap beam: $P_{eirp} \leq \text{MAX}(36, P_{Out} + G_{TX})$ dBm
	-	Aggregate power on all beams: $P_{eirp} \leq \text{MAX}(36, [P_{Out} + G_{TX} + 8])$ dBm
P_{Out} = maximum peak conducted output power or maximum conducted output power in dBm, G_{TX} = the maximum transmitting antenna directional gain in dBi.		


3.3.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures

Test Method	
Maximum Peak Conducted Output Power	
☐	Refer as KDB 558074, clause 8.3.1.1 (11.9.1.1 of ANSI C63.10) RBW ≥ EBW method.
☐	Refer as KDB 558074, clause 8.3.1.2 (11.9.1.2 of ANSI C63.10) integrated band power method.
☐	Refer as KDB 558074, clause 8.3.1.3 (11.9.1.3 of ANSI C63.10) peak power meter.
Maximum Average Conducted Output Power	
☐	Refer as KDB 558074, clause 8.3.2.2 (11.9.2.2 of ANSI C63.10) using a spectrum analyzer.
☒	Refer as KDB 558074, clause 8.3.2.3 (11.9.2.3 of ANSI C63.10) using a power meter.
For conducted measurement.	
If the EUT supports multiple transmit chains using options given below: Refer as KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.	
If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$	

3.3.4 Test Setup



3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C

3.4 Power Spectral Density

3.4.1 Power Spectral Density Limit

Power Spectral Density Limit	
▪	Power Spectral Density (PSD) ≤ 8 dBm/3kHz


3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.4.3 Test Procedures

Test Method	
▪	Peak power spectral density procedures that the same method as used to determine the conducted output power. If maximum peak conducted output power was measured to demonstrate compliance to the output power limit, then the peak PSD procedure below (Method PKPSD) shall be used. If maximum conducted output power was measured to demonstrate compliance to the output power limit, then one of the average PSD procedures shall be used, as applicable based on the following criteria (the peak PSD procedure is also an acceptable option).
☒	Refer as KDB 558074, clause 8.4 (11.10 of ANSI C63.10) Max. PSD.
▪	For conducted measurement.
▪	If The EUT supports multiple transmit chains using options given below:
▪	Measure and sum the spectra across the outputs. Refer as KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace.

3.4.4 Test Setup



3.4.5 Test Result of Power Spectral Density

Refer as Appendix D

3.5 Emissions in Non-restricted Frequency Bands

3.5.1 Emissions in Non-restricted Frequency Bands Limit

Un-restricted Band Emissions Limit	
RF output power procedure	Limit (dB)
Peak output power procedure	20
Average output power procedure	30
Note 1: If the peak output power procedure is used to measure the fundamental emission power to demonstrate compliance to requirements, then the peak conducted output power measured within any 100 kHz outside the authorized frequency band shall be attenuated by at least 20 dB relative to the maximum measured in-band peak level. Note 2: If the average output power procedure is used to measure the fundamental emission power to demonstrate compliance to requirements, then the power in any 100 kHz outside of the authorized frequency band shall be attenuated by at least 30 dB relative to the maximum measured in-band average level.	


3.5.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures

Test Method
Refer as KDB 558074, clause 8.5 (11.11 of ANSI C63.10) for non-restricted frequency bands.

3.5.4 Test Setup



3.5.5 Test Result of Emissions in Non-restricted Frequency Bands

Refer as Appendix E

3.6 Emissions in Restricted Frequency Bands

3.6.1 Emissions in Restricted Frequency Bands Limit

Restricted Band Emissions Limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.


3.6.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.6.3 Test Procedures

Test Method	
The average emission levels shall be measured in [duty cycle $\geq$ 98 or duty factor].	
Refer as ANSI C63.10, clause 6.10.3 band-edge testing shall be performed at the lowest frequency channel and highest frequency channel within the allowed operating band.	
For the transmitter unwanted emissions shall be measured using following options below:	
	Refer as KDB 558074, clause 8.6 (11.12 of ANSI C63.10) for restricted frequency bands.
For the transmitter band-edge emissions shall be measured using following options below:	
	Refer as KDB 558074 clause 8.7.1, When the performing peak or average radiated measurements, emissions within 2 MHz of the authorized band edge may be measured using the marker-delta method described below.
	Refer as KDB 558074, clause 8.7.2 (6.10.6 of ANSI C63.10) for marker-delta method for band-edge measurements.
	Refer as KDB 558074, clause 8.7.3 for narrower resolution bandwidth (100kHz) using the band power and summing the spectral levels.
Use the following spectrum analyzer settings:	
	Set RBW=100 kHz for $f < 1$ GHz; VBW=3 * RBW; Sweep = auto; Detector function = peak; Trace = max hold.
	Set RBW = 1 MHz, VBW= 3MHz for $f \geq 1$ GHz for peak measurement. For average measurement, refer as 1.1.4.
KDB 414788 Open-Field Test Sites and Chamber Correlation Justification.	
	Based on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in regulations; however, an attempt should be made to avoid making measurements in the near field.
	Open-field site and chamber correlation testing had been performed and chamber measured test result is the worst case test result.

3.6.4 Test Setup





3.6.5 Test Result of Emissions in Restricted Frequency Bands (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.6.6 Test Result of Emissions in Restricted Frequency Bands

Refer as Appendix F

4 Test Equipment and Calibration Data

Instrument for AC Conduction

Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
EMC Receiver	R&S	ESR	102051	9kHz ~ 3.6GHz	29/May/2020	28/May/2021
LISN	R&S	ENV216	101295	9kHz ~ 30MHz	04/Nov/2019	05/Nov/2020
RF Cable-CON	MTJ	RG142	CB002-CO	9kHz ~ 200MHz	12/Sep/2019	11/Sep/2020
AC POWER	APC	AFC-11005G	F310050055	47Hz~63Hz 5~300V	NCR	NCR
Impuls Begrenzer Pulse Limiter	SCHWARZBECK	VTSD 9561-F	9561-F041	9 kHz ~ 30 MHz	24/Sep/2019	23/Sep/2020

NCR: Non-Calibration Require

Instrument for Conducted Test

Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Spectrum Analyzer	R&S	FSV 40	101013	10Hz~40GHz	19/Mar/2020	18/Mar/2021
SMB100A Signal Generator	R&S	SMB100A03	181147	100kHz~40GHz	12/Nov/2018	10/Nov/2020
Power Sensor	Anritsu	MA2411B	0917017	300MHz ~ 40GHz	17/Feb/2020	16/Feb/2021
Power Meter	Anritsu	ML2495A	0949003	300MHz ~ 40GHz	17/Feb/2020	16/Feb/2021


**Instrument for Radiated Test**

Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	TDK	SAC-3M	03CH09-HY	30MHz~1GHz	27/Mar/2020	26/Mar/2021
3m Semi Anechoic Chamber	TDK	SAC-3M	03CH09-HY	1GHz~18GHz	19/Mar/2020	18/Mar/2021
Microwave Preamplifier	Agilent	8449B	3008A02096	1GHz~26.5GHz	04/Sep/2019	03/Sep/2020
Amplifier	EMC	EMC9135	980232	9kHz~1GHz	14/Apr/2020	13/Apr/2021
EMC Receiver	R&S	ESR3	102051	9kHz ~ 3.6GHz	28/May/2019	27/May/2020
EMC Receiver	R&S	ESR3	102051	9kHz ~ 3.6GHz	29/May/2020	28/May/2021
EXA Signal Analyzer	KEYSIGHT	N9010A	MY54200885	10Hz~44GHz	07/Aug/2019	06/Aug/2020
Bilog Antenna & 5dB Attenuator	TESEQ & MTJ	CBL6111D & MTJ6102-05	35418 / 3	30MHz~1GHz	11/Oct/2019	10/Oct/2020
Double Ridged Guide Horn Antenna	SCHWARZBECK	BBHA 9120 D	BBHA9120 D 1534	1GHz~18GHz	22/May/2019	21/May/2020
Double Ridged Guide Horn Antenna	SCHWARZBECK	BBHA 9120 D	BBHA9120 D 1534	1GHz~18GHz	28/May/2020	27/May/2021
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA 9170221	18GHz~40GHz	13/Mar/2020	12/Mar/2021
Preamplifier	MITEQ	TTA1840-35-HG	1864481	18GHz~40GHz	10/Mar/2020	09/Mar/2021
Loop Antenna	TESEQ	HLA 6120	31244	9kHz-30MHz	16/Mar/2020	15/Mar/2021
RF Cable-low	Jye Bao	RG142	CB031+324530/4	9kHz~1GHz	12/Feb/2020	11/Feb/2021
RF Cable-high	HUBER+SUHNER	SUCOFLEX104	324530/4+17173/4	1GHz~40GHz	12/Feb/2020	11/Feb/2021

AC Power-line Conducted Emissions Result

Operating Mode	1	Power Phase	Neutral
Operating Function	PoE mode; Sample 1		

04/06/2020




Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)			
QP	160.82k	42.80	65.43	-22.63	19.63	Neutral	-	23.17	9.65	0.11	9.87			
AV	160.82k	41.32	55.43	-14.11	19.63	Neutral	-	21.69	9.65	0.11	9.87			
QP	269.806k	41.08	61.12	-20.04	19.63	Neutral	-	21.45	9.64	0.12	9.87			
AV	269.806k	38.10	51.12	-13.02	19.63	Neutral	"Worst"	18.47	9.64	0.12	9.87			
QP	448.17k	27.28	56.92	-29.64	19.63	Neutral	-	7.65	9.63	0.13	9.87			
AV	448.17k	25.34	46.92	-21.58	19.63	Neutral	-	5.71	9.63	0.13	9.87			
QP	3.732M	25.84	56.00	-30.16	19.72	Neutral	-	6.12	9.66	0.18	9.88			
AV	3.732M	20.10	46.00	-25.90	19.72	Neutral	-	0.38	9.66	0.18	9.88			
QP	8.109M	28.63	60.00	-31.37	19.82	Neutral	-	8.81	9.69	0.25	9.88			
AV	8.109M	20.77	50.00	-29.23	19.82	Neutral	-	0.95	9.69	0.25	9.88			
QP	28.128M	35.03	60.00	-24.97	19.99	Neutral	-	15.04	9.67	0.44	9.88			
AV	28.128M	28.20	50.00	-21.80	19.99	Neutral	-	8.21	9.67	0.44	9.88			

AC Power-line Conducted Emissions Result

Operating Mode	1	Power Phase	Line
Operating Function	PoE mode; Sample 1		

04/06/2020




Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)			
QP	177.646k	42.91	64.59	-21.68	19.63	Line	-	23.28	9.65	0.11	9.87			
AV	177.646k	40.19	54.59	-14.40	19.63	Line	-	20.56	9.65	0.11	9.87			
QP	269.806k	44.90	61.12	-16.22	19.64	Line	-	25.26	9.65	0.12	9.87			
AV	269.806k	43.08	51.12	-8.04	19.64	Line	"Worst"	23.44	9.65	0.12	9.87			
QP	349.468k	36.42	58.98	-22.56	19.63	Line	-	16.79	9.64	0.12	9.87			
AV	349.468k	21.50	48.98	-27.48	19.63	Line	-	1.87	9.64	0.12	9.87			
QP	4.122M	24.57	56.00	-31.43	19.73	Line	-	4.84	9.66	0.19	9.88			
AV	4.122M	20.17	46.00	-25.83	19.73	Line	-	0.44	9.66	0.19	9.88			
QP	8.523M	27.41	60.00	-32.59	19.81	Line	-	7.60	9.68	0.25	9.88			
AV	8.523M	17.14	50.00	-32.86	19.81	Line	-	-2.67	9.68	0.25	9.88			
QP	28.98M	36.02	60.00	-23.98	19.83	Line	-	16.19	9.51	0.44	9.88			
AV	28.98M	28.86	50.00	-21.14	19.83	Line	-	9.03	9.51	0.44	9.88			

AC Power-line Conducted Emissions Result

Operating Mode	2	Power Phase	Neutral
Operating Function	PoE mode; Sample 2		

04/06/2020




Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)			
QP	208.304k	42.67	63.27	-20.60	19.62	Neutral	-	23.05	9.64	0.11	9.87			
AV	208.304k	25.29	53.27	-27.98	19.62	Neutral	-	5.67	9.64	0.11	9.87			
QP	254.17k	42.54	61.62	-19.08	19.63	Neutral	-	22.91	9.64	0.12	9.87			
AV	254.17k	40.39	51.62	-11.23	19.63	Neutral	"Worst"	20.76	9.64	0.12	9.87			
QP	448.17k	27.91	56.92	-29.01	19.63	Neutral	-	8.28	9.63	0.13	9.87			
AV	448.17k	25.90	46.92	-21.02	19.63	Neutral	-	6.27	9.63	0.13	9.87			
QP	1.436M	19.17	56.00	-36.83	19.64	Neutral	-	-0.47	9.64	0.13	9.87			
AV	1.436M	14.21	46.00	-31.79	19.64	Neutral	-	-5.43	9.64	0.13	9.87			
QP	3.922M	26.35	56.00	-29.65	19.73	Neutral	-	6.62	9.66	0.19	9.88			
AV	3.922M	21.45	46.00	-24.55	19.73	Neutral	-	1.72	9.66	0.19	9.88			
QP	7.488M	36.65	60.00	-23.35	19.81	Neutral	-	16.84	9.69	0.24	9.88			
AV	7.488M	27.94	50.00	-22.06	19.81	Neutral	-	8.13	9.69	0.24	9.88			

AC Power-line Conducted Emissions Result

Operating Mode	2	Power Phase	Line
Operating Function	PoE mode; Sample 2		

04/06/2020



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)			
QP	181.216k	43.48	64.43	-20.95	19.63	Line	-	23.85	9.65	0.11	9.87			
AV	181.216k	39.40	54.43	-15.03	19.63	Line	-	19.77	9.65	0.11	9.87			
QP	269.806k	45.18	61.12	-15.94	19.64	Line	-	25.54	9.65	0.12	9.87			
AV	269.806k	42.12	51.12	-9.00	19.64	Line	"Worst"	22.48	9.65	0.12	9.87			
QP	356.493k	38.63	58.81	-20.18	19.63	Line	-	19.00	9.64	0.12	9.87			
AV	356.493k	37.49	48.81	-11.32	19.63	Line	-	17.86	9.64	0.12	9.87			
QP	1.339M	25.00	56.00	-31.00	19.65	Line	-	5.35	9.64	0.13	9.88			
AV	1.339M	22.56	46.00	-23.44	19.65	Line	-	2.91	9.64	0.13	9.88			
QP	3.769M	28.30	56.00	-27.70	19.72	Line	-	8.58	9.66	0.18	9.88			
AV	3.769M	22.82	46.00	-23.18	19.72	Line	-	3.10	9.66	0.18	9.88			
QP	7.488M	36.96	60.00	-23.04	19.80	Line	-	17.16	9.68	0.24	9.88			
AV	7.488M	28.48	50.00	-21.52	19.80	Line	-	8.68	9.68	0.24	9.88			

**Summary**

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	7.55M	10.435M	10M4G1D	6.975M	10.235M
802.11g_Nss1,(6Mbps)_2TX	16.35M	16.672M	16M7D1D	16.3M	16.532M
802.11n HT20_Nss1,(MCS0)_2TX	17.6M	17.871M	17M9D1D	17.525M	17.711M
802.11n HT40_Nss1,(MCS0)_2TX	36.35M	36.222M	36M2D1D	35.65M	36.102M
VHT20_Nss1,(MCS0)_2TX	17.6M	17.811M	17M8D1D	17.525M	17.731M
VHT40_Nss1,(MCS0)_2TX	36.3M	36.302M	36M3D1D	35.8M	36.142M
802.11ax HEW20_Nss1,(MCS0)_2TX	19M	19.03M	19M0D1D	18.85M	18.931M
802.11ax HEW40_Nss1,(MCS0)_2TX	37.55M	37.541M	37M5D1D	37.15M	37.421M

Max-N dB = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	7.55M	10.435M	7M	10.255M
2437MHz	Pass	500k	7.525M	10.395M	7.025M	10.355M
2462MHz	Pass	500k	6.975M	10.255M	7.05M	10.235M
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	16.3M	16.592M	16.325M	16.572M
2437MHz	Pass	500k	16.35M	16.672M	16.35M	16.652M
2462MHz	Pass	500k	16.325M	16.532M	16.325M	16.552M
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.55M	17.811M	17.6M	17.731M
2437MHz	Pass	500k	17.55M	17.871M	17.6M	17.771M
2462MHz	Pass	500k	17.525M	17.731M	17.575M	17.711M
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.65M	36.102M	36.3M	36.142M
2437MHz	Pass	500k	36.3M	36.222M	36.25M	36.182M
2452MHz	Pass	500k	35.9M	36.142M	36.35M	36.222M
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.525M	17.811M	17.575M	17.771M
2437MHz	Pass	500k	17.55M	17.811M	17.575M	17.771M
2462MHz	Pass	500k	17.525M	17.731M	17.6M	17.731M
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.8M	36.142M	36.05M	36.222M
2437MHz	Pass	500k	36.3M	36.302M	35.95M	36.182M
2452MHz	Pass	500k	36M	36.182M	36.3M	36.222M
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	18.85M	19.01M	18.975M	18.971M
2437MHz	Pass	500k	19M	19.03M	18.925M	18.991M
2462MHz	Pass	500k	18.9M	18.931M	18.9M	18.951M
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	37.15M	37.421M	37.15M	37.501M
2437MHz	Pass	500k	37.55M	37.541M	37.2M	37.501M
2452MHz	Pass	500k	37.25M	37.501M	37.3M	37.541M


Port X-N dB = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

802.11b_Nss1,(1Mbps)_2TX
EBW
2412MHz

23/07/2020



802.11b_Nss1,(1Mbps)_2TX
EBW
2437MHz

23/07/2020




802.11b_Nss1,(1Mbps)_2TX
EBW
2462MHz

23/07/2020



802.11g_Nss1,(6Mbps)_2TX
EBW
2412MHz

23/07/2020




802.11g_Nss1,(6Mbps)_2TX
EBW
2437MHz

23/07/2020



802.11g_Nss1,(6Mbps)_2TX
EBW
2462MHz

23/07/2020




802.11n HT20_Nss1,(MCS0)_2TX
EBW
2412MHz

23/07/2020



802.11n HT20_Nss1,(MCS0)_2TX
EBW
2437MHz

23/07/2020




802.11n HT20_Nss1,(MCS0)_2TX
EBW
2462MHz

23/07/2020



802.11n HT40_Nss1,(MCS0)_2TX
EBW
2422MHz

23/07/2020




802.11n HT40_Nss1,(MCS0)_2TX
EBW
2437MHz

23/07/2020


802.11n HT40_Nss1,(MCS0)_2TX
EBW
2452MHz


23/07/2020



VHT20_Nss1,(MCS0)_2TX

2412MHz


23/07/2020



VHT20_Nss1,(MCS0)_2TX


2437MHz

23/07/2020




VHT20_Nss1,(MCS0)_2TX
EBW
2462MHz

23/07/2020



VHT40_Nss1,(MCS0)_2TX
EBW
2422MHz

23/07/2020




VHT40_Nss1,(MCS0)_2TX
EBW
2437MHz

23/07/2020



VHT40_Nss1,(MCS0)_2TX
EBW
2452MHz

23/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX
EBW
2412MHz

23/07/2020



802.11ax HEW20_Nss1,(MCS0)_2TX
EBW
2437MHz

23/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX
EBW
2462MHz

23/07/2020



802.11ax HEW40_Nss1,(MCS0)_2TX
EBW
2422MHz

23/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX
EBW
2437MHz

23/07/2020


802.11ax HEW40_Nss1,(MCS0)_2TX
EBW
2452MHz

23/07/2020



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	7.025M	10.335M	10M3G1D	6.575M	10.215M
802.11g_Nss1,(6Mbps)_2TX	16.325M	16.632M	16M6D1D	16.3M	16.532M
802.11n HT20_Nss1,(MCS0)_2TX	17.6M	17.811M	17M8D1D	17.55M	17.731M
802.11n HT40_Nss1,(MCS0)_2TX	36.3M	36.262M	36M3D1D	35.7M	36.142M
VHT20_Nss1,(MCS0)_2TX	17.575M	17.811M	17M8D1D	17.55M	17.691M
VHT40_Nss1,(MCS0)_2TX	36.35M	36.302M	36M3D1D	35.45M	36.142M
802.11ax HEW20_Nss1,(MCS0)_2TX	18.975M	18.991M	19M0D1D	18.875M	18.951M
802.11ax HEW40_Nss1,(MCS0)_2TX	37.55M	37.621M	37M6D1D	35.6M	37.421M

Max-N dB = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	7.025M	10.295M	7.025M	10.295M
2437MHz	Pass	500k	7M	10.335M	6.575M	10.335M
2462MHz	Pass	500k	6.575M	10.235M	7.025M	10.215M
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	16.325M	16.632M	16.3M	16.612M
2437MHz	Pass	500k	16.325M	16.632M	16.325M	16.572M
2462MHz	Pass	500k	16.325M	16.552M	16.325M	16.532M
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.6M	17.791M	17.575M	17.731M
2437MHz	Pass	500k	17.55M	17.811M	17.6M	17.751M
2462MHz	Pass	500k	17.55M	17.751M	17.575M	17.751M
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.75M	36.142M	35.7M	36.222M
2437MHz	Pass	500k	36.3M	36.222M	36.3M	36.262M
2452MHz	Pass	500k	36.3M	36.262M	36.3M	36.262M
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	17.575M	17.811M	17.575M	17.771M
2437MHz	Pass	500k	17.55M	17.811M	17.575M	17.751M
2462MHz	Pass	500k	17.55M	17.691M	17.575M	17.711M
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	35.45M	36.142M	36.35M	36.142M
2437MHz	Pass	500k	36.3M	36.302M	36.3M	36.262M
2452MHz	Pass	500k	36.35M	36.222M	36.35M	36.262M
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	500k	18.9M	18.991M	18.95M	18.991M
2437MHz	Pass	500k	18.975M	18.971M	18.875M	18.991M
2462MHz	Pass	500k	18.875M	18.951M	18.9M	18.951M
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	500k	37.25M	37.421M	35.6M	37.461M



EBW_Sample 2


Appendix B.2

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
2437MHz	Pass	500k	37.45M	37.581M	37.5M	37.621M
2452MHz	Pass	500k	37.3M	37.501M	37.55M	37.581M


Port X-N dB = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

802.11b_Nss1,(1Mbps)_2TX
EBW
2412MHz


17/07/2020


802.11b_Nss1,(1Mbps)_2TX
EBW
2437MHz

17/07/2020


802.11b_Nss1,(1Mbps)_2TX
EBW
2462MHz

17/07/2020




802.11g_Nss1,(6Mbps)_2TX

EBW

2412MHz

15/07/2020




802.11g_Nss1,(6Mbps)_2TX

EBW

2437MHz

17/07/2020




802.11g_Nss1,(6Mbps)_2TX

EBW

2462MHz

15/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

EBW

2412MHz

22/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

EBW

2437MHz

22/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

EBW


2462MHz

22/07/2020




802.11n HT40_Nss1,(MCS0)_2TX
EBW
2422MHz


22/07/2020


802.11n HT40_Nss1,(MCS0)_2TX
EBW
2437MHz

22/07/2020



802.11n HT40_Nss1,(MCS0)_2TX
EBW
2452MHz

22/07/2020




VHT20_Nss1,(MCS0)_2TX
EBW
2412MHz


15/07/2020


VHT20_Nss1,(MCS0)_2TX
EBW
2437MHz

17/07/2020



VHT20_Nss1,(MCS0)_2TX
EBW
2462MHz

15/07/2020




VHT40_Nss1,(MCS0)_2TX
EBW
2422MHz


15/07/2020


VHT40_Nss1,(MCS0)_2TX
EBW
2437MHz

15/07/2020


VHT40_Nss1,(MCS0)_2TX
EBW
2452MHz

15/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

EBW

2412MHz

15/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

EBW

2437MHz

17/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

EBW

2462MHz

15/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

EBW

2422MHz

15/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

EBW

2437MHz

15/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

EBW

2452MHz

15/07/2020



**Summary**

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	25.96	0.39446
802.11g_Nss1,(6Mbps)_2TX	25.95	0.39355
802.11n HT20_Nss1,(MCS0)_2TX	25.47	0.35237
802.11n HT40_Nss1,(MCS0)_2TX	23.84	0.24210
VHT20_Nss1,(MCS0)_2TX	25.49	0.35400
VHT40_Nss1,(MCS0)_2TX	23.85	0.24266
802.11ax HEW20_Nss1,(MCS0)_2TX	25.90	0.38905
802.11ax HEW40_Nss1,(MCS0)_2TX	24.24	0.26546



Average Power_Sample 1

Appendix C.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	22.65	22.81	25.74	30.00
2417MHz	Pass	3.20	22.99	22.91	25.96	30.00
2437MHz	Pass	3.20	22.74	22.90	25.83	30.00
2457MHz	Pass	3.20	22.81	22.93	25.88	30.00
2462MHz	Pass	3.20	22.69	22.93	25.82	30.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	20.07	19.94	23.02	30.00
2417MHz	Pass	3.20	22.82	22.63	25.74	30.00
2437MHz	Pass	3.20	22.92	22.95	25.95	30.00
2457MHz	Pass	3.20	22.38	22.28	25.34	30.00
2462MHz	Pass	3.20	19.60	19.65	22.64	30.00
802.11n_HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	19.91	19.85	22.89	30.00
2417MHz	Pass	3.20	22.15	22.11	25.14	30.00
2437MHz	Pass	3.20	22.50	22.41	25.47	30.00
2457MHz	Pass	3.20	21.13	20.91	24.03	30.00
2462MHz	Pass	3.20	18.24	18.34	21.30	30.00
802.11n_HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	18.95	18.91	21.94	30.00
2427MHz	Pass	3.20	20.06	20.00	23.04	30.00
2437MHz	Pass	3.20	20.70	20.95	23.84	30.00
2447MHz	Pass	3.20	19.36	19.47	22.43	30.00
2452MHz	Pass	3.20	18.54	18.46	21.51	30.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	20.00	19.86	22.94	30.00
2417MHz	Pass	3.20	22.22	22.07	25.16	30.00
2437MHz	Pass	3.20	22.68	22.28	25.49	30.00
2457MHz	Pass	3.20	21.13	21.07	24.11	30.00
2462MHz	Pass	3.20	18.61	17.96	21.31	30.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	18.99	18.95	21.98	30.00
2427MHz	Pass	3.20	20.08	20.24	23.17	30.00
2437MHz	Pass	3.20	21.07	20.59	23.85	30.00
2447MHz	Pass	3.20	19.53	19.42	22.49	30.00
2452MHz	Pass	3.20	18.67	18.45	21.57	30.00
802.11ax_HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	20.30	20.21	23.27	30.00
2417MHz	Pass	3.20	22.52	22.24	25.39	30.00
2437MHz	Pass	3.20	22.99	22.79	25.90	30.00
2457MHz	Pass	3.20	21.47	21.14	24.32	30.00
2462MHz	Pass	3.20	18.83	18.77	21.81	30.00
802.11ax_HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	19.35	19.08	22.23	30.00



Average Power_Sample 1

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz	Pass	3.20	20.21	20.36	23.30	30.00
2437MHz	Pass	3.20	21.23	21.23	24.24	30.00
2447MHz	Pass	3.20	19.77	19.72	22.76	30.00
2452MHz	Pass	3.20	18.99	18.75	21.88	30.00

DG = Directional Gain; **Port X** = Port X output power

**Summary**

Mode	Total Power (dBm)	Total Power (W)
2.4-2.4835GHz	-	-
802.11b_Nss1,(1Mbps)_2TX	24.95	0.31261
802.11g_Nss1,(6Mbps)_2TX	24.75	0.29854
802.11n HT20_Nss1,(MCS0)_2TX	24.46	0.27925
802.11n HT40_Nss1,(MCS0)_2TX	23.71	0.23496
VHT20_Nss1,(MCS0)_2TX	24.55	0.28510
VHT40_Nss1,(MCS0)_2TX	23.79	0.23933
802.11ax HEW20_Nss1,(MCS0)_2TX	24.82	0.30339
802.11ax HEW40_Nss1,(MCS0)_2TX	24.03	0.25293

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	21.91	21.92	24.93	29.20
2417MHz	Pass	6.80	21.89	21.98	24.95	29.20
2437MHz	Pass	6.80	21.73	21.76	24.76	29.20
2457MHz	Pass	6.80	21.77	21.89	24.84	29.20
2462MHz	Pass	6.80	21.63	21.90	24.78	29.20
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	20.38	20.16	23.28	29.20
2417MHz	Pass	6.80	21.80	21.67	24.75	29.20
2437MHz	Pass	6.80	21.79	21.59	24.70	29.20
2457MHz	Pass	6.80	21.73	21.64	24.70	29.20
2462MHz	Pass	6.80	20.48	20.38	23.44	29.20
802.11n_HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	20.60	20.41	23.52	29.20
2417MHz	Pass	6.80	21.51	20.56	24.07	29.20
2437MHz	Pass	6.80	21.45	21.25	24.36	29.20
2457MHz	Pass	6.80	21.50	21.40	24.46	29.20
2462MHz	Pass	6.80	20.59	20.36	23.49	29.20
802.11n_HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	20.26	20.20	23.24	29.20
2427MHz	Pass	6.80	20.31	20.21	23.27	29.20
2437MHz	Pass	6.80	20.73	20.67	23.71	29.20
2447MHz	Pass	6.80	19.17	18.95	22.07	29.20
2452MHz	Pass	6.80	19.04	18.81	21.94	29.20
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	20.62	20.46	23.55	29.20
2417MHz	Pass	6.80	21.54	20.75	24.17	29.20
2437MHz	Pass	6.80	21.51	21.26	24.40	29.20
2457MHz	Pass	6.80	21.59	21.48	24.55	29.20
2462MHz	Pass	6.80	20.73	20.61	23.68	29.20
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	20.38	20.38	23.39	29.20
2427MHz	Pass	6.80	20.29	20.44	23.38	29.20
2437MHz	Pass	6.80	20.77	20.78	23.79	29.20
2447MHz	Pass	6.80	19.09	19.21	22.16	29.20
2452MHz	Pass	6.80	19.07	18.96	22.03	29.20
802.11ax_HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	20.84	20.65	23.76	29.20
2417MHz	Pass	6.80	21.78	21.69	24.75	29.20
2437MHz	Pass	6.80	21.81	21.64	24.74	29.20
2457MHz	Pass	6.80	21.96	21.65	24.82	29.20
2462MHz	Pass	6.80	20.82	20.89	23.87	29.20
802.11ax_HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	20.51	20.56	23.55	29.20



Average Power_Sample 2

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
2427MHz	Pass	6.80	20.50	20.62	23.57	29.20
2437MHz	Pass	6.80	21.02	21.01	24.03	29.20
2447MHz	Pass	6.80	19.50	19.11	22.32	29.20
2452MHz	Pass	6.80	19.43	19.26	22.36	29.20

DG = Directional Gain; **Port X** = Port X output power

Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	3.28
802.11g_Nss1,(6Mbps)_2TX	0.48
802.11n HT20_Nss1,(MCS0)_2TX	-0.73
802.11n HT40_Nss1,(MCS0)_2TX	-4.99
VHT20_Nss1,(MCS0)_2TX	-0.50
VHT40_Nss1,(MCS0)_2TX	-2.97
802.11ax HEW20_Nss1,(MCS0)_2TX	1.15
802.11ax HEW40_Nss1,(MCS0)_2TX	-4.82

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	0.37	1.65	2.70	8.00
2437MHz	Pass	3.20	0.54	0.82	3.28	8.00
2462MHz	Pass	3.20	0.14	-0.22	1.33	8.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	-5.85	-4.17	-2.15	8.00
2437MHz	Pass	3.20	-2.70	-2.36	0.48	8.00
2462MHz	Pass	3.20	-6.19	-4.70	-3.16	8.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	-4.87	-5.35	-2.10	8.00
2437MHz	Pass	3.20	-2.61	-4.03	-0.73	8.00
2462MHz	Pass	3.20	-6.14	-6.19	-3.16	8.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	-8.37	-8.97	-5.65	8.00
2437MHz	Pass	3.20	-8.35	-7.61	-4.99	8.00
2452MHz	Pass	3.20	-9.32	-9.91	-6.92	8.00
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	-6.01	-6.22	-3.35	8.00
2437MHz	Pass	3.20	-3.23	-3.28	-0.50	8.00
2462MHz	Pass	3.20	-7.10	-6.90	-4.45	8.00
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	-8.28	-8.33	-5.29	8.00
2437MHz	Pass	3.20	-6.38	-5.62	-2.97	8.00
2452MHz	Pass	3.20	-8.88	-8.98	-5.92	8.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.20	-4.99	-4.40	-1.67	8.00
2437MHz	Pass	3.20	-1.41	-2.36	1.15	8.00
2462MHz	Pass	3.20	-5.93	-5.41	-2.65	8.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	3.20	-9.72	-9.04	-6.38	8.00
2437MHz	Pass	3.20	-7.64	-8.02	-4.82	8.00
2452MHz	Pass	3.20	-10.67	-10.06	-7.39	8.00

DG = Directional Gain;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.70	2.70	0.37	1.65

802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.28	3.28	0.54	0.82

802.11b_Nss1,(1Mbps)_2TX

PSD

2462MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.33	1.33	0.14	-0.22

802.11g_Nss1,(6Mbps)_2TX

PSD

2412MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-5.85	-4.17

802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.48	0.48	-2.70	-2.36

802.11g_Nss1,(6Mbps)_2TX

PSD

2462MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.16	-3.16	-6.19	-4.70

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.10	-2.10	-4.87	-5.35

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.73	-0.73	-2.61	-4.03

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.16	-3.16	-6.14	-6.19

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.65	-5.65	-8.37	-8.97

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.99	-4.99	-8.35	-7.61

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.92	-6.92	-9.32	-9.91

VHT20_Nss1,(MCS0)_2TX

2412MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.35	-3.35	-6.01	-6.22

VHT20_Nss1,(MCS0)_2TX

2437MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.50	-0.50	-3.23	-3.28

VHT20_Nss1,(MCS0)_2TX

2462MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.45	-4.45	-7.10	-6.90

VHT40_Nss1,(MCS0)_2TX

2422MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.29	-5.29	-8.28	-8.33

VHT40_Nss1,(MCS0)_2TX

2437MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.97	-2.97	-6.38	-5.62

VHT40_Nss1,(MCS0)_2TX

2452MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.92	-5.92	-8.88	-8.98

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.67	-1.67	-4.99	-4.40

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.15	1.15	-1.41	-2.36

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.65	-2.65	-5.93	-5.41

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.38	-6.38	-9.72	-9.04

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz

PSD

23/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.82	-4.82	-7.64	-8.02

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz

PSD

23/07/2020



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.39	-7.39	-10.67	-10.06



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	1.30
802.11g_Nss1,(6Mbps)_2TX	-1.70
802.11n HT20_Nss1,(MCS0)_2TX	-1.91
802.11n HT40_Nss1,(MCS0)_2TX	-5.23
VHT20_Nss1,(MCS0)_2TX	-2.21
VHT40_Nss1,(MCS0)_2TX	-3.23
802.11ax HEW20_Nss1,(MCS0)_2TX	0.01
802.11ax HEW40_Nss1,(MCS0)_2TX	-4.95

RBW=3 kHz.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	0.35	-0.80	1.14	7.20
2437MHz	Pass	6.80	0.06	-0.90	0.97	7.20
2462MHz	Pass	6.80	-0.02	-0.50	1.30	7.20
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	-5.84	-4.31	-2.37	7.20
2437MHz	Pass	6.80	-3.56	-3.17	-1.70	7.20
2462MHz	Pass	6.80	-5.68	-5.25	-2.75	7.20
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	-3.95	-5.57	-1.91	7.20
2437MHz	Pass	6.80	-5.12	-4.45	-2.06	7.20
2462MHz	Pass	6.80	-5.36	-5.49	-2.96	7.20
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	-8.26	-7.67	-5.38	7.20
2437MHz	Pass	6.80	-8.10	-7.87	-5.23	7.20
2452MHz	Pass	6.80	-9.21	-9.52	-6.50	7.20
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	-5.76	-5.77	-3.22	7.20
2437MHz	Pass	6.80	-5.07	-4.57	-2.21	7.20
2462MHz	Pass	6.80	-5.13	-5.20	-2.81	7.20
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	-7.46	-7.87	-4.69	7.20
2437MHz	Pass	6.80	-6.34	-6.14	-3.23	7.20
2452MHz	Pass	6.80	-9.07	-9.52	-6.28	7.20
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.80	-5.27	-4.38	-1.79	7.20
2437MHz	Pass	6.80	-3.52	-2.53	0.01	7.20
2462MHz	Pass	6.80	-5.62	-4.15	-1.81	7.20
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2422MHz	Pass	6.80	-7.83	-8.10	-4.95	7.20
2437MHz	Pass	6.80	-7.88	-8.82	-6.39	7.20



PSD_Sample 2

Appendix D.2

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
2452MHz	Pass	6.80	-10.96	-11.20	-8.49	7.20

DG = Directional Gain; RBW=3 kHz;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11b_Nss1,(1Mbps)_2TX

2412MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.14	1.14	0.35	-0.80

802.11b_Nss1,(1Mbps)_2TX

2437MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.97	0.97	0.06	-0.90

802.11b_Nss1,(1Mbps)_2TX

2462MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.30	1.30	-0.02	-0.50

802.11g_Nss1,(6Mbps)_2TX

2412MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.37	-2.37	-5.84	-4.31

802.11g_Nss1,(6Mbps)_2TX

2437MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.70	-1.70	-3.56	-3.17

802.11g_Nss1,(6Mbps)_2TX

2462MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.75	-2.75	-5.68	-5.25

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz

PSD

22/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.91	-1.91	-3.95	-5.57

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz

PSD

22/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.06	-2.06	-5.12	-4.45

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz

PSD

22/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.96	-2.96	-5.36	-5.49

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz

PSD

22/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.38	-5.38	-8.26	-7.67

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz

PSD

22/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.23	-5.23	-8.10	-7.87

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz

PSD

22/07/2020



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.50	-6.50	-9.21	-9.52


VHT20_Nss1,(MCS0)_2TX

2412MHz

PSD

15/07/2020

CF
2.412GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
4.424357ms
Detector Type
Peak



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.22	-3.22	-5.76	-5.77


VHT20_Nss1,(MCS0)_2TX

2437MHz

PSD

17/07/2020

CF
2.437GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
4.424357ms
Detector Type
Peak



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.21	-2.21	-5.07	-4.57


VHT20_Nss1,(MCS0)_2TX

2462MHz

PSD

15/07/2020

CF
2.462GHz
Span
30MHz
RBW
3kHz
VBW
10kHz
Sweep Time
4.424357ms
Detector Type
Peak



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.81	-2.81	-5.13	-5.20

VHT40_Nss1,(MCS0)_2TX

2422MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.69	-4.69	-7.46	-7.87

VHT40_Nss1,(MCS0)_2TX

2437MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.23	-3.23	-6.34	-6.14

VHT40_Nss1,(MCS0)_2TX

2452MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.28	-6.28	-9.07	-9.52

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2412MHz

15/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2437MHz

17/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

2462MHz

15/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.95	-4.95	-7.83	-8.10

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz

PSD

15/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.39	-6.39	-7.88	-8.82

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz

PSD

15/07/2020



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.49	-8.49	-10.96	-11.20



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43749G	16.05	-13.95	2.06788G	-53.88	2.3971G	-42.07	2.4G	-45.12	2.48648G	-49.72	24.81457G	-40.87	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.43194G	12.69	-17.31	2.10953G	-53.86	2.39976G	-30.90	2.4G	-35.42	2.4861G	-50.02	24.42685G	-41.33	2
802.11n HT20_Nss1,(MCS0)_2TX	Pass	2.42948G	12.06	-17.94	1.77401G	-55.01	2.3998G	-31.06	2.4G	-34.29	2.48592G	-49.84	24.12061G	-40.56	2
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.43198G	8.39	-21.61	1.95188G	-53.66	2.3996G	-34.95	2.4G	-33.69	2.48386G	-43.11	23.4042G	-41.02	2
VHT20_Nss1,(MCS0)_2TX	Pass	2.43073G	12.53	-17.47	2.13778G	-53.72	2.39916G	-31.29	2.4G	-30.73	2.48398G	-49.65	24.65442G	-40.40	1
VHT40_Nss1,(MCS0)_2TX	Pass	2.43198G	8.46	-21.54	2.14081G	-54.57	2.39948G	-32.76	2.4G	-38.41	2.48398G	-42.94	23.14899G	-39.39	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.43073G	12.53	-17.47	1.95808G	-53.26	2.3997G	-26.59	2.4G	-28.57	2.48508G	-50.40	24.21332G	-39.96	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	2.43198G	8.51	-21.49	2.12506G	-53.76	2.39952G	-33.78	2.4G	-35.75	2.48406G	-41.47	14.67921G	-41.02	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43749G	16.05	-13.95	2.06788G	-53.88	2.3971G	-42.07	2.4G	-45.12	2.48648G	-49.72	24.81457G	-40.87	1
2412MHz	Pass	2.43749G	16.05	-13.95	2.00351G	-53.29	2.39712G	-44.16	2.4G	-46.24	2.48396G	-49.62	23.38169G	-40.45	2
2437MHz	Pass	2.43749G	16.05	-13.95	2.09642G	-54.30	2.3942G	-46.34	2.4835G	-49.11	2.48442G	-48.83	23.48284G	-40.71	1
2437MHz	Pass	2.43749G	16.05	-13.95	2.30029G	-54.28	2.3992G	-47.92	2.4G	-50.54	2.48356G	-47.72	23.19626G	-40.00	2
2462MHz	Pass	2.43749G	16.05	-13.95	2.12205G	-54.19	2.3993G	-48.95	2.4835G	-49.48	2.48378G	-46.87	24.34256G	-41.05	1
2462MHz	Pass	2.43749G	16.05	-13.95	2.11011G	-52.81	2.3996G	-48.40	2.4835G	-47.17	2.48538G	-46.67	23.38731G	-40.03	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43194G	12.69	-17.31	2.12729G	-53.70	2.39988G	-31.18	2.4G	-34.51	2.48456G	-48.96	23.39012G	-39.63	1
2412MHz	Pass	2.43194G	12.69	-17.31	2.10953G	-53.86	2.39976G	-30.90	2.4G	-35.42	2.4861G	-50.02	24.42685G	-41.33	2
2437MHz	Pass	2.43194G	12.69	-17.31	2.12554G	-54.16	2.39886G	-43.73	2.4G	-43.10	2.48492G	-47.20	24.71342G	-40.50	1
2437MHz	Pass	2.43194G	12.69	-17.31	2.15875G	-54.47	2.39858G	-42.51	2.4G	-47.16	2.48538G	-47.22	23.38731G	-40.80	2
2462MHz	Pass	2.43194G	12.69	-17.31	2.19166G	-54.10	2.39842G	-49.46	2.4835G	-43.00	2.48388G	-41.52	23.4435G	-40.47	1
2462MHz	Pass	2.43194G	12.69	-17.31	1.73847G	-53.81	2.39576G	-49.28	2.4835G	-40.36	2.4839G	-41.05	24.75276G	-40.44	2
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.42948G	12.06	-17.94	2.12904G	-54.18	2.39978G	-31.40	2.4G	-34.34	2.48374G	-48.62	23.51655G	-40.42	1
2412MHz	Pass	2.42948G	12.06	-17.94	1.77401G	-55.01	2.3998G	-31.06	2.4G	-34.29	2.48592G	-49.84	24.12061G	-40.56	2
2437MHz	Pass	2.42948G	12.06	-17.94	2.16079G	-54.35	2.39878G	-45.34	2.4G	-47.16	2.4836G	-48.12	23.49688G	-41.25	1
2437MHz	Pass	2.42948G	12.06	-17.94	2.18642G	-54.41	2.39972G	-44.27	2.4G	-46.12	2.48364G	-47.42	15.32387G	-40.95	2
2462MHz	Pass	2.42948G	12.06	-17.94	2.12904G	-53.66	2.39414G	-50.30	2.4835G	-47.70	2.48364G	-45.41	23.55588G	-40.73	1
2462MHz	Pass	2.42948G	12.06	-17.94	2.08448G	-53.67	2.39918G	-49.49	2.4835G	-48.90	2.48422G	-45.24	23.43788G	-40.86	2
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	8.39	-21.61	2.19119G	-53.95	2.39996G	-37.44	2.4G	-40.40	2.4837G	-49.45	23.44627G	-40.80	1
2422MHz	Pass	2.43198G	8.39	-21.61	2.30311G	-53.77	2.39924G	-38.35	2.4G	-43.33	2.48354G	-49.09	24.14461G	-40.67	2
2437MHz	Pass	2.43198G	8.39	-21.61	2.13193G	-53.86	2.39888G	-37.32	2.4G	-40.16	2.48382G	-44.05	23.42384G	-40.77	1
2437MHz	Pass	2.43198G	8.39	-21.61	1.95188G	-53.66	2.3996G	-34.95	2.4G	-33.69	2.48386G	-43.11	23.4042G	-41.02	2
2452MHz	Pass	2.43198G	8.39	-21.61	1.93614G	-54.29	2.39948G	-48.55	2.4835G	-45.34	2.48382G	-43.48	15.31024G	-40.26	1
2452MHz	Pass	2.43198G	8.39	-21.61	2.10789G	-53.83	2.39736G	-49.38	2.4835G	-44.86	2.4835G	-44.33	23.46871G	-40.57	2
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	12.53	-17.47	2.13778G	-53.72	2.39916G	-31.29	2.4G	-30.73	2.48398G	-49.65	24.65442G	-40.40	1
2412MHz	Pass	2.43073G	12.53	-17.47	1.95254G	-53.85	2.3984G	-32.85	2.4G	-34.00	2.4853G	-49.93	24.04194G	-40.00	2
2437MHz	Pass	2.43073G	12.53	-17.47	1.97992G	-53.69	2.39944G	-43.82	2.4835G	-47.39	2.48382G	-47.88	24.15994G	-40.63	1
2437MHz	Pass	2.43073G	12.53	-17.47	2.08215G	-54.30	2.39918G	-43.20	2.4G	-46.76	2.4839G	-47.80	24.03913G	-40.97	2
2462MHz	Pass	2.43073G	12.53	-17.47	2.1369G	-54.63	2.3971G	-50.19	2.4835G	-46.63	2.4844G	-45.12	23.43788G	-40.58	1
2462MHz	Pass	2.43073G	12.53	-17.47	2.11011G	-54.37	2.39684G	-50.16	2.4835G	-45.70	2.48418G	-45.00	16.55165G	-40.53	2
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	8.46	-21.54	2.01486G	-54.66	2.39636G	-38.22	2.4G	-41.36	2.48646G	-49.85	24.81209G	-40.82	1
2422MHz	Pass	2.43198G	8.46	-21.54	2.17115G	-54.60	2.39544G	-38.45	2.4G	-41.49	2.48526G	-49.50	23.4631G	-39.97	2
2437MHz	Pass	2.43198G	8.46	-21.54	2.14081G	-54.57	2.39948G	-32.76	2.4G	-38.41	2.48398G	-42.94	23.14899G	-39.39	1
2437MHz	Pass	2.43198G	8.46	-21.54	1.99568G	-54.35	2.39828G	-33.60	2.4G	-38.78	2.4841G	-42.24	23.4659G	-38.84	2
2452MHz	Pass	2.43198G	8.46	-21.54	1.83567G	-54.39	2.39904G	-48.48	2.4835G	-45.96	2.48378G	-42.69	23.4042G	-40.17	1
2452MHz	Pass	2.43198G	8.46	-21.54	1.98595G	-54.36	2.3996G	-46.00	2.4835G	-45.10	2.48482G	-41.25	23.42664G	-40.11	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	12.53	-17.47	2.16428G	-54.53	2.3997G	-26.88	2.4G	-27.99	2.48436G	-50.21	24.10937G	-40.61	1
2412MHz	Pass	2.43073G	12.53	-17.47	1.95808G	-53.26	2.3997G	-26.59	2.4G	-28.57	2.48508G	-50.40	24.21332G	-39.96	2
2437MHz	Pass	2.43073G	12.53	-17.47	2.06176G	-54.32	2.39914G	-41.28	2.4G	-42.84	2.48396G	-46.41	23.3845G	-40.81	1
2437MHz	Pass	2.43073G	12.53	-17.47	2.09933G	-54.80	2.39918G	-41.02	2.4G	-46.08	2.48508G	-48.07	23.47441G	-40.27	2
2462MHz	Pass	2.43073G	12.53	-17.47	2.00089G	-53.65	2.39986G	-49.61	2.4835G	-45.28	2.48418G	-40.28	23.42103G	-40.94	1



CSE(Non-restricted Band)_Sample 1

Appendix E.1


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2462MHz	Pass	2.43073G	12.53	-17.47	2.18554G	-54.47	2.39836G	-49.60	2.4835G	-47.30	2.48362G	-39.83	24.81457G	-40.93	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	8.51	-21.49	2.1494G	-53.83	2.39668G	-37.33	2.4G	-39.70	2.48354G	-49.07	23.55285G	-41.64	1
2422MHz	Pass	2.43198G	8.51	-21.49	2.09673G	-53.94	2.39976G	-38.32	2.4G	-42.31	2.4843G	-49.05	24.02121G	-40.77	2
2437MHz	Pass	2.43198G	8.51	-21.49	2.30454G	-54.31	2.39944G	-34.83	2.4G	-38.48	2.48586G	-42.22	24.85136G	-40.92	1
2437MHz	Pass	2.43198G	8.51	-21.49	2.12506G	-53.76	2.39952G	-33.78	2.4G	-35.75	2.48406G	-41.47	14.67921G	-41.02	2
2452MHz	Pass	2.43198G	8.51	-21.49	1.97736G	-54.08	2.39984G	-48.09	2.4835G	-44.34	2.48414G	-39.90	17.53706G	-40.61	1
2452MHz	Pass	2.43198G	8.51	-21.49	2.11075G	-53.08	2.39868G	-47.97	2.4835G	-46.58	2.4841G	-40.47	24.17265G	-40.83	2

802.11b_Nss1,(1Mbps)_2TX


2412MHz

CSENdB

23/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43749G	16.05	-13.95	2.06788G	-53.88	2.3971G	-42.07	2.4G	-45.12	2.48648G	-49.72	24.81457G	-40.87	1
2.43749G	16.05	-13.95	2.00351G	-53.29	2.39712G	-44.16	2.4G	-46.24	2.48396G	-49.62	23.38169G	-40.45	2

802.11b_Nss1,(1Mbps)_2TX


2437MHz

CSENdB

23/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43749G	16.05	-13.95	2.09642G	-54.30	2.3942G	-46.34	2.4835G	-49.11	2.48442G	-48.83	23.48284G	-40.71	1
2.43749G	16.05	-13.95	2.30029G	-54.28	2.3992G	-47.92	2.4G	-50.54	2.48356G	-47.72	23.19626G	-40.00	2



802.11b_Nss1,(1Mbps)_2TX

2462MHz

CSENdB

23/07/2020

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43749G	16.05	-13.95	2.12205G	-54.19	2.3993G	-48.95	2.4835G	-49.48	2.48378G	-46.87	2.434256G	-41.05	1
2.43749G	16.05	-13.95	2.11011G	-52.81	2.3996G	-48.40	2.4835G	-47.17	2.48538G	-46.67	2.338731G	-40.03	2



802.11g_Nss1,(6Mbps)_2TX

2412MHz

CSENdB

23/07/2020

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43194G	12.69	-17.31	2.12729G	-53.70	2.39988G	-31.18	2.4G	-34.51	2.48456G	-48.96	2.339012G	-39.63	1
2.43194G	12.69	-17.31	2.10953G	-53.86	2.39976G	-30.90	2.4G	-35.42	2.4861G	-50.02	2.42685G	-41.33	2

802.11g_Nss1,(6Mbps)_2TX

2437MHz

CSENdB

23/07/2020




802.11g_Nss1,(6Mbps)_2TX

2462MHz

CSENdB

23/07/2020





802.11n HT20_Nss1,(MCS0)_2TX

2412MHz

CSENdB

23/07/2020

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.42948G	12.06	-17.94	2.12904G	-54.18	2.39978G	-31.40	2.4G	-34.34	2.48374G	-48.62	23.51655G	-40.42	1
2.42948G	12.06	-17.94	1.77401G	-55.01	2.3998G	-31.06	2.4G	-34.29	2.48592G	-49.84	24.12061G	-40.56	2



802.11n HT20_Nss1,(MCS0)_2TX

2437MHz

CSENdB

23/07/2020

Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.42948G	12.06	-17.94	2.16079G	-54.35	2.39878G	-45.34	2.4G	-47.16	2.4836G	-48.12	23.49688G	-41.25	1
2.42948G	12.06	-17.94	2.18642G	-54.41	2.39972G	-44.27	2.4G	-46.12	2.48364G	-47.42	15.32387G	-40.95	2

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz


CSENdB



802.11n HT40_Nss1,(MCS0)_2TX

2422MHz

CSENdB





802.11n HT40_Nss1,(MCS0)_2TX

2437MHz

CSENdB

23/07/2020

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	8.39	-21.61	2.13193G	-53.86	2.39888G	-37.32	2.4G	-40.16	2.48382G	-44.05	23.42384G	-40.77	1
2.43198G	8.39	-21.61	1.95188G	-53.66	2.3996G	-34.95	2.4G	-33.69	2.48386G	-43.11	23.4042G	-41.02	2



802.11n HT40_Nss1,(MCS0)_2TX

2452MHz

CSENdB

23/07/2020

Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	8.39	-21.61	1.93614G	-54.29	2.39948G	-48.55	2.4835G	-45.34	2.48382G	-43.48	15.31024G	-40.26	1
2.43198G	8.39	-21.61	2.10789G	-53.83	2.39736G	-49.38	2.4835G	-44.86	2.4835G	-44.33	23.46871G	-40.57	2

VHT20_Nss1,(MCS0)_2TX


2412MHz

CSEndB

23/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	12.53	-17.47	2.13778G	-53.72	2.39916G	-31.29	2.4G	-30.73	2.48398G	-49.65	2.45442G	-40.40	1
2.43073G	12.53	-17.47	1.95254G	-53.85	2.3984G	-32.85	2.4G	-34.00	2.4853G	-49.93	2.404194G	-40.00	2

VHT20_Nss1,(MCS0)_2TX


2437MHz

CSEndB

23/07/2020



Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	12.53	-17.47	1.97992G	-53.69	2.39944G	-43.82	2.4835G	-47.39	2.48382G	-47.88	2.415994G	-40.63	1
2.43073G	12.53	-17.47	2.08215G	-54.30	2.39918G	-43.20	2.4G	-46.76	2.4839G	-47.80	2.403913G	-40.97	2

VHT20_Nss1,(MCS0)_2TX

2462MHz


CSENdB



VHT40_Nss1,(MCS0)_2TX

2422MHz

CSENdB




VHT40_Nss1,(MCS0)_2TX

2437MHz

CSENdB

23/07/2020




VHT40_Nss1,(MCS0)_2TX

2452MHz

CSENdB


23/07/2020



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2437MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz


CSENdB



802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz


CSENdB



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB


2437MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB

2452MHz



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.41148G	14.48	-15.52	2.02768G	-55.24	2.39654G	-43.05	2.4G	-44.86	2.48454G	-50.26	23.18221G	-40.62	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.43073G	10.89	-19.11	2.11535G	-54.85	2.39978G	-30.69	2.4G	-31.48	2.48388G	-50.83	23.53903G	-40.47	2
802.11n HT20_Nss1,(MCS0)_2TX	Pass	2.43073G	10.64	-19.36	2.15001G	-54.67	2.3998G	-28.83	2.4G	-34.93	2.48516G	-50.44	23.29179G	-39.61	2
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.43198G	7.53	-22.47	2.10875G	-54.30	2.39548G	-33.84	2.4G	-38.37	2.48366G	-49.68	24.99159G	-40.32	2
VHT20_Nss1,(MCS0)_2TX	Pass	2.43198G	10.47	-19.53	1.79119G	-54.91	2.3979G	-30.63	2.4G	-33.43	2.48394G	-49.93	23.48284G	-40.58	1
VHT40_Nss1,(MCS0)_2TX	Pass	2.43198G	7.39	-22.61	1.99568G	-54.10	2.39912G	-33.71	2.4G	-35.04	2.4853G	-48.26	16.58631G	-40.20	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.43073G	10.84	-19.16	2.10836G	-53.92	2.39944G	-26.03	2.4G	-27.38	2.48412G	-50.68	23.40136G	-41.37	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	2.43198G	7.37	-22.63	2.17459G	-54.70	2.3998G	-26.64	2.4G	-37.30	2.48606G	-49.28	24.27642G	-40.73	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41148G	14.48	-15.52	2.02768G	-55.24	2.39654G	-43.05	2.4G	-44.86	2.48454G	-50.26	23.18221G	-40.62	1
2412MHz	Pass	2.41148G	14.48	-15.52	2.12846G	-53.70	2.39846G	-43.87	2.4G	-46.09	2.48574G	-49.54	24.18523G	-41.41	2
2437MHz	Pass	2.41148G	14.48	-15.52	2.1136G	-54.44	2.39904G	-48.93	2.4835G	-50.64	2.48428G	-48.39	24.40156G	-40.45	1
2437MHz	Pass	2.41148G	14.48	-15.52	2.1305G	-54.15	2.39988G	-47.97	2.4835G	-50.34	2.4849G	-48.39	24.40999G	-40.58	2
2462MHz	Pass	2.41148G	14.48	-15.52	1.9805G	-54.52	2.39426G	-49.08	2.4835G	-50.62	2.48422G	-48.26	24.01384G	-40.40	1
2462MHz	Pass	2.41148G	14.48	-15.52	2.16399G	-53.51	2.397G	-48.86	2.4835G	-50.62	2.48698G	-48.70	23.46317G	-41.02	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	10.89	-19.11	2.15205G	-55.37	2.39986G	-31.60	2.4G	-32.34	2.48458G	-49.83	23.46317G	-41.14	1
2412MHz	Pass	2.43073G	10.89	-19.11	2.11535G	-54.85	2.39978G	-30.69	2.4G	-31.48	2.48388G	-50.83	23.53903G	-40.47	2
2437MHz	Pass	2.43073G	10.89	-19.11	2.30874G	-54.78	2.3988G	-48.05	2.4G	-48.01	2.48382G	-47.65	23.41541G	-40.78	1
2437MHz	Pass	2.43073G	10.89	-19.11	2.16515G	-54.69	2.39906G	-47.13	2.4G	-50.36	2.48514G	-48.93	17.65018G	-41.28	2
2462MHz	Pass	2.43073G	10.89	-19.11	1.94643G	-53.94	2.39846G	-49.48	2.4835G	-45.63	2.4839G	-40.19	24.74995G	-40.50	1
2462MHz	Pass	2.43073G	10.89	-19.11	2.14651G	-55.06	2.39598G	-49.67	2.4835G	-40.35	2.48418G	-38.57	23.21593G	-41.41	2
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	10.64	-19.36	743.85M	-54.29	2.39982G	-30.65	2.4G	-32.23	2.48362G	-48.76	23.30864G	-39.98	1
2412MHz	Pass	2.43073G	10.64	-19.36	2.15001G	-54.67	2.3998G	-28.83	2.4G	-34.93	2.48516G	-50.44	23.29179G	-39.61	2
2437MHz	Pass	2.43073G	10.64	-19.36	815.5M	-54.81	2.39932G	-47.72	2.4G	-49.12	2.4847G	-48.65	21.70438G	-39.38	1
2437MHz	Pass	2.43073G	10.64	-19.36	2.00351G	-54.36	2.3988G	-47.44	2.4G	-50.68	2.4835G	-49.34	23.37607G	-40.81	2
2462MHz	Pass	2.43073G	10.64	-19.36	2.30583G	-54.21	2.3994G	-48.54	2.4835G	-42.30	2.48442G	-37.40	24.59542G	-40.00	1
2462MHz	Pass	2.43073G	10.64	-19.36	2.30961G	-54.70	2.3999G	-49.07	2.4835G	-41.55	2.48414G	-36.67	16.20045G	-40.32	2
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	7.53	-22.47	1.90837G	-53.70	2.39844G	-34.74	2.4G	-36.47	2.48622G	-49.78	24.07169G	-40.71	1
2422MHz	Pass	2.43198G	7.53	-22.47	2.10875G	-54.30	2.39548G	-33.84	2.4G	-38.37	2.48366G	-49.68	24.99159G	-40.32	2
2437MHz	Pass	2.43198G	7.53	-22.47	1.95045G	-54.18	2.3996G	-37.39	2.4G	-35.48	2.48382G	-43.62	23.31726G	-41.03	1
2437MHz	Pass	2.43198G	7.53	-22.47	840.37M	-53.82	2.3996G	-38.07	2.4G	-36.80	2.48434G	-45.11	23.33689G	-39.83	2
2452MHz	Pass	2.43198G	7.53	-22.47	684.08M	-54.22	2.39828G	-49.18	2.4835G	-42.71	2.48406G	-43.15	23.31165G	-40.42	1
2452MHz	Pass	2.43198G	7.53	-22.47	814.61M	-53.52	2.39688G	-49.22	2.4835G	-44.96	2.48542G	-44.67	24.87099G	-40.33	2
VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43198G	10.47	-19.53	1.79119G	-54.91	2.3979G	-30.63	2.4G	-33.43	2.48394G	-49.93	23.48284G	-40.58	1
2412MHz	Pass	2.43198G	10.47	-19.53	2.16748G	-54.46	2.39776G	-31.07	2.4G	-32.86	2.48636G	-49.34	24.76962G	-40.57	2
2437MHz	Pass	2.43198G	10.47	-19.53	2.12118G	-54.96	2.39916G	-46.83	2.4835G	-49.93	2.48358G	-48.34	24.53361G	-40.93	1
2437MHz	Pass	2.43198G	10.47	-19.53	2.11943G	-54.30	2.39972G	-47.13	2.4G	-50.64	2.48558G	-49.25	14.64114G	-41.29	2
2462MHz	Pass	2.43198G	10.47	-19.53	2.15554G	-54.30	2.39882G	-49.17	2.4835G	-42.23	2.4836G	-39.83	24.74714G	-40.33	1
2462MHz	Pass	2.43198G	10.47	-19.53	2.10603G	-53.61	2.39972G	-49.81	2.4835G	-39.55	2.4836G	-38.92	24.78647G	-40.77	2
VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	7.39	-22.61	1.99568G	-54.10	2.39912G	-33.71	2.4G	-35.04	2.4853G	-48.26	16.58631G	-40.20	1
2422MHz	Pass	2.43198G	7.39	-22.61	2.15798G	-54.20	2.39964G	-34.32	2.4G	-36.41	2.4855G	-49.72	23.48273G	-40.16	2
2437MHz	Pass	2.43198G	7.39	-22.61	2.12277G	-54.92	2.39964G	-35.08	2.4G	-41.96	2.48458G	-43.36	23.41823G	-41.27	1
2437MHz	Pass	2.43198G	7.39	-22.61	2.10989G	-54.50	2.39856G	-34.65	2.4G	-41.31	2.4867G	-43.59	23.44347G	-40.67	2
2452MHz	Pass	2.43198G	7.39	-22.61	2.30941G	-54.62	2.3966G	-49.33	2.4835G	-43.67	2.48502G	-42.37	24.48396G	-40.22	1
2452MHz	Pass	2.43198G	7.39	-22.61	2.05465G	-53.77	2.39792G	-48.90	2.4835G	-45.78	2.48354G	-43.09	23.41823G	-41.04	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	10.84	-19.16	2.10836G	-53.92	2.39944G	-26.03	2.4G	-27.38	2.48412G	-50.68	23.40136G	-41.37	1
2412MHz	Pass	2.43073G	10.84	-19.16	1.93186G	-53.52	2.3997G	-26.16	2.4G	-28.04	2.48502G	-50.41	23.14007G	-41.32	2
2437MHz	Pass	2.43073G	10.84	-19.16	2.16079G	-54.06	2.39716G	-46.13	2.4G	-48.95	2.48406G	-49.03	24.74714G	-41.02	1
2437MHz	Pass	2.43073G	10.84	-19.16	1.81099G	-55.13	2.39864G	-44.52	2.4G	-49.43	2.48402G	-48.25	24.72747G	-40.36	2
2462MHz	Pass	2.43073G	10.84	-19.16	1.9671G	-54.79	2.39468G	-49.64	2.4835G	-40.09	2.48358G	-36.11	23.55588G	-40.79	1



CSE (Non-restricted Band)_Sample 2

Appendix E.2



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2462MHz	Pass	2.43073G	10.84	-19.16	1.91468G	-54.26	2.39948G	-49.37	2.4835G	-37.82	2.4836G	-36.00	16.20045G	-40.49	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	7.37	-22.63	1.75208G	-54.31	2.39984G	-27.72	2.4G	-34.04	2.4865G	-49.70	17.07992G	-41.56	1
2422MHz	Pass	2.43198G	7.37	-22.63	2.17459G	-54.70	2.3998G	-26.64	2.4G	-37.30	2.48606G	-49.28	24.27642G	-40.73	2
2437MHz	Pass	2.43198G	7.37	-22.63	1.96391G	-53.87	2.39888G	-32.40	2.4G	-38.54	2.48354G	-38.60	23.50797G	-40.63	1
2437MHz	Pass	2.43198G	7.37	-22.63	2.18146G	-54.33	2.39944G	-31.72	2.4G	-39.85	2.4835G	-37.99	23.36774G	-40.26	2
2452MHz	Pass	2.43198G	7.37	-22.63	1.77727G	-54.40	2.3986G	-44.25	2.4835G	-37.42	2.4835G	-36.88	15.32706G	-40.36	1
2452MHz	Pass	2.43198G	7.37	-22.63	2.1743G	-54.46	2.39856G	-45.47	2.4835G	-36.93	2.4835G	-36.97	16.85275G	-41.17	2

802.11b_Nss1,(1Mbps)_2TX

2412MHz

CSEndB

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
241148G	14.48	-15.52	2.02768G	-55.24	2.39654G	-43.05	2.4G	-44.86	2.48454G	-50.26	23.18221G	-40.62	1
241148G	14.48	-15.52	2.12846G	-53.70	2.39846G	-43.87	2.4G	-46.09	2.48574G	-49.54	24.18523G	-41.41	2

802.11b_Nss1,(1Mbps)_2TX

2437MHz

CSEndB

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
241148G	14.48	-15.52	2.1136G	-54.44	2.39904G	-48.93	2.4835G	-50.64	2.48428G	-48.39	24.40156G	-40.45	1
241148G	14.48	-15.52	2.1305G	-54.15	2.39988G	-47.97	2.4835G	-50.34	2.4849G	-48.39	24.40999G	-40.58	2

802.11b_Nss1,(1Mbps)_2TX


2462MHz

CSEndB

17/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41148G	14.48	-15.52	1.9805G	-54.52	2.39426G	-49.08	2.4835G	-50.62	2.48422G	-48.26	2.401384G	-40.40	1
2.41148G	14.48	-15.52	2.16399G	-53.51	2.397G	-48.86	2.4835G	-50.62	2.48698G	-48.70	2.46317G	-41.02	2

802.11g_Nss1,(6Mbps)_2TX


2412MHz

CSEndB

17/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.89	-19.11	2.15205G	-55.37	2.39986G	-31.60	2.4G	-32.34	2.48458G	-49.83	2.46317G	-41.14	1
2.43073G	10.89	-19.11	2.11535G	-54.85	2.39978G	-30.69	2.4G	-31.48	2.48388G	-50.83	2.53903G	-40.47	2

802.11g_Nss1,(6Mbps)_2TX

2437MHz

CSENdB

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.89	-19.11	2.30874G	-54.78	2.3988G	-48.05	2.4G	-48.01	2.48382G	-47.65	23.41541G	-40.78	1
2.43073G	10.89	-19.11	2.16515G	-54.69	2.39906G	-47.13	2.4G	-50.36	2.48514G	-48.93	17.65018G	-41.28	2

802.11g_Nss1,(6Mbps)_2TX

2462MHz

CSENdB

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.89	-19.11	1.94643G	-53.94	2.39846G	-49.48	2.4835G	-45.63	2.4839G	-40.19	24.74995G	-40.50	1
2.43073G	10.89	-19.11	2.14651G	-55.06	2.39598G	-49.67	2.4835G	-40.35	2.48418G	-38.57	23.21593G	-41.41	2

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz

CSEndB

22/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.64	-19.36	743.85M	-54.29	2.39982G	-30.65	2.4G	-32.23	2.48362G	-48.76	23.30864G	-39.98	1
2.43073G	10.64	-19.36	2.15001G	-54.67	2.3998G	-28.83	2.4G	-34.93	2.48516G	-50.44	23.20179G	-39.61	2

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz

CSEndB

22/07/2020



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.64	-19.36	815.5M	-54.81	2.39932G	-47.72	2.4G	-49.12	2.4847G	-48.65	21.70438G	-39.38	1
2.43073G	10.64	-19.36	2.00351G	-54.36	2.3988G	-47.44	2.4G	-50.68	2.4835G	-49.34	23.37607G	-40.81	2

802.11n HT20_Nss1,(MCS0)_2TX

CSEndB

2462MHz

22/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.64	-19.36	2.30583G	-54.21	2.3994G	-48.54	2.4835G	-42.30	2.48442G	-37.40	2.459542G	-40.00	1
2.43073G	10.64	-19.36	2.30961G	-54.70	2.3999G	-49.07	2.4835G	-41.55	2.48414G	-36.67	2.45045G	-40.32	2

802.11n HT40_Nss1,(MCS0)_2TX

CSEndB

2422MHz

22/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.53	-22.47	1.90837G	-53.70	2.39844G	-34.74	2.4G	-36.47	2.48622G	-49.78	2.407169G	-40.71	1
2.43198G	7.53	-22.47	2.10875G	-54.30	2.39548G	-33.84	2.4G	-38.37	2.48366G	-49.68	2.499159G	-40.32	2

802.11n HT40_Nss1,(MCS0)_2TX

CSENdB

2437MHz

22/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.53	-22.47	1.95045G	-54.18	2.3996G	-37.39	2.4G	-35.48	2.48382G	-43.62	23.31726G	-41.03	1
2.43198G	7.53	-22.47	840.37M	-53.82	2.3996G	-38.07	2.4G	-36.80	2.48434G	-45.11	23.33689G	-39.83	2

802.11n HT40_Nss1,(MCS0)_2TX

CSENdB

2452MHz

22/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.53	-22.47	684.08M	-54.22	2.39828G	-49.18	2.4835G	-42.71	2.48406G	-43.15	23.31165G	-40.42	1
2.43198G	7.53	-22.47	814.61M	-53.52	2.39688G	-49.22	2.4835G	-44.96	2.48542G	-44.67	24.87099G	-40.33	2

VHT20_Nss1,(MCS0)_2TX

CSENdB

2412MHz

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.47	-19.53	1.79119G	-54.91	2.3979G	-30.63	2.4G	-33.43	2.48394G	-49.93	23.48284G	-40.58	1
2.43198G	10.47	-19.53	2.16748G	-54.46	2.39776G	-31.07	2.4G	-32.86	2.48636G	-49.34	24.76962G	-40.57	2

VHT20_Nss1,(MCS0)_2TX

CSENdB

2437MHz

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.47	-19.53	2.12118G	-54.96	2.39916G	-46.83	2.4835G	-49.93	2.48358G	-48.34	24.53361G	-40.93	1
2.43198G	10.47	-19.53	2.11943G	-54.30	2.39972G	-47.13	2.4G	-50.64	2.48558G	-49.25	14.64114G	-41.29	2

VHT20_Nss1,(MCS0)_2TX

2462MHz

CSENdB

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.47	-19.53	2.15554G	-54.30	2.39882G	-49.17	2.4835G	-42.23	2.4836G	-39.83	2.474714G	-40.33	1
2.43198G	10.47	-19.53	2.10603G	-53.61	2.39972G	-49.81	2.4835G	-39.55	2.4836G	-38.92	2.478647G	-40.77	2

VHT40_Nss1,(MCS0)_2TX

2422MHz

CSENdB

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.39	-22.61	1.99568G	-54.10	2.39912G	-33.71	2.4G	-35.04	2.4853G	-48.26	16.58631G	-40.20	1
2.43198G	7.39	-22.61	2.15798G	-54.20	2.39964G	-34.32	2.4G	-36.41	2.4855G	-49.72	23.48273G	-40.16	2

VHT40_Nss1,(MCS0)_2TX

2437MHz

CSENdB

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.39	-22.61	2.12277G	-54.92	2.39964G	-35.08	2.4G	-41.96	2.48458G	-43.36	23.41823G	-41.27	1
2.43198G	7.39	-22.61	2.10989G	-54.50	2.39856G	-34.65	2.4G	-41.31	2.4867G	-43.59	23.44347G	-40.67	2

VHT40_Nss1,(MCS0)_2TX

2452MHz

CSENdB

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.39	-22.61	2.30941G	-54.62	2.3966G	-49.33	2.4835G	-43.67	2.48502G	-42.37	24.48396G	-40.22	1
2.43198G	7.39	-22.61	2.05465G	-53.77	2.39792G	-48.90	2.4835G	-45.78	2.48354G	-43.09	23.41823G	-41.04	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2412MHz

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.84	-19.16	2.10836G	-53.92	2.39944G	-26.03	2.4G	-27.38	2.48412G	-50.68	23.40136G	-41.37	1
2.43073G	10.84	-19.16	1.93186G	-53.52	2.39977G	-26.16	2.4G	-28.04	2.48502G	-50.41	23.14007G	-41.32	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2437MHz

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.84	-19.16	2.16079G	-54.06	2.39716G	-46.13	2.4G	-48.95	2.48406G	-49.03	24.74714G	-41.02	1
2.43073G	10.84	-19.16	1.81099G	-55.13	2.39864G	-44.52	2.4G	-49.43	2.48402G	-48.25	24.72747G	-40.36	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2462MHz

17/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	10.84	-19.16	1.9671G	-54.79	2.39468G	-49.64	2.48335G	-40.09	2.48358G	-36.11	23.55588G	-40.79	1
2.43073G	10.84	-19.16	1.91468G	-54.26	2.39948G	-49.37	2.48335G	-37.82	2.4836G	-36.00	16.20045G	-40.49	2

802.11ax HEW40_Nss1,(MCS0)_2TX

CSEndB

2422MHz

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.37	-22.63	1.75208G	-54.31	2.39984G	-27.72	2.4G	-34.04	2.4865G	-49.70	17.07992G	-41.56	1
2.43198G	7.37	-22.63	2.17459G	-54.70	2.3998G	-26.64	2.4G	-37.30	2.48606G	-49.28	24.27642G	-40.73	2

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz

CSENdB

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.37	-22.63	1.96391G	-53.87	2.39888G	-32.40	2.4G	-38.54	2.48354G	-38.60	23.50797G	-40.63	1
2.43198G	7.37	-22.63	2.18146G	-54.33	2.39944G	-31.72	2.4G	-39.85	2.4835G	-37.99	23.36774G	-40.26	2

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz

CSENdB

15/07/2020

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	7.37	-22.63	1.77727G	-54.40	2.3986G	-44.25	2.4835G	-37.42	2.4835G	-36.88	15.32706G	-40.36	1
2.43198G	7.37	-22.63	2.1743G	-54.46	2.39856G	-45.47	2.4835G	-36.93	2.4835G	-36.97	16.85275G	-41.17	2