


802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	52.09	54.00	-1.91	5.34	3	Vertical	16	1.49	-	46.75	31.68	7.73	34.07
AV	5.5536G	107.85	Inf	-Inf	5.40	3	Vertical	16	1.49	-	102.45	31.69	7.78	34.07
PK	5.469G	66.75	68.20	-1.45	5.37	3	Vertical	16	1.49	-	61.38	31.71	7.73	34.07
PK	5.5464G	118.40	Inf	-Inf	5.41	3	Vertical	16	1.49	-	112.99	31.71	7.77	34.07

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	51.66	54.00	-2.34	5.31	3	Horizontal	0	1.50	-	46.35	31.65	7.73	34.07
AV	5.5554G	108.79	Inf	-Inf	5.40	3	Horizontal	0	1.50	-	103.39	31.69	7.78	34.07
PK	5.466G	67.14	68.20	-1.06	5.36	3	Horizontal	0	1.50	-	61.78	31.70	7.73	34.07
PK	5.5554G	119.55	Inf	-Inf	5.40	3	Horizontal	0	1.50	-	114.15	31.69	7.78	34.07

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09874G	45.68	54.00	-8.32	15.77	3	Vertical	192	2.73	-	29.91	40.07	9.87	34.17
PK	11.08776G	57.98	74.00	-16.02	15.79	3	Vertical	192	2.73	-	42.19	40.09	9.87	34.17
PK	16.66098G	60.43	68.20	-7.77	16.79	3	Vertical	198	1.50	-	43.64	39.28	11.30	33.79

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09526G	45.61	54.00	-8.39	15.78	3	Horizontal	43	1.50	-	29.83	40.08	9.87	34.17
PK	11.1009G	58.93	74.00	-15.07	15.78	3	Horizontal	43	1.50	-	43.15	40.07	9.88	34.17
PK	16.64988G	61.54	68.20	-6.66	16.74	3	Horizontal	108	2.15	-	44.80	39.25	11.29	33.80

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	106.30	Inf	-Inf	5.52	3	Vertical	0	1.83	-	100.78	31.75	7.84	34.07
PK	5.6754G	117.40	Inf	-Inf	5.52	3	Vertical	0	1.83	-	111.88	31.75	7.84	34.07
PK	5.7264G	64.37	68.20	-3.83	5.67	3	Vertical	0	1.83	-	58.70	31.88	7.86	34.07

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	106.44	Inf	-Inf	5.52	3	Horizontal	0	1.85	-	100.92	31.75	7.84	34.07
PK	5.6682G	118.28	Inf	-Inf	5.50	3	Horizontal	0	1.85	-	112.78	31.74	7.83	34.07
PK	5.7264G	67.42	68.20	-0.78	5.67	3	Horizontal	0	1.85	-	61.75	31.88	7.86	34.07

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34666G	44.80	54.00	-9.20	15.51	3	Vertical	0	1.67	-	29.29	39.75	9.94	34.18
PK	11.34726G	57.13	74.00	-16.87	15.51	3	Vertical	0	1.67	-	41.62	39.75	9.94	34.18
PK	17.0157G	61.16	68.20	-7.04	18.34	3	Vertical	77	1.46	-	42.82	40.31	11.46	33.43

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3307G	45.18	54.00	-8.82	15.52	3	Horizontal	303	1.80	-	29.66	39.77	9.93	34.18
PK	11.35404G	57.29	74.00	-16.71	15.50	3	Horizontal	303	1.80	-	41.79	39.74	9.94	34.18
PK	17.01126G	61.03	68.20	-7.17	18.31	3	Horizontal	236	1.83	-	42.72	40.28	11.46	33.43

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	48.51	54.00	-5.49	5.32	3	Vertical	4	1.74	-	43.19	31.66	7.73	34.07
AV	5.704G	111.93	Inf	-Inf	5.59	3	Vertical	4	1.74	-	106.34	31.81	7.85	34.07
PK	5.4616G	58.74	68.20	-9.46	5.34	3	Vertical	4	1.74	-	53.40	31.68	7.73	34.07
PK	5.7076G	122.91	Inf	-Inf	5.60	3	Vertical	4	1.74	-	117.31	31.82	7.85	34.07
PK	5.8528G	65.72	68.20	-2.48	6.11	3	Vertical	4	1.74	-	59.61	32.26	7.93	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4112G	48.47	54.00	-5.53	5.18	3	Horizontal	0	1.83	-	43.29	31.53	7.71	34.06
AV	5.716G	112.77	Inf	-Inf	5.64	3	Horizontal	0	1.83	-	107.13	31.85	7.86	34.07
PK	5.4628G	59.73	68.20	-8.47	5.35	3	Horizontal	0	1.83	-	54.38	31.69	7.73	34.07
PK	5.7052G	123.35	Inf	-Inf	5.60	3	Horizontal	0	1.83	-	117.75	31.82	7.85	34.07
PK	5.8528G	67.32	68.20	-0.88	6.11	3	Horizontal	0	1.83	-	61.21	32.26	7.93	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42288G	45.85	54.00	-8.15	15.42	3	Vertical	0	2.51	-	30.43	39.65	9.96	34.19
PK	11.41088G	57.91	74.00	-16.09	15.44	3	Vertical	0	2.51	-	42.47	39.67	9.95	34.18
PK	17.13594G	62.64	68.20	-5.56	19.19	3	Vertical	149	2.52	-	43.45	41.14	11.51	33.46

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43026G	45.15	54.00	-8.85	15.41	3	Horizontal	183	1.50	-	29.74	39.64	9.96	34.19
PK	11.41196G	57.18	74.00	-16.82	15.43	3	Horizontal	183	1.50	-	41.75	39.66	9.95	34.18
PK	17.11512G	62.56	68.20	-5.64	19.04	3	Horizontal	189	1.50	-	43.52	40.99	11.50	33.45

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.85	54.00	-5.15	5.32	3	Vertical	12	1.49	-	43.53	31.80	7.57	34.05
AV	5.301G	100.63	Inf	-Inf	4.79	3	Vertical	12	1.49	-	95.84	31.20	7.65	34.06
AV	5.354G	51.78	54.00	-2.22	4.98	3	Vertical	12	1.49	-	46.80	31.36	7.68	34.06
PK	5.11G	61.20	74.00	-12.80	5.46	3	Vertical	12	1.49	-	55.74	31.96	7.55	34.05
PK	5.301G	111.72	Inf	-Inf	4.79	3	Vertical	12	1.49	-	106.93	31.20	7.65	34.06
PK	5.361G	68.22	74.00	-5.78	5.00	3	Vertical	12	1.49	-	63.22	31.38	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.97	54.00	-3.03	5.32	3	Horizontal	334	1.74	-	45.65	31.80	7.57	34.05
AV	5.279G	102.99	Inf	-Inf	4.86	3	Horizontal	334	1.74	-	98.13	31.28	7.64	34.06
AV	5.352G	53.07	54.00	-0.93	4.98	3	Horizontal	334	1.74	-	48.09	31.36	7.68	34.06
PK	5.15G	62.29	74.00	-11.71	5.32	3	Horizontal	334	1.74	-	56.97	31.80	7.57	34.05
PK	5.287G	113.58	Inf	-Inf	4.83	3	Horizontal	334	1.74	-	108.75	31.25	7.64	34.06
PK	5.355G	69.47	74.00	-4.53	4.98	3	Horizontal	334	1.74	-	64.49	31.36	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8324G	45.73	54.00	-8.27	14.68	3	Vertical	308	1.50	-	31.05	38.02	10.97	34.31
PK	10.61984G	56.79	74.00	-17.21	15.07	3	Vertical	36	1.50	-	41.72	39.71	9.75	34.39
PK	15.84888G	57.65	74.00	-16.35	14.61	3	Vertical	308	1.50	-	43.04	37.97	10.97	34.33

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90536G	45.85	54.00	-8.15	14.39	3	Horizontal	59	1.42	-	31.46	37.79	10.98	34.38
PK	10.54112G	56.43	68.20	-11.77	14.90	3	Horizontal	225	1.50	-	41.53	39.60	9.74	34.44
PK	15.85608G	58.13	74.00	-15.87	14.59	3	Horizontal	59	1.42	-	43.54	37.95	10.97	34.33

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.19	54.00	-2.81	5.34	3	Vertical	17	1.84	-	45.85	31.68	7.73	34.07
AV	5.541G	101.85	Inf	-Inf	5.42	3	Vertical	17	1.84	-	96.43	31.72	7.77	34.07
PK	5.468G	64.07	68.20	-4.13	5.36	3	Vertical	17	1.84	-	58.71	31.70	7.73	34.07
PK	5.541G	112.87	Inf	-Inf	5.42	3	Vertical	17	1.84	-	107.45	31.72	7.77	34.07
PK	5.742G	59.49	68.20	-8.71	5.73	3	Vertical	17	1.84	-	53.76	31.93	7.87	34.07

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.78	54.00	-2.22	5.33	3	Horizontal	0	1.87	-	46.45	31.67	7.73	34.07
AV	5.541G	102.56	Inf	-Inf	5.42	3	Horizontal	0	1.87	-	97.14	31.72	7.77	34.07
PK	5.463G	67.18	68.20	-1.02	5.35	3	Horizontal	0	1.87	-	61.83	31.69	7.73	34.07
PK	5.533G	114.14	Inf	-Inf	5.43	3	Horizontal	0	1.87	-	108.71	31.73	7.77	34.07
PK	5.731G	61.22	68.20	-6.98	5.69	3	Horizontal	0	1.87	-	55.53	31.89	7.87	34.07

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09408G	45.78	54.00	-8.22	15.78	3	Vertical	95	1.50	-	30.00	40.08	9.87	34.17
PK	11.07952G	57.95	74.00	-16.05	15.81	3	Vertical	95	1.50	-	42.14	40.10	9.87	34.16
PK	16.59192G	60.29	68.20	-7.91	16.51	3	Vertical	303	1.47	-	43.78	39.10	11.27	33.86

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02512G	45.76	54.00	-8.24	15.87	3	Horizontal	163	1.50	-	29.89	40.17	9.86	34.16
PK	11.04304G	58.55	74.00	-15.45	15.84	3	Horizontal	163	1.50	-	42.71	40.14	9.86	34.16
PK	16.60376G	61.13	68.20	-7.07	16.55	3	Horizontal	257	2.42	-	44.58	39.13	11.27	33.85

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.41	54.00	-4.59	5.34	3	Vertical	10	1.50	-	44.07	31.68	7.73	34.07
AV	5.624G	103.03	Inf	-Inf	5.39	3	Vertical	10	1.50	-	97.64	31.65	7.81	34.07
PK	5.467G	61.98	68.20	-6.22	5.36	3	Vertical	10	1.50	-	56.62	31.70	7.73	34.07
PK	5.639G	115.39	Inf	-Inf	5.43	3	Vertical	10	1.50	-	109.96	31.68	7.82	34.07
PK	5.743G	66.78	68.20	-1.42	5.73	3	Vertical	10	1.50	-	61.05	31.93	7.87	34.07

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.01	54.00	-3.99	5.34	3	Horizontal	360	1.50	-	44.67	31.68	7.73	34.07
AV	5.621G	104.10	Inf	-Inf	5.38	3	Horizontal	360	1.50	-	98.72	31.64	7.81	34.07
PK	5.468G	62.87	68.20	-5.33	5.36	3	Horizontal	360	1.50	-	57.51	31.70	7.73	34.07
PK	5.613G	115.98	Inf	-Inf	5.37	3	Horizontal	360	1.50	-	110.61	31.63	7.81	34.07
PK	5.731G	67.02	68.20	-1.18	5.69	3	Horizontal	360	1.50	-	61.33	31.89	7.87	34.07

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19344G	45.49	54.00	-8.51	15.68	3	Vertical	6	1.50	-	29.81	39.95	9.90	34.17
PK	11.18256G	57.39	74.00	-16.61	15.69	3	Vertical	6	1.50	-	41.70	39.96	9.90	34.17
PK	16.82824G	60.74	68.20	-7.46	17.50	3	Vertical	342	1.16	-	43.24	39.74	11.37	33.61

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21488G	45.45	54.00	-8.55	15.65	3	Horizontal	79	1.00	-	29.80	39.92	9.90	34.17
PK	11.2032G	57.35	74.00	-16.65	15.67	3	Horizontal	79	1.00	-	41.68	39.94	9.90	34.17
PK	16.81496G	61.25	68.20	-6.95	17.45	3	Horizontal	110	1.50	-	43.80	39.70	11.37	33.62

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	48.77	54.00	-5.23	5.32	3	Vertical	350	1.66	-	43.45	31.66	7.73	34.07
AV	5.6804G	106.15	Inf	-Inf	5.53	3	Vertical	350	1.66	-	100.62	31.76	7.84	34.07
PK	5.462G	59.72	68.20	-8.48	5.35	3	Vertical	350	1.66	-	54.37	31.69	7.73	34.07
PK	5.6924G	117.56	Inf	-Inf	5.56	3	Vertical	350	1.66	-	112.00	31.78	7.85	34.07
PK	5.8568G	65.23	68.20	-2.97	6.12	3	Vertical	350	1.66	-	59.11	32.27	7.93	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.89	54.00	-5.11	5.34	3	Horizontal	2	1.85	-	43.55	31.68	7.73	34.07
AV	5.6984G	107.04	Inf	-Inf	5.58	3	Horizontal	2	1.85	-	101.46	31.80	7.85	34.07
PK	5.4692G	59.51	68.20	-8.69	5.37	3	Horizontal	2	1.85	-	54.14	31.71	7.73	34.07
PK	5.6936G	118.82	Inf	-Inf	5.57	3	Horizontal	2	1.85	-	113.25	31.79	7.85	34.07
PK	5.8604G	67.19	68.20	-1.01	6.13	3	Horizontal	2	1.85	-	61.06	32.28	7.93	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.396G	45.27	54.00	-8.73	15.46	3	Vertical	346	2.24	-	29.81	39.69	9.95	34.18
PK	11.3912G	57.05	74.00	-16.95	15.46	3	Vertical	346	2.24	-	41.59	39.69	9.95	34.18
PK	17.03352G	62.04	68.20	-6.16	18.46	3	Vertical	129	1.50	-	43.58	40.43	11.47	33.44

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38336G	45.09	54.00	-8.91	15.47	3	Horizontal	141	1.50	-	29.62	39.70	9.95	34.18
PK	11.38016G	57.38	74.00	-16.62	15.48	3	Horizontal	141	1.50	-	41.90	39.71	9.95	34.18
PK	17.05448G	61.90	68.20	-6.30	18.61	3	Horizontal	73	1.20	-	43.29	40.58	11.47	33.44

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3644G	50.42	54.00	-3.58	3	Horizontal	328	1.69	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4696G	66.23	68.20	-1.97	3	Vertical	346	1.68	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz_TX	Pass	AV	5.1436G	48.69	54.00	-5.31	3	Vertical	328	1.84	-
5260MHz_TX	Pass	AV	5.2606G	109.93	Inf	-Inf	3	Vertical	328	1.84	-
5260MHz_TX	Pass	AV	5.353G	49.54	54.00	-4.46	3	Vertical	328	1.84	-
5260MHz_TX	Pass	PK	5.1442G	62.14	74.00	-11.86	3	Vertical	328	1.84	-
5260MHz_TX	Pass	PK	5.263G	120.49	Inf	-Inf	3	Vertical	328	1.84	-
5260MHz_TX	Pass	PK	5.3554G	60.91	74.00	-13.09	3	Vertical	328	1.84	-
5260MHz_TX	Pass	AV	5.15G	49.36	54.00	-4.64	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	AV	5.2594G	111.40	Inf	-Inf	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	AV	5.3644G	50.42	54.00	-3.58	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	PK	5.1454G	62.27	74.00	-11.73	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	PK	5.2642G	121.17	Inf	-Inf	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	PK	5.3578G	63.02	74.00	-10.98	3	Horizontal	328	1.69	-
5260MHz_TX	Pass	AV	15.77544G	43.67	54.00	-10.33	3	Vertical	8	1.47	-
5260MHz_TX	Pass	PK	10.52954G	57.17	68.20	-11.03	3	Vertical	224	1.50	-
5260MHz_TX	Pass	PK	15.77076G	56.80	74.00	-17.20	3	Vertical	8	1.47	-
5260MHz_TX	Pass	AV	15.7815G	42.72	54.00	-11.28	3	Horizontal	43	2.20	-
5260MHz_TX	Pass	PK	10.50914G	57.74	68.20	-10.46	3	Horizontal	332	2.92	-
5260MHz_TX	Pass	PK	15.78138G	56.23	74.00	-17.77	3	Horizontal	43	2.20	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5550MHz_TX	Pass	AV	5.46G	50.25	54.00	-3.75	3	Vertical	346	1.68	-
5550MHz_TX	Pass	AV	5.5572G	107.01	Inf	-Inf	3	Vertical	346	1.68	-
5550MHz_TX	Pass	PK	5.4696G	66.23	68.20	-1.97	3	Vertical	346	1.68	-
5550MHz_TX	Pass	PK	5.5548G	116.02	Inf	-Inf	3	Vertical	346	1.68	-
5550MHz_TX	Pass	AV	5.4582G	50.94	54.00	-3.06	3	Horizontal	0	1.63	-
5550MHz_TX	Pass	AV	5.553G	107.89	Inf	-Inf	3	Horizontal	0	1.63	-
5550MHz_TX	Pass	PK	5.4684G	64.75	68.20	-3.45	3	Horizontal	0	1.63	-
5550MHz_TX	Pass	PK	5.5608G	117.53	Inf	-Inf	3	Horizontal	0	1.63	-
5550MHz_TX	Pass	AV	11.08974G	45.21	54.00	-8.79	3	Vertical	184	1.50	-
5550MHz_TX	Pass	PK	11.0931G	57.84	74.00	-16.16	3	Vertical	184	1.50	-
5550MHz_TX	Pass	PK	16.6578G	58.50	68.20	-9.70	3	Vertical	223	1.50	-
5550MHz_TX	Pass	AV	11.0931G	45.30	54.00	-8.70	3	Horizontal	115	2.02	-
5550MHz_TX	Pass	PK	11.10546G	57.59	74.00	-16.41	3	Horizontal	115	2.02	-
5550MHz_TX	Pass	PK	16.65318G	57.96	68.20	-10.24	3	Horizontal	161	2.72	-

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	48.69	54.00	-5.31	9.02	3	Vertical	328	1.84	-	39.67	32.00	7.57	30.55
AV	5.2606G	109.93	Inf	-Inf	8.45	3	Vertical	328	1.84	-	101.48	31.38	7.63	30.56
AV	5.353G	49.54	54.00	-4.46	8.44	3	Vertical	328	1.84	-	41.10	31.32	7.68	30.56
PK	5.1442G	62.14	74.00	-11.86	9.02	3	Vertical	328	1.84	-	53.12	32.00	7.57	30.55
PK	5.263G	120.49	Inf	-Inf	8.44	3	Vertical	328	1.84	-	112.05	31.37	7.63	30.56
PK	5.3554G	60.91	74.00	-13.09	8.45	3	Vertical	328	1.84	-	52.46	31.33	7.68	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.36	54.00	-4.64	9.02	3	Horizontal	328	1.69	-	40.34	32.00	7.57	30.55
AV	5.2594G	111.40	Inf	-Inf	8.45	3	Horizontal	328	1.69	-	102.95	31.38	7.63	30.56
AV	5.3644G	50.42	54.00	-3.58	8.51	3	Horizontal	328	1.69	-	41.91	31.39	7.68	30.56
PK	5.1454G	62.27	74.00	-11.73	9.02	3	Horizontal	328	1.69	-	53.25	32.00	7.57	30.55
PK	5.2642G	121.17	Inf	-Inf	8.44	3	Horizontal	328	1.69	-	112.73	31.37	7.63	30.56
PK	5.3578G	63.02	74.00	-10.98	8.47	3	Horizontal	328	1.69	-	54.55	31.35	7.68	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77544G	43.67	54.00	-10.33	16.57	3	Vertical	8	1.47	-	27.10	37.92	10.96	32.31
PK	10.52954G	57.17	68.20	-11.03	18.21	3	Vertical	224	1.50	-	38.96	39.90	9.73	31.42
PK	15.77076G	56.80	74.00	-17.20	16.59	3	Vertical	8	1.47	-	40.21	37.95	10.95	32.31

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7815G	42.72	54.00	-11.28	16.54	3	Horizontal	43	2.20	-	26.18	37.89	10.96	32.31
PK	10.50914G	57.74	68.20	-10.46	18.21	3	Horizontal	332	2.92	-	39.53	39.90	9.73	31.42
PK	15.78138G	56.23	74.00	-17.77	16.54	3	Horizontal	43	2.20	-	39.69	37.89	10.96	32.31

802.11ac VHT40_Nss1,(MCS0)_2TX

23/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.25	54.00	-3.75	8.99	3	Vertical	346	1.68	-	41.26	31.82	7.73	30.56
AV	5.5572G	107.01	Inf	-Inf	9.10	3	Vertical	346	1.68	-	97.91	31.89	7.78	30.57
PK	5.4696G	66.23	68.20	-1.97	9.01	3	Vertical	346	1.68	-	57.22	31.84	7.73	30.56
PK	5.5548G	116.02	Inf	-Inf	9.10	3	Vertical	346	1.68	-	106.92	31.89	7.78	30.57

802.11ac VHT40_Nss1,(MCS0)_2TX

23/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	50.94	54.00	-3.06	8.99	3	Horizontal	0	1.63	-	41.95	31.82	7.73	30.56
AV	5.553G	107.89	Inf	-Inf	9.10	3	Horizontal	0	1.63	-	98.79	31.89	7.78	30.57
PK	5.4684G	64.75	68.20	-3.45	9.01	3	Horizontal	0	1.63	-	55.74	31.84	7.73	30.56
PK	5.5608G	117.53	Inf	-Inf	9.09	3	Horizontal	0	1.63	-	108.44	31.88	7.78	30.57

802.11ac VHT40_Nss1,(MCS0)_2TX

23/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08974G	45.21	54.00	-8.79	18.39	3	Vertical	184	1.50	-	26.82	39.94	9.87	31.42
PK	11.0931G	57.84	74.00	-16.16	18.38	3	Vertical	184	1.50	-	39.46	39.93	9.87	31.42
PK	16.6578G	58.50	68.20	-9.70	18.42	3	Vertical	223	1.50	-	40.08	39.52	11.30	32.40

802.11ac VHT40_Nss1,(MCS0)_2TX

23/07/2020

5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0931G	45.30	54.00	-8.70	18.38	3	Horizontal	115	2.02	-	26.92	39.93	9.87	31.42
PK	11.10546G	57.59	74.00	-16.41	18.35	3	Horizontal	115	2.02	-	39.24	39.89	9.88	31.42
PK	16.65318G	57.96	68.20	-10.24	18.37	3	Horizontal	161	2.72	-	39.59	39.48	11.29	32.40