




PART NUMBER BLOCK	
PART NUMBER	REV
4011248	02

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
02	RELEASE TO FILE		




- NOTES:
1. MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
  2. COLOR:
    - a. COLOR OF BASE: MATERIAL PRIMARY
    - b. COLOR OF FONT: BLACK
  3. TEMPERATURE RESISTANT= 80°C.
  4. ADHESIVE THICKNESS=0.024±0.003mm.
  5. UL APPROVED INK & MATERIAL
  6. REQUIREMENT FOR ADHESIVE GLUE: 3M-467
  7. Barcode Font: Code 39



		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:							
		INTEGRAL DIMENSIONS 1 PLACE DECIMAL		± 0.5 ± 0.3	ANGULAR DIMENSIONS HOLES UNDER $\phi$ 5.00		± 2° ± 0.2		
		MATERIAL: SEE NOTES				DWG TITLE  LABEL,DEVICE,ARUBA,MST2HAC			
		FINISH: SEE NOTES							
			THIRD ANGLE PROJECTION	DRAWN			SIZE A4	DWG NO. 4011248	REV 02
NEXT ASSY	USED ON			ENGR					
APPLICATION				APVD					

PART NUMBER BLOCK	
PART NUMBER	REV
4011248	02

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
02	RELEASE TO FILE		



- NOTES:
1. MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
  2. COLOR:
    - a. COLOR OF BASE: MATERIAL PRIMARY
    - b. COLOR OF FONT: BLACK
  3. TEMPERATURE RESISTANT= 80°C.
  4. ADHESIVE THICKNESS=0.024±0.003mm.
  5. UL APPROVED INK & MATERIAL
  6. REQUIREMENT FOR ADHESIVE GLUE: 3M-467
  7. Barcode Font: Code 39

		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:							
		INTEGRAL DIMENSIONS 1 PLACE DECIMAL		± 0.5 ± 0.3	ANGULAR DIMENSIONS HOLES UNDER $\phi$ 5.00		± 2° ± 0.2		
		MATERIAL: SEE NOTES				DWG TITLE  LABEL,DEVICE,ARUBA,MST2HAC			
		FINISH: SEE NOTES							
			THIRD ANGLE PROJECTION	DRAWN			SIZE A4	DWG NO. 4011248	REV 02
NEXT ASSY	USED ON			ENGR					
APPLICATION				APVD					

ARUBA NETWORKS, INC

MODEL: MST2H13N1

SPEC: 100-240V ~ 0.5A  
50-60Hz

IP66



P-HC



MADE IN CHINA

This device complies with Part 15 of the FCC Rules.  
Operation is subject to the following two conditions:  
(1) this device may not cause harmful interference, and  
(2) this device must accept any interference received,  
including interference that may cause undesired operations.



SN: BP0000673



MAC: 000B86C3F2A0



MST2HAC

DOM / 生产日期: 20120914

