

User's Guide

Portable Hard Disk Device (Model : MUH250)

e-MOS

- ※ Please read through the user guide before the actual using.
Data stored in the device will be damaged by an external impact,
a falling of a thunderbolt, a power failure etc. in any case of which,
this company doesn't take any responsibilities of the damage.



www.e-modis.com

FCC NOTICE

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.

OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:

(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRIED
OPERATION.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures :

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit difference from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE : This unit was tested with shielded cables on the peripheral devices. Shielded cables must be used with the unit to insure compliance.

NOTE : The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

Before the actual using

◆ User utility

- Storing high capacity file and data
- Utilized for the frequent documentation and data transfer
- Safekeeping of important documents and data
- Playing movie picture
- Upgrading HDD

◆ Specific features

- Operated without System Drive.(Except for Window 98 and SE)
- Elegant and polished design
- Can be run by USB's own power
- Plug- and-Plug function
- Hot plug function

◆ Items

- e-MOS set
- Extension cable 2ea
- e-MOS leather wallet
- User guide 1ea
- installation disk or CD 1ea(windows 98 only)

◆ O/S

Operating System	System Drive
Win 98	O
Win ME	X
Win 2000	X
Win XP	X
Mac 9.0Higher	X

◆ Usage cautions

- Avoid the external impact because of the sensitivity of the device.
- Keeping the device in a high temperature will cause the malfunction.
- Keep the device safe in a dry place.
- Keep e-Mos provided in its own case.
- HDD bought individually for e-Mos most require FDISK and FORMAT.

Windows 98 Installation

1. Connect e-MOS to the computer. The dialogue box for installation will appear.
2. Click 'Next' with Unknown devices displayed.
3. Select 'Search for the best driver for your device' to click 'Next'
4. Select 'Floppy disk drives' to click 'Next'
5. Click 'Next' just when driver's location is 'A:\GENEKIDK.INF'
6. Click 'Finish' to complete the installation.

Windows ME Installation

In windows ME, generally, there is no need for the separate installation program.
(Reference)

When e-MOS is connected to the computer, if 'Portable disk' does not appear on 'My computer', go to 'My computer -> Control panel -> System -> Disk drives -> Generic STORAGE DEVICE' and select 'Removable' to click 'OK'. Then Reconnect e-MOS to the computer for the normal operation without restarting the computer.

Windows 2000,XP Installation

In windows 2000,XP,e-MOS will work properly without the installation program.
(Reference)

With HDD unformatted, Local disk does not appear on 'My computer'. In this case, Go to 'My computer -> Control panel -> Computer control -> Disk control' to format HDD.

How to make HDD durable

- Avoid the external shock against HDD to prevent a breakdown.
- Do not open and give a small impact on HDD to prevent a breakdown.
- Do not use HDD around magnetized objects.

Product standard

■ Interface	:	USB 1.1
■ Size	:	74.0mm(W) x 117.0mm(L) x 15.0mm(H)
■ Weigh	:	70g
■ Length of cable	:	0.4[M]/1.2[M]
■ Transfer rate	:	max 12Mbit/sec
■ Applied Model of HDD	:	9.4mm(H) only
■ Voltage	:	5Volt

For more information

- Storage device division : ACE Techno Tower B10-1 #197-17, Guro-Dong, Guro-Gu, Seoul, Korea
TEL : (02)2109-6315 FAX : (02)2109-6317
- Home Page : www.e-modis.com
- Service Center : +82-80-333-6317

MEMO

Consideration repair

- Malfunction, damage, deterioration resulting from misuse and neglect of the user.
- Unauthorized product modification by the user.
- A natural disaster such as fire, flood, damage from salt, earthquake etc.
- Damage against data in HDD

Head Office : www.mostech.com
Storage Department : www.e-modis.com

