


Appendix B

Output Power


Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 95.83dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 91.20dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V-15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 95.73dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V-15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 91.41dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V+15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 95.69dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V+15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.408GHz, Emax: 91.47dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.428GHz, Emax: 95.33dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.430GHz, Emax: 88.23dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Umin: 110 V-15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.428GHz, Emax: 95.37dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Umin: 110 V-15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.429GHz, Emax: 87.87dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Umin: 110 V+15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.428GHz, Emax: 95.38dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Umin: 110 V+15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.429GHz, Emax: 88.13dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
 Model: CM22NS
 Approval Holder: Framel Limited.
 Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
 Test Site / Operator: ETS / Mr. Hoppe
 Test Specification: according to §15.249, Limit 20 dB up peak detector
 Comment 1: Dist.: 3m, Ant.: BBHA2190D
 Comment 2: Freq: 2.469GHz, Emax: 95.15dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.469GHz, Emax: 90.36dBμV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V-15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.468GHz, Emax: 95.16dBµV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
 Model: CM22NS
 Approval Holder: Framel Limited.
 Operating Condition: Tnom:23°C / Unom: 110 V-15% AC (AC/DC adaptor)
 Test Site / Operator: ETS / Mr. Hoppe
 Test Specification: according to §15.249, Limit 20 dB up peak detector
 Comment 1: Dist.: 3m, Ant.: BBHA2190D
 Comment 2: Freq: 2.468GHz, Emax: 90.32dBuV/m, RBW: 1MHz




Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V+15% AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D
Comment 2: Freq: 2.468GHz, Emax: 95.13dBµV/m, RBW: 1MHz



Carrier power (Field Strength)
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
 Model: CM22NS
 Approval Holder: Framel Limited.
 Operating Condition: Tnom:23°C / Unom: 110 V+15% AC (AC/DC adaptor)
 Test Site / Operator: ETS / Mr. Hoppe
 Test Specification: according to §15.249, Limit 20 dB up peak detector
 Comment 1: Dist.: 3m, Ant.: BBHA2190D
 Comment 2: Freq: 2.469GHz, Emax: 90.43dBµV/m, RBW: 1MHz




Appendix C

Spurious Emissions radiated, Transmitter


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.615MHz, Emax: 32.17dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.615MHz, Emax: 32.45dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 991.984MHz, Emax: 22.51dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 991.984MHz, Emax: 22.59dBμV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.949GHz, Emax: 42.34dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.961GHz, Emax: 42.07dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.818GHz, Emax: 70.41dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.818GHz, Emax: 71.97dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 9.635GHz, Emax: 54.94dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 9.635GHz, Emax: 50.94dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.455GHz, Emax: 46.24dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.545GHz, Emax: 44.70dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 23.302GHz, Emax: 49.98dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 1
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.662GHz, Emax: 49.96dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 179.218MHz, Emax: 31.91dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.253MHz, Emax: 31.77dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 898.998MHz, Emax: 23.06dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 979.158MHz, Emax: 23.83dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.813GHz, Emax: 43.72dB μ V/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.834GHz, Emax: 43.51dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.858GHz, Emax: 71.39dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.858GHz, Emax: 69.14dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 9.723GHz, Emax: 51.86dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 9.715GHz, Emax: 47.46dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 12.140GHz, Emax: 48.75dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.214GHz, Emax: 47.05dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.30dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 2
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.038GHz, Emax: 46.60dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.934MHz, Emax: 32.04dBμV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 194.208MHz, Emax: 31.85dBμV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 996.794MHz, Emax: 22.64dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 985.571MHz, Emax: 22.46dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.861GHz, Emax: 43.31dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 3.961GHz, Emax: 42.66dBuV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.938GHz, Emax: 72.06dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.938GHz, Emax: 71.73dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 9.884GHz, Emax: 45.98dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
 Model: CM22NS
 Approval Holder: Framel Limited.
 Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
 Test Site / Operator: ETS / Mr. Hoppe
 Test Specification: according to §15.249, Limit 20 dB up peak detector
 Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
 Comment 2: Freq: 9.876GHz, Emax: 47.87dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to §15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 12.341GHz, Emax: 54.57dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 12.341GHz, Emax: 48.24dB μ V/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.463GHz, Emax: 50.63dBμV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : 2.4GHz Wireless Camera / CH 4
Model: CM22NS
Approval Holder: Framel Limited.
Operating Condition: Tnom:23°C / Unom: 110 V AC (AC/DC adaptor)
Test Site / Operator: ETS / Mr. Hoppe
Test Specification: according to S15.249, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.834GHz, Emax: 50.07dBμV/m, RBW: 1MHz




Appendix D

Conducted Measurement at (AC) Power Line

EMI voltage test in the ac-mains according to FCC part 15

EUT: 2.4GHz WIRELESS CAMERA
Manufacturer: FRAMEL LIMITED.
Operating Condition: Unom: 120VAC, Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5 (L1)
Comment: model: CM22NS mode: link



EMI voltage test in the ac-mains according to FCC part 15

EUT: 2.4GHz WIRELESS CAMERA
Manufacturer: FRAMEL LIMITED.
Operating Condition: Unom: 120VAC, Thom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5 (N)
Comment: model: CM22NS mode: link

