



Federal Communications Commission
P.O. Box 429
Columbia, MD 21045

Date: May 12, 2014

RE: Application for Limited Modular Approval Certification for the kV2c-AMPZE module

Dear Sir or Madam:

The following information addresses the requirements to support a limited modular approval as required by FCC Part 15.212, Modular Transmitters.

1. The direct sequence spread spectrum transmitter and frequency hopping spread spectrum transmitter sections are not shielded. Testing has been performed to assure compliance.
2. The kV2c-AMPZE does not have external modulation or data inputs. The RF section is driven by an on board MCU which controls RF data lines and does not allow excessive modulation.
3. The modular transmitter has its own power regulation. The module will be integrated into a meter host which also offers power regulation.
4. The direct sequence transmitter has an antenna that is permanently imbedded into the module circuit board.
5. The frequency hopping spread spectrum transmitter has an antenna connected and permanently mounted under glass in the host meter.
6. The kV2c-AMPZE module was tested within a host meter. This module will always be integrated internal to a meter host.
7. The kV2c-AMPZE register module will be labeled as required. The meter host will also have the required labeling.
8. Operating requirements are included in the host technical manual.
9. MPE measurements are provided to demonstrate RF compliance. There is a cautionary statement that is included in the technical manual stipulating the 20 cm separation distance.

All meter forms which act as hosts to the kV2c-AMPZE module will be tested with the kV2c-AMPZE module for compliance and documented through the permissive change process.

Sincerely,

Name: Mike Mathis Signature: *Mike Mathis*
Title: Regulatory Engineer Date: May 12, 2014