



5.1.1.1.2.2 Test RB=6RB




Date: 12.JAN.2017 17:52:58



5.1.1.2 Test Mode = LTE/TM2 1.4MHz

5.1.1.2.1 Test Channel = LCH


5.1.1.2.1.1 Test RB=1RB



Date: 12.JAN.2017 17:57:36



5.1.1.2.1.2 Test RB=6RB




Date: 12.JAN.2017 17:59:09



5.1.1.2.2 Test Channel = HCH


5.1.1.2.2.1 Test RB=1RB



Date: 12.JAN.2017 17:54:47



5.1.1.2.2.2 Test RB=6RB




Date: 12.JAN.2017 17:53:57



5.1.1.3 Test Mode = LTE/TM3 1.4MHz

5.1.1.3.1 Test Channel = LCH


5.1.1.3.1.1 Test RB=1RB



Date: 15.JAN.2017 17:56:26



5.1.1.3.1.2 Test RB=6RB




Date: 15 JAN 2017 17:57:08



5.1.1.3.2 Test Channel = HCH

5.1.1.3.2.1 Test RB=1RB



Date: 15.JAN.2017 17:55:35



5.1.1.3.2.2 Test RB=6RB




Date: 15 JAN 2017 17:54:49



5.1.1.4 Test Mode = LTE/TM1 3MHz

5.1.1.4.1 Test Channel = LCH


5.1.1.4.1.1 Test RB=1RB



Date: 12.JAN.2017 19:04:24



5.1.1.4.1.2 Test RB=15RB




Date: 12.JAN.2017 19:01:45



5.1.1.4.2 Test Channel = HCH

5.1.1.4.2.1 Test RB=1RB



Date: 12.JAN.2017 19:22:46



5.1.1.4.2.2 Test RB=15RB




Date: 12.JAN.2017 19:24:26



5.1.1.5 Test Mode = LTE/TM2 3MHz

5.1.1.5.1 Test Channel = LCH


5.1.1.5.1.1 Test RB=1RB



Date: 12.JAN.2017 19:03:43



5.1.1.5.1.2 Test RB=15RB




Date: 12.JAN.2017 19:02:50



5.1.1.5.2 Test Channel = HCH


5.1.1.5.2.1 Test RB=1RB



Date: 12.JAN.2017 19:23:17



5.1.1.5.3 Test RB=15RB




Date: 12.JAN.2017 19:23:52



5.1.1.6 Test Mode = LTE/TM3 3MHz

5.1.1.6.1 Test Channel = LCH


5.1.1.6.2 Test RB=1RB



Date: 15 JAN. 2017 17:52:55




5.1.1.6.2.1 Test RB=15RB



Date: 15.JAN.2017 17:52:09

5.1.1.6.3 Test Channel = HCH

5.1.1.6.3.1 Test RB=1RB



Date: 15.JAN.2017 17:53:38



5.1.1.6.3.2 Test RB=15RB




Date: 15.JAN.2017 17:54:06



5.1.1.7 Test Mode = LTE/TM1 5MHz

5.1.1.7.1 Test Channel = LCH


5.1.1.7.1.1 Test RB=1RB



Date: 12.JAN.2017 19:28:40



5.1.1.7.1.2 Test RB=25RB




Date: 12.JAN.2017 19:29:10



5.1.1.7.2 Test Channel = HCH

5.1.1.7.2.1 Test RB=1RB



Date: 12.JAN.2017 19:26:39



5.1.1.7.2.2 Test RB=25RB




Date: 12.JAN.2017 19:25:58



5.1.1.8 Test Mode = LTE/TM2 5MHz

5.1.1.8.1 Test Channel = LCH


5.1.1.8.1.1 Test RB=1RB



Date: 12.JAN.2017 19:28:09



5.1.1.8.1.2 Test RB=25RB




Date: 12.JAN.2017 19:29:42



5.1.1.8.2 Test Channel = HCH


5.1.1.8.2.1 Test RB=1RB



Date: 12.JAN.2017 19:27:15



5.1.1.8.2.2 Test RB=25RB




Date: 12.JAN.2017 19:25:25



5.1.1.9 Test Mode = LTE/TM3 5MHz

5.1.1.9.1 Test Channel = LCH


5.1.1.9.1.1 Test RB=1RB



Date: 15.JAN.2017 17:50:53



5.1.1.9.1.2 Test RB=25RB




Date: 15 JAN 2017 17:51:21



5.1.1.9.2 Test Channel = HCH

5.1.1.9.2.1 Test RB=1RB



Date: 15.JAN.2017 17:50:03



5.1.1.9.2.2 Test RB=25RB




Date: 15.JAN.2017 17:49:29



5.1.1.10 Test Mode = LTE/TM1 10MHz

5.1.1.10.1 Test Channel = LCH


5.1.1.10.1.1 Test RB=1RB



Date: 13.JAN.2017 09:49:00



5.1.1.10.1.2 Test RB=50RB




Date: 13.JAN.2017 09:46:26



5.1.1.10.2 Test Channel = HCH

5.1.1.10.2.1 Test RB=1RB



Date: 13.JAN.2017 09:49:49



5.1.1.10.2.2 Test RB=50RB




Date: 13.JAN.2017 09:51:25



5.1.1.11 Test Mode = LTE/TM2 10MHz

5.1.1.11.1 Test Channel = LCH


5.1.1.11.1.1 Test RB=1RB



Date: 13.JAN.2017 09:48:02



5.1.1.11.1.2 Test RB=50RB




Date: 13.JAN.2017 09:47:22



5.1.1.11.2 Test Channel = HCH

5.1.1.11.2.1 Test RB=1RB



Date: 13.JAN.2017 09:50:25



5.1.1.11.2.2 Test RB=50RB




Date: 13.JAN.2017 09:50:55



5.1.1.12 Test Mode = LTE/TM3 10MHz

5.1.1.12.1 Test Channel = LCH


5.1.1.12.1.1 Test RB=1RB



Date: 15.JAN.2017 17:46:55



5.1.1.12.1.2 Test RB=50RB




Date: 15.JAN.2017 17:46:24



5.1.1.12.2 Test Channel = HCH

5.1.1.12.2.1 Test RB=1RB



Date: 15.JAN.2017 17:48:03



5.1.1.12.2.2 Test RB=50RB




Date: 15.JAN.2017 17:48:34



5.1.1.13 Test Mode = LTE/TM1 15MHz

5.1.1.13.1 Test Channel = LCH


5.1.1.13.1.1 Test RB=1RB



Date: 13.JAN.2017 09:54:51



5.1.1.13.1.2 Test RB=75RB




Date: 13.JAN.2017 09:56:08



5.1.1.13.2 Test Channel = HCH

5.1.1.13.2.1 Test RB=1RB



Date: 13.JAN.2017 09:53:57

5.1.1.13.2.2 Test RB=75RB




Date: 13.JAN.2017 09:52:17



5.1.1.14 Test Mode = LTE/TM2 15MHz

5.1.1.14.1 Test Channel = LCH

5.1.1.14.1.1 Test RB=1RB



Date: 13.JAN.2017 09:55:18



5.1.1.14.1.2 Test RB=75RB




Date: 13.JAN.2017 09:55:42



5.1.1.14.2 Test Channel = HCH


5.1.1.14.2.1 Test RB=1RB



Date: 13.JAN.2017 09:53:25



5.1.1.14.2.2 Test RB=75RB




Date: 13.JAN.2017 09:52:45



5.1.1.15 Test Mode = LTE/TM3 15MHz

5.1.1.15.1 Test Channel = LCH


5.1.1.15.1.1 Test RB=1RB



Date: 15.JAN.2017 17:45:06



5.1.1.15.1.2 Test RB=75RB




Date: 15.JAN.2017 17:45:30



5.1.1.15.2 Test Channel =HCH

5.1.1.15.2.1 Test RB=1RB



Date: 15.JAN.2017 17:44:25



5.1.1.15.2.2 Test RB=75RB



Date: 15.JAN.2017 17:43:40

6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = LTE band 26(824-849)

6.1.1.1 Test Mode = LTE / TM1 1.4MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date: 15 JAN.2017 11:33:38




Date: 15.JAN.2017 11:32:48



6.1.1.1.2 Test Channel = MCH




Date: 15 JAN. 2017 11:31:24




Date: 15.JAN.2017 11:32:13



6.1.1.1.3 Test Channel = HCH



Date: 15.JAN.2017 11:34:19




Date: 15.JAN.2017 11:34:54




6.1.1.2 Test Mode = LTE / TM1 3MHz RB1#0

6.1.1.2.1 Test Channel = LCH




Date: 15.JAN.2017 11:38:54




Date: 15.JAN.2017 11:38:10



6.1.1.2.2 Test Channel = MCH




Date: 15.JAN.2017 11:37:03




Date: 15.JAN.2017 11:37:32



6.1.1.2.3 Test Channel = HCH



Date: 15 JAN 2017 11:36:14




Date: 15.JAN.2017 11:35:34




6.1.1.3 Test Mode = LTE / TM1 5MHz RB1#0

6.1.1.3.1 Test Channel = LCH




Date: 15.JAN.2017 11:39:51




Date: 15.JAN.2017 11:40:36



6.1.1.3.2 Test Channel = MCH




Date: 15.JAN.2017 11:41:47




Date: 15.JAN.2017 11:41:12

6.1.1.3.3 Test Channel = HCH



Date: 15 JAN. 2017 11:42:43




Date: 15.JAN.2017 11:43:26




6.1.1.4 Test Mode = LTE / TM1 10MHz RB1#0

6.1.1.4.1 Test Channel = LCH




Date: 15.JAN.2017 11:47:13




Date: 15.JAN.2017 11:46:35



6.1.1.4.2 Test Channel = MCH




Date: 15 JAN 2017 11:45:20




Date: 15.JAN.2017 11:45:55



6.1.1.4.3 Test Channel = HCH



Date: 15.JAN.2017 11:44:42




Date: 15.JAN.2017 11:44:05




6.1.1.5 Test Mode = LTE / TM1 15MHz RB1#0

6.1.1.5.1 Test Channel = LCH




Date: 15.JAN.2017 11:48:13




Date: 15.JAN.2017 11:48:53



6.1.1.5.2 Test Channel = MCH




Date: 15 JAN. 2017 11:50:15




Date: 15.JAN.2017 11:49:31

6.1.1.5.3 Test Channel =HCH



Date: 15.JAN.2017 11:50:56



Date: 15.JAN.2017 11:51:34



7 Field Strength of Spurious Radiation

7.1 For LTE

7.1.1 Test Band = LTE band26(824-849)

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
2103.500	-59.65	-13.00	-46.65	Vertical
3320.000	-60.71	-13.00	-47.71	Vertical
4657.500	-68.03	-13.00	-55.03	Vertical
997.000	-62.13	-13.00	-49.13	Horizontal
2548.000	-59.65	-13.00	-46.65	Horizontal
4290.000	-69.40	-13.00	-56.40	Horizontal

Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
2280.000	-59.42	-13.00	-46.42	Vertical
3195.000	-69.43	-13.00	-56.43	Vertical
4852.500	-67.48	-13.00	-54.48	Vertical
1892.000	-59.69	-13.00	-46.69	Horizontal
2424.000	-58.95	-13.00	-45.95	Horizontal
4072.500	-68.78	-13.00	-55.78	Horizontal

7.1.1.1.1 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
2112.000	-61.77	-13.00	-48.77	Vertical
4267.500	-67.86	-13.00	-54.86	Vertical
6900.000	-66.04	-13.00	-53.04	Vertical
3390.000	-70.47	-13.00	-57.47	Horizontal
4170.000	-68.12	-13.00	-55.12	Horizontal
5632.500	-67.40	-13.00	-54.40	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case. The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE Band 26 (824-849)	LTE/TM1 15MHz	LCH	TN	VL	5.62	0.00676	PASS
				VN	5.69	0.00684	PASS
				VH	4.25	0.00511	PASS
		MCH	TN	VL	-2.71	-0.00324	PASS
				VN	-0.78	-0.00093	PASS
				VH	6.42	0.00767	PASS
		HCH	TN	VL	4.30	0.00511	PASS
				VN	-0.20	-0.00024	PASS
				VH	3.23	0.00384	PASS
	LTE/TM2 15MHz	LCH	TN	VL	-1.82	-0.00219	PASS
				VN	-6.19	-0.00744	PASS
				VH	0.72	0.00086	PASS
		MCH	TN	VL	1.42	0.00170	PASS
				VN	-3.57	-0.00427	PASS
				VH	3.81	0.00456	PASS
		HCH	TN	VL	-0.55	-0.00065	PASS
				VN	1.76	0.00209	PASS
				VH	5.44	0.00647	PASS
	LTE/TM3 15MHz	LCH	TN	VL	-0.46	-0.00055	PASS
				VN	0.94	0.00112	PASS
				VH	-3.70	-0.00445	PASS
		MCH	TN	VL	-5.44	-0.00650	PASS
				VN	-3.04	-0.00364	PASS
				VH	-2.38	-0.00285	PASS
		HCH	TN	VL	3.61	0.00429	PASS
				VN	-2.98	-0.00354	PASS
				VH	-5.46	-0.00648	PASS



8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE Band 26 (824-849)	LTE/TM1 15MHz	LCH	VN	-30	1.29	0.00155	PASS
				-20	2.78	0.00334	PASS
				-10	1.45	0.00175	PASS
				0	-6.06	-0.00728	PASS
				10	5.46	0.00657	PASS
				20	-3.04	-0.00365	PASS
				30	-1.32	-0.00159	PASS
				40	6.33	0.00762	PASS
				50	5.43	0.00653	PASS
		MCH	VN	-30	-0.74	-0.00088	PASS
				-20	-5.97	-0.00714	PASS
				-10	6.21	0.00742	PASS
				0	-5.51	-0.00658	PASS
				10	-6.37	-0.00762	PASS
				20	-1.16	-0.00138	PASS
				30	2.82	0.00337	PASS
				40	1.55	0.00186	PASS
				50	0.85	0.00102	PASS
		HCH	VN	-30	2.34	0.00278	PASS
				-20	5.79	0.00687	PASS
				-10	-4.64	-0.00551	PASS
				0	-5.24	-0.00623	PASS
				10	4.67	0.00555	PASS
				20	-3.02	-0.00359	PASS
				30	-2.78	-0.00331	PASS
				40	-2.53	-0.00301	PASS
				50	-1.98	-0.00235	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170100023101
Page: 183 of 184

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE Band 26 (824-849)	LTE/TM2 15MHz	LCH	VN	-30	4.41	0.00530	PASS
				-20	4.51	0.00542	PASS
				-10	-6.20	-0.00746	PASS
				0	-3.59	-0.00431	PASS
				10	-4.55	-0.00547	PASS
				20	3.07	0.00370	PASS
				30	-2.09	-0.00251	PASS
				40	-3.60	-0.00433	PASS
				50	-3.18	-0.00382	PASS
		MCH	VN	-30	-5.61	-0.00670	PASS
				-20	2.73	0.00327	PASS
				-10	1.59	0.00190	PASS
				0	2.55	0.00305	PASS
				10	-1.96	-0.00234	PASS
				20	-3.11	-0.00372	PASS
				30	2.51	0.00300	PASS
				40	3.06	0.00366	PASS
				50	3.17	0.00378	PASS
		HCH	VN	-30	0.92	0.00110	PASS
				-20	-3.17	-0.00377	PASS
				-10	-3.85	-0.00457	PASS
				0	0.69	0.00082	PASS
				10	-3.24	-0.00385	PASS
				20	0.42	0.00050	PASS
				30	-0.27	-0.00033	PASS
				40	2.75	0.00327	PASS
				50	1.81	0.00215	PASS

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170100023101

Page: 184 of 184

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE Band 26 (824-849)	LTE/TM3 15MHz	LCH	VN	-30	-6.97	-0.00839	PASS
				-20	0.39	0.00047	PASS
				-10	0.46	0.00055	PASS
				0	-0.31	-0.00037	PASS
				10	-1.00	-0.00120	PASS
				20	-4.88	-0.00587	PASS
				30	5.23	0.00629	PASS
				40	-0.37	-0.00044	PASS
				50	-5.16	-0.00621	PASS
		MCH	VN	-30	4.87	0.00582	PASS
				-20	-3.88	-0.00464	PASS
				-10	0.89	0.00107	PASS
				0	-5.29	-0.00632	PASS
				10	-5.58	-0.00667	PASS
				20	-2.80	-0.00334	PASS
				30	-2.13	-0.00255	PASS
				40	-3.92	-0.00468	PASS
				50	-1.64	-0.00196	PASS
		HCH	VN	-30	5.57	0.00662	PASS
				-20	5.43	0.00645	PASS
				-10	-0.86	-0.00103	PASS
				0	-0.90	-0.00107	PASS
				10	6.73	0.00800	PASS
				20	5.99	0.00711	PASS
				30	-5.07	-0.00602	PASS
				40	-3.33	-0.00396	PASS
				50	-0.49	-0.00058	PASS

The End

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."