



FCC&IC RF Test Report

Product Name: LTE Wireless Gateway

Model Number: B890-66

Report No: SYBH(Z-RF)004092012-2001

FCC ID: QISB890

IC: 6369A-B890

Reliability Laboratory of Huawei Technologies Co., Ltd.

Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District,
Shenzhen, 518129, P.R.C

Tel: +86 755 28780808 Fax: +86 755 89652518

Notice

1. The laboratory has obtained the accreditation of China National Accreditation Service for Conformity Assessment (CNAS), and accreditation number: L0310.
2. The laboratory has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements. The site recognition number is 97456.
3. The laboratory has been listed by industry Canada to perform electromagnetic emission measurement. The site recognition number is 6369A-2.
4. The test report is invalid if not marked with "exclusive stamp for the test report".
5. The test report is invalid if not marked with the stamps or the signatures of the persons responsible for performing, revising and approving the test report.
6. The test report is invalid if there is any evidence of erasure and/or falsification.
7. If there is any dissidence for the test report, please file objection to the test centre within 15 days from the date of receiving the test report.
8. Normally, the test report is only responsible for the samples that have undergone the test.
9. Context of the test report cannot be used partially or in full for publicity and/or promotional purposes without previous written approval of the laboratory.



Contents

1	<u>General Information</u>	5
1.1	APPLIED STANDARD	5
1.2	TEST LOCATION	5
1.3	TEST ENVIRONMENT CONDITION	5
2	<u>Summary</u>	6
3	<u>Product Description</u>	7
3.1	PRODUCTION INFORMATION	7
4	<u>Test Description</u>	8
4.1	SUPPORTED FREQUENCY RANGE	8
4.2	TRANSMITTER / RECEIVER CHARACTERISTICS	8
4.3	ANTENNA GAIN	8
4.4	POWER SUPPLY	8
5	<u>General Test Conditions / Configurations</u>	9
5.1	RF CHANNELS UNDER TEST	9
5.2	TEST MODES	10
5.3	TEST ENVIRONMENTS	10
5.4	TEST SETUPS	11
5.5	TEST CONDITIONS	13
6	<u>Main Test Instruments</u>	15
7	<u>Test Results</u>	16
8	<u>Measurement Uncertainty</u>	16



1 General Information

1.1 Applied Standard	
Applied Rules:	47 CFR FCC Part 2:2011, Subpart J 47 CFR FCC Part 24:2011, Subpart E ANSI/TIA 603C:2004 IC RSS-Gen Issue 3 IC RSS-133 Issue 5
1.2 Test Location	
Test Location 1:	Reliability Laboratory of Huawei Technologies Co., Ltd.
Address:	Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
1.3 Test Environment Condition	
Ambient Temperature:	20 – 25 °C
Ambient Relative Humidity:	45 – 55 %
Atmospheric Pressure:	101 kPa

2 Summary

Table 1 Summary of results

Test Case	FCC Part No.	Requirements	Result
PCS Band			
Transmitter Output Power	2.1046 & 24.232	Peak EIRP not exceed 2 W Peak-to-average ratio not exceed 13 dB	Pass
Modulation Characteristics	2.1047	Digital modulation	Pass
Occupied Bandwidth	2.1049	(Not specified)	Pass
Band Edges Compliance	2.1051 & 24.238	Below -13 dBm/1%*EBW, in 1 MHz range	Pass
Spurious Emission at Antenna Terminals	2.1051 & 24.238	Below -43 dBm/1 kHz, 9 kHz to 150 kHz Below -33 dBm/10 kHz, 150 kHz to 30 MHz Below -13 dBm/1 MHz, 30 MHz to 10 th harmonics	Pass
Field Strength of Spurious Radiation	2.1053 & 24.238	Below -13 dBm/1 MHz	Pass
Frequency Stability	2.1055 & 24.235	Stay within the authorized frequency block	Pass

Table 2 Summary of results

Test Case	IC Standard No.	Requirements	Result
PCS Band			
Transmitter Output Power	RSS-Gen, §4.8; RSS-133, §6.4	EIRP not exceed 2 W Peak-to-average ratio not exceed 13 dB	Pass
Modulation Characteristics	RSS-133, §6.2	Digital modulation	Pass
Occupied Bandwidth	RSS-Gen, §4.6	(Not specified)	Pass
Band Edges Compliance	RSS-Gen, §4.9; RSS-133, §6.5	Below -13 dBm/1%*EBW, in 1 MHz range	Pass
Spurious Emission at Antenna Terminals	RSS-Gen, §4.9; RSS-133, §6.5	Below -43 dBm/1 kHz, 9 kHz to 150 kHz Below -33 dBm/10 kHz, 150 kHz to 30 MHz Below -13 dBm/1 MHz, 30 MHz to 5 th harmonics	Pass
Field Strength of Spurious Radiation	RSS-Gen, §4.9; RSS-133, §6.5	Below -13 dBm/1 MHz	Pass
Frequency Stability	RSS-Gen, §4.7; RSS-133, §6.3	Maintained within the tolerances of ± 2.5 ppm	Pass
Receiver Spurious Emissions (Conducted)	RSS-Gen, §4.10; RSS-Gen, §6; RSS-133, §6.6	Below 2 nW/4 kHz (-57 dBm/4 kHz), for 30 MHz - 1000 MHz Below 5 nW/MHz (-53 dBm/MHz), for above 1 GHz	Pass



3 Product Description

3.1 Production Information

3.1.1 General Description

HUAWEI LTE Wireless Gateway-B890-66 is subscriber equipment in the WCDMA/LTE system, also supports wireless Internet accessing function, routing function, network address translation (NAT) function. The HSPA+/WCDMA frequency band is Band 2/4/5. The LTE frequency band includes Band 2/4/5/7/12/13/17. And the TX/RX band is 2400MHz~2483MHz for WLAN. B890-66 implements such functions as RF signal receiving/sending, WCDMA and LTE protocol processing, voice and data service etc. Externally it provides USB port interface, SIM card interface, four auto-sensing Ethernet interfaces and external antenna interface.

3.1.2 Board Information

Table 3 Board Information

LTE Wireless Gateway		
B890-66		
Board and Module		
Hardware Version	Software Version	Description
WL1B890I	V100R001	Board

3.1.3 Adapter Technical Data

AC/DCAdapter Model	HW-120200U6W
Input Voltage	~100-240V 50/60Hz
Output Voltage	12V  2A
Rated Power	24W

4 Test Description

4.1 Supported Frequency Range

Characteristics	Description
Downlink	1930 to 1990 MHz
Uplink	1850 to 1910 MHz

4.2 Transmitter / Receiver Characteristics

Characteristics	Description
System Type	UMTS LTE
TX Output Power (per Antenna Port)	UMTS system: 24dBm; LTE system: 23dBm;
Channel Spacing(s) / Bandwidth(s)	UMTS system: 5 MHz LTE system: 1.4MHz,3MHz,5 MHz,10 MHz,15 MHz,20 MHz
Designation of Emissions	UMTS system: 4M19F9W LTE system: 1M09G7D (1.4MHz ,QPSK modulation), 1M09W7D (1.4 MHz ,16QAM modulation), 2M69G7D (3MHz ,QPSK modulation), 2M68W7D (3 MHz ,16QAM modulation), 4M47G7D (5MHz ,QPSK modulation), 4M48W7D (5 MHz ,16QAM modulation), 8M97G7D (10 MHz QPSK modulation), 8M95W7D (10 MHz 16QAM modulation), 13M4G7D (15 MHz QPSK modulation), 13M4W7D (15 MHz 16QAM modulation), 17M9G7D (20 MHz QPSK modulation), 17M9W7D (20 MHz 16QAM modulation),

4.3 Antenna Gain

Antenna Gain(dBi)	-1
-------------------	----

4.4 Power Supply

Specification	Description
Power Supply Type	Directly Connected to DC /AC Power Supply
Input to EUT (DC power)	DC Voltage Nominal: $\approx$ 12 V DC Voltage Range: $\approx$ 10.8 V to 13.2 V
Input to EUT (AC power)	AC Voltage Nominal: $\sim$ 120 V (50/60 Hz) AC Voltage Range: $\sim$ 100-240V

5 General Test Conditions / Configurations

5.1 RF Channels under Test

Test Mode	TX / RX	RF Channel		
		Bottom (B)	Middle (M)	Top (T)
TM1/TM2/TM3	TX	Channel 9262	Channel9400	Channel9538
		1852.4MHz	1880.0MHz	1907.6MHz
	RX	Channel 9662	Channel 9800	Channel 9938
		1932.4 MHz	1960.0 MHz	1987.6 MHz
TM4/TM5	TX(1.4M)	Channel 18607	Channel 18900	Channel 19193
		1850.7MHz	1880 MHz	1909.3 MHz
	RX(1.4M)	Channel 607	Channel 900	Channel 1193
		1930.7 MHz	1960 MHz	1989.3 MHz
	TX(3M)	Channel 18615	Channel 18900	Channel 19185
		1851.5MHz	1880 MHz	1908.5 MHz
	RX(3M)	Channel 615	Channel 900	Channel1185
		1931.5 MHz	1960 MHz	1988.5 MHz
	TX(5M)	Channel 18625	Channel 18900	Channel 19175
		1852.5 MHz	1880 MHz	1907.5 MHz
	RX(5M)	Channel 625	Channel 900	Channel 1175
		1932.5 MHz	1960 MHz	1987.5 MHz
	TX(10M)	Channel 18650	Channel 18900	Channel 19150
		1855 MHz	1880 MHz	1905 MHz
	RX(10M)	Channel 650	Channel 900	Channel 1150
		1935 MHz	1960 MHz	1985 MHz

Test Mode	TX / RX	RF Channel		
		Bottom (B)	Middle (M)	Top (T)
	TX(15M)	Channel 18675	Channel 18900	Channel 19125
		1857.5 MHz	1880 MHz	1902.5 MHz
	RX(15M)	Channel 675	Channel 900	Channel 1125
		1937.5 MHz	1960 MHz	1982.5 MHz
	TX(20M)	Channel 18700	Channel 18900	Channel 19100
		1860 MHz	1880 MHz	1900 MHz
	RX(20M)	Channel 700	Channel 900	Channel 1100
		1940 MHz	1960 MHz	1980 MHz

5.2 Test Modes

Test Mode	Test Modes Description
TM1	WCDMA ,QPSK modulation
TM2	HSDPA , QPSK modulation
TM3	HSUPA , QPSK modulation
TM4	LTE , QPSK modulation
TM5	LTE , 16QAM modulation

5.3 Test Environments

Environment Parameter	Selected Values During Tests	
Relative Humidity	Ambient	
Temperature	TN	Ambient
Voltage	VL	10.8V
	VN	12.0V
	VH	13.2V


NOTE: VL= lower extreme test voltages
VN= nominal voltage
VH= upper extreme test voltage
TN= normal temperature

5.4 Test Setups


5.4.1 General Test Setup Configurations

Configuration	Description
Test Antenna Ports	Until otherwise declared, all TX tests are ONLY performed at the main Transmitter antenna port (e.g. TRXA, TXA and so on) of the EUT, and all RX tests are ONLY performed at the main Receiver antenna port (e.g. TRXA, RXA and so on) of the EUT.
Multiple RF Sources	Other than the tested RF source of the EUT, other RF source(s) are disabled or shutdown during measurements.

5.4.2 Test Setup 1



5.4.3 Test Setup 2




5.4.4 Test Setup 3

NOTE1: Effective radiated power (ERP) or Effective Isotropic radiated power (EIRP) refers to the EUT radiation power output, assuming all emissions are radiated from half-wave dipole antennas or horn antennas.

NOTE2: The EUT was set on insulator 80cm above the Ground Plane. The setup and test methods were according to ANSI-TIA-603C 2004. The measurements were carried through with a Rohde and Schwarz Test Receiver and control software.


Step 1: Pre-test

1. Connect the test system according to the following figure. EUT is running for 30 minutes before test, and measurement instruments are warming-up for 30 minutes.
2. Set up communication link between Universal radio communication tester and EUT, set EUT working frequency, and control EUT to transmit at maximum power.
3. Set the center frequency of the signal analyzer or receiver to the EUT's operating frequency, the RBW is equal to the emission bandwidth of the signal. Set RMS detector for the test, and the span is equal to 2 times of emission bandwidth, the other settings should remain automatic. Normally, the height range of antenna was 1m to 4m, the azimuth range of turntable was 0° to 360°. The receiver antenna has two polarizations V and H. A portable or small unlicensed wireless device shall be placed on a non-metallic test fixture or other non-metallic support during testing. The supporting fixture shall permit orientation of the EUT in each of three orthogonal (x, y, z) axis positions such that emissions from the EUT are maximized. Measure the EUT maximum RF power and record the result.
4. Changing EUT working frequency and measuring the RF power at channel T, M, B respectively. Complete the test data.



Step 2: Substitution method to verify the maximum EIRP

1. Measurement setup is according to the following figure. EUT was substituted by antenna, and the polarization is identical with the test antenna; the signal generator was connected to the substitution antenna.
2. The radiated output power, measured by signal analyzer set, is the same as recorded in above.
Then this power level is matched by a signal from a calibrated signal generator which is substituted for EUT. The power supplied by the generator is then equal to the ERP or EIRP after corrected by the antenna gain and cable loss.



5.5 Test Conditions

Test Case	Test Conditions	
Transmitter Output Power	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 1 & Test Setup 3
	Detector	RMS
	RF Channels (TX)	B, M, T
	Test Mode	TM1/TM2/TM3/TM4/TM5
Modulation Characteristics	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 1
	RF Channels (TX)	M
	Test Mode	TM1/TM4/TM5
Occupied Bandwidth	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 1

Test Case	Test Conditions	
	Detector	RMS
	RF Channels (TX)	B, M, T
	Test Mode	TM1/TM4/TM5
Band Edges Compliance	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 1
	Detector	RMS
	RF Channels (TX)	B, T
	Test Mode	TM1/TM4/TM5
Spurious Emission at Antenna Terminals	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 1
	Detector	PK
	RF Channels (TX)	B, M, T
	Test Mode	TM1/TM4/TM5
Field Strength of Spurious Radiation	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 3
	Detector	PK
	RF Channels (TX)	M
	Test Mode	TM1/TM2/TM3/TM4/TM5
Frequency Stability	Test Configuration	(1) -30 °C to +50 °C with step 10 °C at Rated Voltage; (2) VL, VN and VH of Rated Voltage at Ambient Temperature.
	Test Setup	Test Setup 2
	RF Channels (TX)	M
	Test Mode	TM1/TM4
Receiver Spurious Emissions	Test Configuration	Ambient Temperature & Rated Voltage
	Test Setup	Test Setup 3
	Detector	QP, PK, AV
	RF Channels (TX)	M
	Test Mode	TM1/TM2/TM3/TM4/TM5

6 Main Test Instruments

Table 4 Main Test Equipments

Equipment Description	Manufacturer	Model	Serial Number	Calibrated until
Power supply	KEITHLEY	2303	1288003	Sept., 27,2012
Universal Radio Communication Tester	R&S	CMU200	117341	Jan., 12,2013
Universal Radio Communication Tester	Agilent	E5515C	MY50260239	Aug., 30,2013
Spectrum Analyzer	Agilent	E4440A	MY49420179	Jul., 17,2013
Signal Analyzer	Agilent	N9020A	MY52090652	Jul., 17,2013
Signal Analyzer	R&S	FSQ31	200021	Sept., 27,2012
Temperature Chamber	WEISS	WKL64	24600294	Feb.,13,2013
Signal generator	Agilent	E8257D	MY49281095	Jul.,09,2013
Spectrum analyzer	R&S	FSU3	200474	Mar., 05, 2013
Spectrum analyzer	R&S	FSU43	100144	Mar., 05, 2013
Double-Ridged Waveguide Horn Antenna (1G~18GHz)	R&S	HF907	100304	Apr., 05, 2013
Double-Ridged Waveguide Horn Antenna (1G~18GHz)	R&S	HF907	100391	Apr., 05, 2013
Trilog Broadband Antenna (30M~3GHz)	SCHWARZB ECK	VULB 9163	9163-521	Jul., 07, 2013
Pyramidal Horn Antenna(26GHz-40GHz)	ETS-Lindgren	3160-10	00123940	Feb., 27, 2013
Pyramidal Horn Antenna(18GHz-26.5GHz)	ETS-Lindgren	3160-09	00125912	Feb., 27, 2013
Universal Radio Communication Tester	R & S	CMW500	20347676	Sept., 06, 2013
Universal Radio Communication Tester	Anritsu	MT8820C	6200971028	May, 04, 2013

Note: All the equipments are calibrated once a year. When it's almost due, we will arrange calibration again before the calibration deadline.

7 Test Results

No.	Test Item	Test Result
1	Transmitter Output Power	Appendix A
2	Modulation Characteristics	Appendix B
3	Occupied Bandwidth	Appendix C
4	Band Edges Compliance	Appendix D
5	Spurious Emission at Antenna Terminals	Appendix E
6	Field Strength of Spurious Radiation	Appendix F
7	Frequency Stability	Appendix G
8	Receiver Spurious Emissions	Appendix H
9	Photos of Test Setup	Appendix I

NOTE: The Appendix I only photos of test setup for Field Strength of Spurious Radiation and Receiver Spurious Emissions, no test data.

8 Measurement Uncertainty

For a 95% confidence level ($k=2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item		Extended Uncertainty
Transmitter Output Power	Power (dBm)	U =0.39 dB
Occupied Bandwidth	Magnitude (%)	U=0.2%
Band Edge Compliance	Disturbance Power (dBm)	U=2.0 dB
Conducted Spurious Emissions	Disturbance Power (dBm)	U=2.0 dB
Field Strength of Spurious Radiation	ERP (dBm)	U=4.6 dB (30 MHz – 1GHz) U=3.0 dB (above 1 GHz)
Frequency Stability	Frequency Accuracy (ppm)	U=0.21 ppm

-----The END-----



Appendix A

Transmitter Output Power

According to FCC Part 2.1046 & Part24.232 & RSS-133



Conducted Power of Transmitter

Table 1 Measurement Results BAND 2

		RF Output Power (Conducted)					
TEST CONDITIONS		Channel9262(B)		Channel9400(M)		Channel9538(T)	
		1852.4MHz		1880.0MHz		1907.6MHz	
		dBm		dBm		dBm	
T_{nom} / V_{nom}		Measured	Limit	Measured	Limit	Measured	Limit
TM1		22.74	33	22.87	33	22.66	33
TM2	Case1	21.46	33	21.59	33	21.44	33
	Case2	21.55	33	21.56	33	21.67	33
	Case3	20.95	33	20.96	33	21.12	33
	Case4	20.85	33	20.85	33	21.08	33
TM3	Case1	20.73	33	21.53	33	21.48	33
	Case2	18.11	33	18.43	33	18.16	33
	Case3	20.37	33	20.01	33	19.91	33
	Case4	20.98	33	20.42	33	20.27	33
	Case5	21.32	33	21.46	33	21.25	33

Note: RBW > emission bandwidth, VBW > 3 x RBW.



Table 2 Measurement Results (LTE) BAND 2

TM4 & TM5 RF Output Power(Conducted) BAND 2				
Test Mode	TN/VN			
	Modulation	RB	Measured (dBm)	Limit (dBm)
Channel (B) 1.4MHz(BW)	QPSK	1RB#0	22.53	33
		1RB#max	22.66	33
		3RB#2	22.60	33
		Full	21.64	33
	16QAM	1RB#0	21.73	33
		1RB#max	21.74	33
		3RB#2	21.60	33
		Full	20.11	33
Channel (B) 3MHz(BW)	QPSK	1RB#0	22.46	33
		1RB#max	22.53	33
		8RB#4	21.62	33
		Full	21.65	33
	16QAM	1RB#0	21.76	33
		1RB#max	21.75	33
		8RB#4	20.60	33
		Full	20.75	33
Channel (B) 5MHz(BW)	QPSK	1RB#0	22.52	33
		1RB#max	22.68	33
		12RB#6	21.75	33
		Full	21.44	33
	16QAM	1RB#0	21.64	33
		1RB#max	21.81	33
		12RB#6	20.85	33
		Full	20.48	33
Channel (B) 10MHz(BW)	QPSK	1RB#0	22.58	33
		1RB#max	22.52	33
		25RB#13	21.54	33
		Full	21.49	33
	16QAM	1RB#0	21.83	33
		1RB#max	21.74	33
		25RB#13	20.58	33



		Full	20.42	33
Channel (B) 15MHz(BW)	QPSK	1RB#0	22.64	33
		1RB#max	22.42	33
		36RB#18	21.40	33
		Full	21.33	33
	16QAM	1RB#0	21.76	33
		1RB#max	21.51	33
		36RB#18	20.50	33
		Full	20.44	33
Channel (B) 20MHz(BW)	QPSK	1RB#0	22.72	33
		1RB#max	22.46	33
		50RB#25	21.42	33
		Full	21.42	33
	16QAM	1RB#0	21.82	33
		1RB#max	21.56	33
		50RB#25	20.46	33
		Full	20.60	33
Channel (M) 1.4MHz(BW)	QPSK	1RB#0	22.57	33
		1RB#max	22.56	33
		3RB#2	22.59	33
		Full	21.57	33
	16QAM	1RB#0	21.82	33
		1RB#max	21.69	33
		3RB#2	21.50	33
		Full	20.39	33
Channel (M) 3MHz(BW)	QPSK	1RB#0	22.49	33
		1RB#max	22.54	33
		8RB#4	21.56	33
		Full	21.56	33
	16QAM	1RB#0	21.64	33
		1RB#max	21.74	33
		8RB#4	20.49	33
		Full	20.59	33
Channel (M) 5MHz(BW)	QPSK	1RB#0	22.54	33
		1RB#max	22.66	33
		12RB#6	21.61	33
		Full	21.60	33



	16QAM	1RB#0	21.67	33
		1RB#max	21.73	33
		12RB#6	20.69	33
		Full	20.55	33
Channel (M) 10MHz(BW)	QPSK	1RB#0	22.53	33
		1RB#max	22.66	33
		25RB#13	21.51	33
		Full	21.46	33
	16QAM	1RB#0	21.70	33
		1RB#max	21.83	33
		25RB#13	20.52	33
		Full	20.34	33
Channel (M) 15MHz(BW)	QPSK	1RB#0	22.52	33
		1RB#max	22.59	33
		36RB#18	21.42	33
		Full	21.28	33
	16QAM	1RB#0	21.74	33
		1RB#max	21.69	33
		36RB#18	20.46	33
		Full	20.29	33
Channel (M) 20MHz(BW)	QPSK	1RB#0	22.52	33
		1RB#max	22.61	33
		50RB#25	21.58	33
		Full	21.47	33
	16QAM	1RB#0	21.11	33
		1RB#max	21.25	33
		50RB#25	20.60	33
		Full	20.47	33
Channel (T) 1.4MHz(BW)	QPSK	1RB#0	21.83	33
		1RB#max	21.56	33
		3RB#2	21.72	33
		Full	20.79	33
	16QAM	1RB#0	20.48	33
		1RB#max	20.17	33
		3RB#2	21.09	33
		Full	19.95	33
Channel (T)	QPSK	1RB#0	22.52	33



3MHz(BW)		1RB#max	21.60	33
		8RB#4	20.94	33
		Full	20.97	33
	16QAM	1RB#0	21.66	33
		1RB#max	20.71	33
		8RB#4	19.99	33
		Full	20.09	33
Channel (T) 5MHz(BW)	QPSK	1RB#0	22.82	33
		1RB#max	21.64	33
		12RB#6	21.45	33
		Full	21.27	33
	16QAM	1RB#0	21.95	33
		1RB#max	20.77	33
		12RB#6	20.61	33
		Full	20.44	33
Channel (T) 10MHz(BW)	QPSK	1RB#0	22.60	33
		1RB#max	21.66	33
		25RB#13	21.53	33
		Full	21.45	33
	16QAM	1RB#0	21.79	33
		1RB#max	20.87	33
		25RB#13	20.67	33
		Full	20.40	33
Channel (T) 15MHz(BW)	QPSK	1RB#0	22.57	33
		1RB#max	21.74	33
		36RB#18	21.46	33
		Full	21.36	33
	16QAM	1RB#0	21.82	33
		1RB#max	20.92	33
		36RB#18	20.51	33
		Full	20.39	33
Channel (T) 20MHz(BW)	QPSK	1RB#0	22.89	33
		1RB#max	21.98	33
		50RB#25	21.60	33
		Full	21.56	33
	16QAM	1RB#0	22.03	33
		1RB#max	21.20	33



		50RB#25	20.59	33
		Full	20.57	33

Note: RBW > emission bandwidth, VBW > 3 x RBW.



Peak-to-Average Ratio

Table 1 Measurement Results (WCMDA) BAND 2

		Peak-to-Average Ratio					
TEST CONDITIONS		Channel9262(B)		Channel9400(M)		Channel9538(T)	
		1852.4MHz		1880.0MHz		1907.6MHz	
		dB		dB		dB	
T _{nom} / V _{nom}		Measured	Limit	Measured	Limit	Measured	Limit
TM1		3.21	13	3.30	13	3.26	13
TM2	Case1	3.22	13	3.18	13	3.24	13
	Case2	3.23	13	3.21	13	3.22	13
	Case3	3.16	13	3.29	13	3.19	13
	Case4	3.23	13	3.25	13	3.20	13
TM3	Case1	3.27	13	3.28	13	3.24	13
	Case2	3.17	13	3.26	13	3.22	13
	Case3	3.28	13	3.13	13	3.18	13
	Case4	3.16	13	3.17	13	3.21	13
	Case5	3.22	13	3.17	13	3.14	13

Table 2 Measurement Results (LTE) BAND 2

TM4 & TM5 Peak-to-Average Ratio				
Test Mode	TN/VN			
	Modulation	RB	Measured (dB)	Limit (dB)
Channel (B) 1.4MHz(BW)	QPSK	1RB#0	5.71	13
		1RB#max	5.71	13
		3RB#2	5.66	13
		Full	5.77	13
	16QAM	1RB#0	6.60	13
		1RB#max	6.54	13
		3RB#2	6.51	13



		Full	6.61	13
Channel (B) 3MHz(BW)	QPSK	1RB#0	5.26	13
		1RB#max	5.32	13
		8RB#4	5.27	13
		Full	5.16	13
	16QAM	1RB#0	6.02	13
		1RB#max	5.84	13
		8RB#4	5.94	13
		Full	6.00	13
Channel (B) 5MHz(BW)	QPSK	1RB#0	5.35	13
		1RB#max	5.45	13
		12RB#6	5.31	13
		Full	5.36	13
	16QAM	1RB#0	6.12	13
		1RB#max	6.15	13
		12RB#6	6.05	13
		Full	6.09	13
Channel (B) 10MHz(BW)	QPSK	1RB#0	5.53	13
		1RB#max	5.57	13
		25RB#13	5.60	13
		Full	5.62	13
	16QAM	1RB#0	6.31	13
		1RB#max	6.30	13
		25RB#13	6.34	13
		Full	6.43	13
Channel (B) 15MHz(BW)	QPSK	1RB#0	5.86	13
		1RB#max	5.90	13
		36RB#18	5.91	13
		Full	5.92	13
	16QAM	1RB#0	6.55	13
		1RB#max	6.52	13
		36RB#18	6.53	13
		Full	6.57	13
Channel (B) 20MHz(BW)	QPSK	1RB#0	5.58	13
		1RB#max	5.61	13
		50RB#25	5.51	13
		Full	5.62	13



	16QAM	1RB#0	6.36	13
		1RB#max	6.35	13
		50RB#25	6.34	13
		Full	6.39	13
Channel (M) 1.4MHz(BW)	QPSK	1RB#0	5.67	13
		1RB#max	5.61	13
		3RB#2	5.84	13
		Full	5.49	13
	16QAM	1RB#0	6.22	13
		1RB#max	6.21	13
		3RB#2	6.19	13
		Full	6.29	13
Channel (M) 3MHz(BW)	QPSK	1RB#0	5.54	13
		1RB#max	5.52	13
		8RB#4	5.45	13
		Full	5.61	13
	16QAM	1RB#0	6.12	13
		1RB#max	6.11	13
		8RB#4	6.19	13
		Full	6.31	13
Channel (M) 5MHz(BW)	QPSK	1RB#0	5.77	13
		1RB#max	5.73	13
		12RB#6	5.69	13
		Full	5.80	13
	16QAM	1RB#0	6.58	13
		1RB#max	6.54	13
		12RB#6	6.55	13
		Full	6.63	13
Channel (M) 10MHz(BW)	QPSK	1RB#0	5.63	13
		1RB#max	5.59	13
		25RB#13	5.61	13
		Full	5.64	13
	16QAM	1RB#0	6.33	13
		1RB#max	6.31	13
		25RB#13	6.38	13
		Full	6.44	13
Channel (M)	QPSK	1RB#0	5.89	13



15MHz(BW)		1RB#max	5.95	13
		36RB#18	5.96	13
		Full	5.99	13
	16QAM	1RB#0	6.59	13
		1RB#max	6.54	13
		36RB#18	6.56	13
		Full	6.60	13
Channel (M) 20MHz(BW)	QPSK	1RB#0	5.65	13
		1RB#max	5.61	13
		50RB#25	5.55	13
		Full	5.67	13
	16QAM	1RB#0	6.38	13
		1RB#max	6.33	13
		50RB#25	6.40	13
		Full	6.41	13
Channel (T) 1.4MHz(BW)	QPSK	1RB#0	5.61	13
		1RB#max	5.67	13
		3RB#2	5.61	13
		Full	5.66	13
	16QAM	1RB#0	6.02	13
		1RB#max	6.09	13
		3RB#2	6.05	13
		Full	6.10	13
Channel (T) 3MHz(BW)	QPSK	1RB#0	5.56	13
		1RB#max	5.53	13
		8RB#4	5.51	13
		Full	5.51	13
	16QAM	1RB#0	6.11	13
		1RB#max	6.15	13
		8RB#4	6.16	13
		Full	6.22	13
Channel (T) 5MHz(BW)	QPSK	1RB#0	5.74	13
		1RB#max	5.71	13
		12RB#6	5.66	13
		Full	5.78	13
	16QAM	1RB#0	6.55	13
		1RB#max	6.51	13



		12RB#6	6.53	13
		Full	6.61	13
Channel (T) 10MHz(BW)	QPSK	1RB#0	5.56	13
		1RB#max	5.59	13
		25RB#13	5.60	13
		Full	5.61	13
	16QAM	1RB#0	6.37	13
		1RB#max	6.35	13
		25RB#13	6.38	13
		Full	6.42	13
Channel (T) 15MHz(BW)	QPSK	1RB#0	5.84	13
		1RB#max	5.88	13
		36RB#18	5.90	13
		Full	5.94	13
	16QAM	1RB#0	6.49	13
		1RB#max	6.31	13
		36RB#18	6.34	13
		Full	6.39	13
Channel (T) 20MHz(BW)	QPSK	1RB#0	5.58	13
		1RB#max	5.71	13
		50RB#25	5.46	13
		Full	5.61	13
	16QAM	1RB#0	6.76	13
		1RB#max	6.46	13
		50RB#25	6.76	13
		Full	6.66	13



Effective Isotropic Radiated Power of Transmitter (EIRP)

Test Mode	Freq. [MHz]	Meas. Level [dBm]	Substitution Antenna Type	SGP [dBm]	Substitution Gain [dBi]	Cable Loss [dB]	Substitution Level (EIRP) [dBm]	FCC limit [dBm]	Result
TM1	1852.4	21.74	Horn Ant.	18.04	4.5	1	21.54	33	Pass
TM1	1880.0	21.87	Horn Ant.	18.17	4.5	1	21.67	33	Pass
TM1	1907.6	21.66	Horn Ant.	17.66	4.8	1	21.46	33	Pass

Test Mode			Meas. Level [dBm]	Substitution Antenna Type	SGP[dBm]	Substitution Gain [dBi]	Cable Loss [dB]	Substitution Level (EIRP) [dBm]	FCC limit [dBm]	Result
Channel	Modulation	RB								
Channel (B) 1.4MHz(BW)	QPSK	1RB#0	21.53	Horn Ant.	17.88	4.5	1	21.38	33	Pass
		1RB#max	21.66	Horn Ant.	18.01	4.5	1	21.51	33	Pass
		3RB#2	21.60	Horn Ant.	17.95	4.5	1	21.45	33	Pass
		Full	20.64	Horn Ant.	16.99	4.5	1	20.49	33	Pass
	16QAM	1RB#0	20.73	Horn Ant.	17.08	4.5	1	20.58	33	Pass
		1RB#max	20.74	Horn Ant.	17.09	4.5	1	20.59	33	Pass
		3RB#2	20.60	Horn Ant.	16.95	4.5	1	20.45	33	Pass
		Full	19.11	Horn Ant.	15.46	4.5	1	18.96	33	Pass
Channel (B) 3MHz(BW)	QPSK	1RB#0	21.46	Horn Ant.	17.81	4.5	1	21.31	33	Pass
		1RB#max	21.53	Horn Ant.	17.88	4.5	1	21.38	33	Pass



		8RB#4	20.62	Horn Ant.	16.97	4.5	1	20.47	33	Pass
		Full	20.65	Horn Ant.	17.00	4.5	1	20.50	33	Pass
	16QAM	1RB#0	20.76	Horn Ant.	17.11	4.5	1	20.61	33	Pass
		1RB#max	20.75	Horn Ant.	17.10	4.5	1	20.60	33	Pass
		8RB#4	19.60	Horn Ant.	15.95	4.5	1	19.45	33	Pass
		Full	19.75	Horn Ant.	16.10	4.5	1	19.60	33	Pass
Channel (B) 5MHz(B W)	QPSK	1 RB/#0	21.52	Horn Ant.	17.87	4.5	1	21.37	33	Pass
		1 RB/#max	21.68	Horn Ant.	18.03	4.5	1	21.53	33	Pass
		12 RB/#6	20.75	Horn Ant.	17.10	4.5	1	20.60	33	Pass
		Full	20.44	Horn Ant.	16.79	4.5	1	20.29	33	Pass
	16QAM	1 RB/#0	20.64	Horn Ant.	16.99	4.5	1	20.49	33	Pass
		1 RB/#max	20.81	Horn Ant.	17.16	4.5	1	20.66	33	Pass
		12 RB/#6	19.85	Horn Ant.	16.20	4.5	1	19.70	33	Pass
		Full	19.48	Horn Ant.	15.83	4.5	1	19.33	33	Pass
Channel (B) 10MHz(B W)	QPSK	1 RB/#0	21.58	Horn Ant.	17.93	4.5	1	21.43	33	Pass
		1 RB/#max	21.52	Horn Ant.	17.87	4.5	1	21.37	33	Pass
		25 RB/#13	20.54	Horn Ant.	16.89	4.5	1	20.39	33	Pass
		Full	20.49	Horn Ant.	16.84	4.5	1	20.34	33	Pass
	16QAM	1 RB/#0	20.83	Horn Ant.	17.18	4.5	1	20.68	33	Pass



		1 RB/#max	20.74	Horn Ant.	17.09	4.5	1	20.59	33	Pass
		25 RB/#13	19.58	Horn Ant.	15.93	4.5	1	19.43	33	Pass
		Full	19.42	Horn Ant.	15.77	4.5	1	19.27	33	Pass
Channel (B) 15MHz(BW)	QPSK	1 RB/#0	21.64	Horn Ant.	17.99	4.5	1	21.49	33	Pass
		1 RB/#max	21.42	Horn Ant.	17.77	4.5	1	21.27	33	Pass
		36 RB/#18	20.40	Horn Ant.	16.75	4.5	1	20.25	33	Pass
		Full	20.33	Horn Ant.	16.68	4.5	1	20.18	33	Pass
	16QAM	1 RB/#0	20.76	Horn Ant.	17.11	4.5	1	20.61	33	Pass
		1 RB/#max	20.51	Horn Ant.	16.86	4.5	1	20.36	33	Pass
		36 RB/#18	19.50	Horn Ant.	15.85	4.5	1	19.35	33	Pass
		Full	19.44	Horn Ant.	15.79	4.5	1	19.29	33	Pass
Channel (B) 20MHz(BW)	QPSK	1 RB/#0	21.72	Horn Ant.	18.07	4.5	1	21.57	33	Pass
		1 RB/#max	21.46	Horn Ant.	17.81	4.5	1	21.31	33	Pass
		50 RB/#25	20.42	Horn Ant.	16.77	4.5	1	20.27	33	Pass
		Full	20.42	Horn Ant.	16.77	4.5	1	20.27	33	Pass
	16QAM	1 RB/#0	20.82	Horn Ant.	17.17	4.5	1	20.67	33	Pass
		1 RB/#max	20.56	Horn Ant.	16.91	4.5	1	20.41	33	Pass
		50 RB/#25	19.46	Horn Ant.	15.81	4.5	1	19.31	33	Pass
		Full	19.60	Horn Ant.	15.95	4.5	1	19.45	33	Pass



Channel (M) 1.4MHz(BW)	QPSK	1RB#0	21.57	Horn Ant.	17.92	4.5	1	21.42	33	Pass
		1RB#max	21.56	Horn Ant.	17.91	4.5	1	21.41	33	Pass
		3RB#2	21.59	Horn Ant.	17.94	4.5	1	21.44	33	Pass
		Full	20.57	Horn Ant.	16.92	4.5	1	20.42	33	Pass
	16QAM	1RB#0	20.82	Horn Ant.	17.17	4.5	1	20.67	33	Pass
		1RB#max	20.69	Horn Ant.	17.04	4.5	1	20.54	33	Pass
		3RB#2	20.50	Horn Ant.	16.85	4.5	1	20.35	33	Pass
		Full	19.39	Horn Ant.	15.74	4.5	1	19.24	33	Pass
Channel (M) 3MHz(B W)	QPSK	1RB#0	21.49	Horn Ant.	17.84	4.5	1	21.34	33	Pass
		1RB#max	21.54	Horn Ant.	17.89	4.5	1	21.39	33	Pass
		8RB#4	20.56	Horn Ant.	16.91	4.5	1	20.41	33	Pass
		Full	20.56	Horn Ant.	16.91	4.5	1	20.41	33	Pass
	16QAM	1RB#0	20.64	Horn Ant.	16.99	4.5	1	20.49	33	Pass
		1RB#max	20.74	Horn Ant.	17.09	4.5	1	20.59	33	Pass
		8RB#4	19.49	Horn Ant.	15.84	4.5	1	19.34	33	Pass
		Full	19.59	Horn Ant.	15.94	4.5	1	19.44	33	Pass
Channel (M) 5MHz(B W)	QPSK	1 RB/#0	21.54	Horn Ant.	17.89	4.5	1	21.39	33	Pass
		1 RB/#max	21.66	Horn Ant.	18.01	4.5	1	21.51	33	Pass
		12 RB/#6	20.61	Horn Ant.	16.96	4.5	1	20.46	33	Pass



		Full	20.60	Horn Ant.	16.95	4.5	1	20.45	33	Pass
	16QAM	1 RB/#0	20.67	Horn Ant.	17.02	4.5	1	20.52	33	Pass
		1 RB/#max	20.73	Horn Ant.	17.08	4.5	1	20.58	33	Pass
		12 RB/#6	19.69	Horn Ant.	16.04	4.5	1	19.54	33	Pass
		Full	19.55	Horn Ant.	15.90	4.5	1	19.40	33	Pass
Channel (M) 10MHz(B W)	QPSK	1 RB/#0	21.53	Horn Ant.	17.88	4.5	1	21.38	33	Pass
		1 RB/#max	21.66	Horn Ant.	18.01	4.5	1	21.51	33	Pass
		25 RB/#13	20.51	Horn Ant.	16.86	4.5	1	20.36	33	Pass
		Full	20.46	Horn Ant.	16.81	4.5	1	20.31	33	Pass
	16QAM	1 RB/#0	20.70	Horn Ant.	17.05	4.5	1	20.55	33	Pass
		1 RB/#max	20.83	Horn Ant.	17.18	4.5	1	20.68	33	Pass
		25 RB/#13	19.52	Horn Ant.	15.87	4.5	1	19.37	33	Pass
		Full	19.34	Horn Ant.	15.69	4.5	1	19.19	33	Pass
Channel (M) 15MHz(B W)	QPSK	1 RB/#0	21.52	Horn Ant.	17.87	4.5	1	21.37	33	Pass
		1 RB/#max	21.59	Horn Ant.	17.94	4.5	1	21.44	33	Pass
		36 RB/#18	20.42	Horn Ant.	16.77	4.5	1	20.27	33	Pass
		Full	20.28	Horn Ant.	16.63	4.5	1	20.13	33	Pass
	16QAM	1 RB/#0	20.74	Horn Ant.	17.09	4.5	1	20.59	33	Pass
		1 RB/#max	20.69	Horn Ant.	17.04	4.5	1	20.54	33	Pass



		36 RB/#18	19.46	Horn Ant.	15.81	4.5	1	19.31	33	Pass
		Full	19.29	Horn Ant.	15.64	4.5	1	19.14	33	Pass
Channel (M) 20MHz(BW)	QPSK	1 RB/#0	21.52	Horn Ant.	17.87	4.5	1	21.37	33	Pass
		1 RB/#max	21.61	Horn Ant.	17.96	4.5	1	21.46	33	Pass
		50 RB/#25	20.58	Horn Ant.	16.93	4.5	1	20.43	33	Pass
		Full	20.47	Horn Ant.	16.82	4.5	1	20.32	33	Pass
	16QAM	1 RB/#0	20.11	Horn Ant.	16.46	4.5	1	19.96	33	Pass
		1 RB/#max	20.25	Horn Ant.	16.60	4.5	1	20.10	33	Pass
		50 RB/#25	19.60	Horn Ant.	15.95	4.5	1	19.45	33	Pass
		Full	19.47	Horn Ant.	15.82	4.5	1	19.32	33	Pass
Channel (T) 1.4MHz(BW)	QPSK	1RB#0	20.83	Horn Ant.	16.88	4.8	1	20.68	33	Pass
		1RB#max	20.56	Horn Ant.	16.61	4.8	1	20.41	33	Pass
		3RB#2	20.72	Horn Ant.	16.77	4.8	1	20.57	33	Pass
		Full	19.79	Horn Ant.	15.84	4.8	1	19.64	33	Pass
	16QAM	1RB#0	19.48	Horn Ant.	15.53	4.8	1	19.33	33	Pass
		1RB#max	19.17	Horn Ant.	15.22	4.8	1	19.02	33	Pass
		3RB#2	20.09	Horn Ant.	16.14	4.8	1	19.94	33	Pass
		Full	18.95	Horn Ant.	15.00	4.8	1	18.80	33	Pass
Channel (T)	QPSK	1RB#0	21.52	Horn Ant.	17.57	4.8	1	21.37	33	Pass



3MHz(B W)		1RB#max	20.60	Horn Ant.	16.65	4.8	1	20.45	33	Pass
		8RB#4	19.94	Horn Ant.	15.99	4.8	1	19.79	33	Pass
		Full	19.97	Horn Ant.	16.02	4.8	1	19.82	33	Pass
	16QAM	1RB#0	20.66	Horn Ant.	16.71	4.8	1	20.51	33	Pass
		1RB#max	19.71	Horn Ant.	15.76	4.8	1	19.56	33	Pass
		8RB#4	18.99	Horn Ant.	15.04	4.8	1	18.84	33	Pass
		Full	19.09	Horn Ant.	15.14	4.8	1	18.94	33	Pass
Channel (T) 5MHz(B W)	QPSK	1 RB/#0	21.82	Horn Ant.	17.87	4.8	1	21.67	33	Pass
		1 RB/#max	20.64	Horn Ant.	16.69	4.8	1	20.49	33	Pass
		12 RB/#6	20.45	Horn Ant.	16.50	4.8	1	20.30	33	Pass
		Full	20.27	Horn Ant.	16.32	4.8	1	20.12	33	Pass
	16QAM	1 RB/#0	20.95	Horn Ant.	17.00	4.8	1	20.80	33	Pass
		1 RB/#max	19.77	Horn Ant.	15.82	4.8	1	19.62	33	Pass
		12 RB/#6	19.61	Horn Ant.	15.66	4.8	1	19.46	33	Pass
		Full	19.44	Horn Ant.	15.49	4.8	1	19.29	33	Pass
Channel (T) 10MHz(B W)	QPSK	1 RB/#0	21.60	Horn Ant.	17.65	4.8	1	21.45	33	Pass
		1 RB/#max	20.66	Horn Ant.	16.71	4.8	1	20.51	33	Pass
		25 RB/#13	20.53	Horn Ant.	16.58	4.8	1	20.38	33	Pass
		Full	20.45	Horn Ant.	16.50	4.8	1	20.30	33	Pass



	16QAM	1 RB/#0	20.79	Horn Ant.	16.84	4.8	1	20.64	33	Pass
		1 RB/#max	19.87	Horn Ant.	15.92	4.8	1	19.72	33	Pass
		25 RB/#13	19.67	Horn Ant.	15.72	4.8	1	19.52	33	Pass
		Full	19.40	Horn Ant.	15.45	4.8	1	19.25	33	Pass
Channel (T) 15MHz(BW)	QPSK	1 RB/#0	21.57	Horn Ant.	17.62	4.8	1	21.42	33	Pass
		1 RB/#max	20.74	Horn Ant.	16.79	4.8	1	20.59	33	Pass
		36 RB/#18	20.46	Horn Ant.	16.51	4.8	1	20.31	33	Pass
		Full	20.36	Horn Ant.	16.41	4.8	1	20.21	33	Pass
	16QAM	1 RB/#0	20.82	Horn Ant.	16.87	4.8	1	20.67	33	Pass
		1 RB/#max	19.92	Horn Ant.	15.97	4.8	1	19.77	33	Pass
		36 RB/#18	19.51	Horn Ant.	15.56	4.8	1	19.36	33	Pass
		Full	19.39	Horn Ant.	15.44	4.8	1	19.24	33	Pass
Channel (T) 20MHz(BW)	QPSK	1 RB/#0	21.89	Horn Ant.	17.94	4.8	1	21.74	33	Pass
		1 RB/#max	20.98	Horn Ant.	17.03	4.8	1	20.83	33	Pass
		50 RB/#25	20.60	Horn Ant.	16.65	4.8	1	20.45	33	Pass
		Full	20.56	Horn Ant.	16.61	4.8	1	20.41	33	Pass
	16QAM	1 RB/#0	21.03	Horn Ant.	17.08	4.8	1	20.88	33	Pass
		1 RB/#max	20.20	Horn Ant.	16.25	4.8	1	20.05	33	Pass
		50 RB/#25	19.59	Horn Ant.	15.64	4.8	1	19.44	33	Pass



		Full	19.57	Horn Ant.	15.62	4.8	1	19.42	33	Pass
--	--	------	-------	--------------	-------	-----	---	-------	----	------

Note1: a, For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b, SGP=Signal Generator Level

Note2: RBW > emission bandwidth, VBW > 3 x RBW.

-----END-----



Appendix B

Modulation Characteristics

According to FCC Part 2.1047 & Part 24 Subpart E & RSS-133



TABLE OF CONTENTS


TABLE OF CONTENTS	2
1 FOR WCDMA BAND 2	3
1.1 TEST MODE=TM1	3
1.1.1 Channel = M	3
2 FOR LTE BAND 2	4
2.1 TEST MODE=TM4	4
2.1.1 Channel Bandwidth = 1.4 MHz	4
2.1.1.1 Channel =M	4
2.1.1.1.1 QPSK/full RBs	4
2.1.2 Channel Bandwidth = 3 MHz	5
2.1.2.1 Channel =M	5
2.1.2.1.1 QPSK/full RBs	5
2.1.3 Channel Bandwidth = 5 MHz	6
2.1.3.1 Channel =M	6
2.1.3.1.1 QPSK/full RBs	6
2.1.4 Channel Bandwidth = 10 MHz	7
2.1.4.1 Channel =M	7
2.1.4.1.1 QPSK/full RBs	7
2.1.5 Channel Bandwidth = 15 MHz	8
2.1.5.1 Channel =M	8
2.1.5.1.1 QPSK/full RBs	8
2.1.6 Channel Bandwidth = 20 MHz	9
2.1.6.1 Channel =M	9
2.1.6.1.1 QPSK/full RBs	9
2.2 TEST MODE=TM5	10
2.2.1 Channel Bandwidth = 1.4 MHz	10
2.2.1.1 Channel =M	10
2.2.1.1.1 16QAM/full RBs	10
2.2.2 Channel Bandwidth = 3 MHz	11
2.2.2.1 Channel =M	11
2.2.2.1.1 16QAM/full RBs	11
2.2.3 Channel Bandwidth = 5 MHz	12
2.2.3.1 Channel =M	12
2.2.3.1.1 16QAM/full RBs	12
2.2.4 Channel Bandwidth = 10 MHz	13
2.2.4.1 Channel =M	13
2.2.4.1.1 16QAM/full RBs	13
2.2.5 Channel Bandwidth = 15 MHz	14
2.2.5.1 Channel =M	14
2.2.5.1.1 16QAM/full RBs	14
2.2.6 Channel Bandwidth = 20 MHz	15
2.2.6.1 Channel =M	15
2.2.6.1.1 16QAM/full RBs	15



1 For WCDMA Band 2

1.1 Test Mode=TM1

1.1.1 Channel = M




2 For LTE Band 2

2.1 Test Mode=TM4

2.1.1 Channel Bandwidth = 1.4 MHz

2.1.1.1 Channel =M

2.1.1.1.1 QPSK/full RBs




2.1.2 Channel Bandwidth = 3 MHz

2.1.2.1 Channel =M

2.1.2.1.1 QPSK/full RBs

v






2.1.3 Channel Bandwidth = 5 MHz

2.1.3.1 Channel =M

2.1.3.1.1 QPSK/full RBs






2.1.4 Channel Bandwidth = 10 MHz

2.1.4.1 Channel =M


2.1.4.1.1 QPSK/full RBs



2.1.5 Channel Bandwidth = 15 MHz

2.1.5.1 Channel = M

2.1.5.1.1 QPSK/full RBs






2.1.6 Channel Bandwidth = 20 MHz

2.1.6.1 Channel =M

2.1.6.1.1 QPSK/full RBs




2.2 Test Mode=TM5

2.2.1 Channel Bandwidth = 1.4 MHz

2.2.1.1 Channel =M


2.2.1.1.1 16QAM/full RBs



2.2.2 Channel Bandwidth = 3 MHz

2.2.2.1 Channel =M


2.2.2.1.1 16QAM/full RBs



2.2.3 Channel Bandwidth = 5 MHz

2.2.3.1 Channel =M


2.2.3.1.1 16QAM/full RBs



2.2.4 Channel Bandwidth = 10 MHz

2.2.4.1 Channel =M


2.2.4.1.1 16QAM/full RBs



2.2.5 Channel Bandwidth = 15 MHz

2.2.5.1 Channel =M


2.2.5.1.1 16QAM/full RBs



2.2.6 Channel Bandwidth = 20 MHz

2.2.6.1 Channel =M

2.2.6.1.1 16QAM/full RBs



-----END-----



Appendix C

Occupied Bandwidth

According to FCC part 2.1049 & Part 24 Subpart E & RSS-133



TABLE OF CONTENTS

TABLE OF CONTENTS	2
TABLE 1 MEASUREMENT RESULTS BAND 2.....	6
1 FOR WCDMA BAND 2	7
1.1 TEST MODE=TM1.....	7
1.1.1 Channel = B	7
1.1.2 Channel = M	8
1.1.3 Channel = T	9
2 FOR LTE BAND 2	10
2.1 TEST MODE=TM4.....	10
2.1.1 Channel Bandwidth = 1.4 MHz.....	10
2.1.1.1 Channel = B	10
2.1.1.1.1 QPSK/1RB # 0	10
2.1.1.1.2 QPSK/1RB # max.....	11
2.1.1.1.3 QPSK/non-1RB #mid/2	12
2.1.1.1.4 QPSK/full RBs.....	13
2.1.1.2 Channel =M.....	14
2.1.1.2.1 QPSK/1RB # 0	14
2.1.1.2.2 QPSK/1RB # max.....	15
2.1.1.2.3 QPSK/non-1RB #mid/2	16
2.1.1.2.4 QPSK/full RBs.....	17
2.1.1.3 Channel = T	18
2.1.1.3.1 QPSK/1RB # 0	18
2.1.1.3.2 QPSK/1RB # max.....	19
2.1.1.3.3 QPSK/non-1RB #mid/2	20
2.1.1.3.4 QPSK/full RBs.....	21
2.1.2 Channel Bandwidth = 3 MHz.....	22
2.1.2.1 Channel = B	22
2.1.2.1.1 QPSK/1RB # 0	22
2.1.2.1.2 QPSK/1RB # max.....	23
2.1.2.1.3 QPSK/non-1RB #mid/2	24
2.1.2.1.4 QPSK/full RBs.....	25
2.1.2.2 Channel =M.....	26
2.1.2.2.1 QPSK/1RB # 0	26
2.1.2.2.2 QPSK/1RB # max.....	27
2.1.2.2.3 QPSK/non-1RB #mid/2	28
2.1.2.2.4 QPSK/full RBs.....	29
2.1.2.3 Channel = T	30
2.1.2.3.1 QPSK/1RB # 0	30
2.1.2.3.2 QPSK/1RB # max.....	31
2.1.2.3.3 QPSK/non-1RB #mid/2	32
2.1.2.3.4 QPSK/full RBs.....	33
2.1.3 Channel Bandwidth = 5 MHz.....	34
2.1.3.1 Channel = B	34
2.1.3.1.1 QPSK/1RB # 0	34
2.1.3.1.2 QPSK/1RB # max.....	35
2.1.3.1.3 QPSK/non-1RB #mid/2	36
2.1.3.1.4 QPSK/full RBs.....	37
2.1.3.2 Channel =M.....	38
2.1.3.2.1 QPSK/1RB # 0	38
2.1.3.2.2 QPSK/1RB # max.....	39



2.1.3.2.3	QPSK/non-1RB #mid/2	40
2.1.3.2.4	QPSK/full RBs.....	41
2.1.3.3	Channel = T	42
2.1.3.3.1	QPSK/1RB # 0	42
2.1.3.3.2	QPSK/1RB # max.....	43
2.1.3.3.3	QPSK/non-1RB #mid/2	44
2.1.3.3.4	QPSK/full RBs.....	45
2.1.4	Channel Bandwidth = 10 MHz.....	46
2.1.4.1	Channel = B	46
2.1.4.1.1	QPSK/1RB # 0	46
2.1.4.1.2	QPSK/1RB # max.....	47
2.1.4.1.3	QPSK/non-1RB #mid/2	48
2.1.4.1.4	QPSK/full RBs.....	49
2.1.4.2	Channel =M.....	50
2.1.4.2.1	QPSK/1RB # 0	50
2.1.4.2.2	QPSK/1RB # max.....	51
2.1.4.2.3	QPSK/non-1RB #mid/2	52
2.1.4.2.4	QPSK/full RBs.....	53
2.1.4.3	Channel = T	54
2.1.4.3.1	QPSK/1RB # 0	54
2.1.4.3.2	QPSK/1RB # max.....	55
2.1.4.3.3	QPSK/non-1RB #mid/2	56
2.1.4.3.4	QPSK/full RBs.....	57
2.1.5	Channel Bandwidth = 15 MHz.....	58
2.1.5.1	Channel = B	58
2.1.5.1.1	QPSK/1RB # 0	58
2.1.5.1.2	QPSK/1RB # max.....	59
2.1.5.1.3	QPSK/non-1RB #mid/2	60
2.1.5.1.4	QPSK/full RBs.....	61
2.1.5.2	Channel =M.....	62
2.1.5.2.1	QPSK/1RB # 0	62
2.1.5.2.2	QPSK/1RB # max.....	63
2.1.5.2.3	QPSK/non-1RB #mid/2	64
2.1.5.2.4	QPSK/full RBs.....	65
2.1.5.3	Channel = T	66
2.1.5.3.1	QPSK/1RB # 0	66
2.1.5.3.2	QPSK/1RB # max.....	67
2.1.5.3.3	QPSK/non-1RB #mid/2	68
2.1.5.3.4	QPSK/full RBs.....	69
2.1.6	Channel Bandwidth = 20 MHz.....	70
2.1.6.1	Channel = B	70
2.1.6.1.1	QPSK/1RB # 0	70
2.1.6.1.2	QPSK/1RB # max.....	71
2.1.6.1.3	QPSK/non-1RB #mid/2	72
2.1.6.1.4	QPSK/full RBs.....	73
2.1.6.2	Channel =M.....	74
2.1.6.2.1	QPSK/1RB # 0	74
2.1.6.2.2	QPSK/1RB # max.....	75
2.1.6.2.3	QPSK/non-1RB #mid/2	76
2.1.6.2.4	QPSK/full RBs.....	77
2.1.6.3	Channel = T	78
2.1.6.3.1	QPSK/1RB # 0	78
2.1.6.3.2	QPSK/1RB # max.....	79
2.1.6.3.3	QPSK/non-1RB #mid/2	80
2.1.6.3.4	QPSK/full RBs.....	81
2.2	TEST MODE=TM5.....	82
2.2.1	Channel Bandwidth = 1.4 MHz.....	82
2.2.1.1	Channel =B	82



2.2.1.1.1	16QAM/1RB # 0.....	82
2.2.1.1.2	16QAM /1RB # max.....	83
2.2.1.1.3	16QAM /non-1RB #mid/2.....	84
2.2.1.1.4	16QAM /full RBs.....	85
2.2.1.2	Channel =M.....	86
2.2.1.2.1	16QAM/1RB # 0.....	86
2.2.1.2.2	16QAM /1RB # max.....	87
2.2.1.2.3	16QAM /non-1RB #mid/2.....	88
2.2.1.2.4	16QAM /full RBs.....	89
2.2.1.3	Channel = T.....	90
2.2.1.3.1	16QAM/1RB # 0.....	90
2.2.1.3.2	16QAM /1RB # max.....	91
2.2.1.3.3	16QAM /non-1RB #mid/2.....	92
2.2.1.3.4	16QAM /full RBs.....	93
2.2.2	Channel Bandwidth = 3 MHz.....	94
2.2.2.1	Channel =B.....	94
2.2.2.1.1	16QAM/1RB # 0.....	94
2.2.2.1.2	16QAM /1RB # max.....	95
2.2.2.1.3	16QAM /non-1RB #mid/2.....	96
2.2.2.1.4	16QAM /full RBs.....	97
2.2.2.2	Channel =M.....	98
2.2.2.2.1	16QAM/1RB # 0.....	98
2.2.2.2.2	16QAM /1RB # max.....	99
2.2.2.2.3	16QAM /non-1RB #mid/2.....	100
2.2.2.2.4	16QAM /full RBs.....	101
2.2.2.3	Channel = T.....	102
2.2.2.3.1	16QAM/1RB # 0.....	102
2.2.2.3.2	16QAM /1RB # max.....	103
2.2.2.3.3	16QAM /non-1RB #mid/2.....	104
2.2.2.3.4	16QAM /full RBs.....	105
2.2.3	Channel Bandwidth = 5 MHz.....	106
2.2.3.1	Channel =B.....	106
2.2.3.1.1	16QAM/1RB # 0.....	106
2.2.3.1.2	16QAM /1RB # max.....	107
2.2.3.1.3	16QAM /non-1RB #mid/2.....	108
2.2.3.1.4	16QAM /full RBs.....	109
2.2.3.2	Channel =M.....	110
2.2.3.2.1	16QAM/1RB # 0.....	110
2.2.3.2.2	16QAM /1RB # max.....	111
2.2.3.2.3	16QAM /non-1RB #mid/2.....	112
2.2.3.2.4	16QAM /full RBs.....	113
2.2.3.3	Channel = T.....	114
2.2.3.3.1	16QAM/1RB # 0.....	114
2.2.3.3.2	16QAM /1RB # max.....	115
2.2.3.3.3	16QAM /non-1RB #mid/2.....	116
2.2.3.3.4	16QAM /full RBs.....	117
2.2.4	Channel Bandwidth = 10 MHz.....	118
2.2.4.1	Channel =B.....	118
2.2.4.1.1	16QAM/1RB # 0.....	118
2.2.4.1.2	16QAM /1RB # max.....	119
2.2.4.1.3	16QAM /non-1RB #mid/2.....	120
2.2.4.1.4	16QAM /full RBs.....	121
2.2.4.2	Channel =M.....	122
2.2.4.2.1	16QAM/1RB # 0.....	122
2.2.4.2.2	16QAM /1RB # max.....	123
2.2.4.2.3	16QAM /non-1RB #mid/2.....	124
2.2.4.2.4	16QAM /full RBs.....	125
2.2.4.3	Channel = T.....	126



2.2.4.3.1	16QAM/1RB # 0.....	126
2.2.4.3.2	16QAM /1RB # max.....	127
2.2.4.3.3	16QAM /non-1RB #mid/2.....	128
2.2.4.3.4	16QAM /full RBs.....	129
2.2.5	Channel Bandwidth = 15 MHz.....	130
2.2.5.1	Channel =B.....	130
2.2.5.1.1	16QAM/1RB # 0.....	130
2.2.5.1.2	16QAM /1RB # max.....	131
2.2.5.1.3	16QAM /non-1RB #mid/2.....	132
2.2.5.1.4	16QAM /full RBs.....	133
2.2.5.2	Channel =M.....	134
2.2.5.2.1	16QAM/1RB # 0.....	134
2.2.5.2.2	16QAM /1RB # max.....	135
2.2.5.2.3	16QAM /non-1RB #mid/2.....	136
2.2.5.2.4	16QAM /full RBs.....	137
2.2.5.3	Channel = T.....	138
2.2.5.3.1	16QAM/1RB # 0.....	138
2.2.5.3.2	16QAM /1RB # max.....	139
2.2.5.3.3	16QAM /non-1RB #mid/2.....	140
2.2.5.3.4	16QAM /full RBs.....	141
2.2.6	Channel Bandwidth = 20 MHz.....	142
2.2.6.1	Channel =B.....	142
2.2.6.1.1	16QAM/1RB # 0.....	142
2.2.6.1.2	16QAM /1RB # max.....	143
2.2.6.1.3	16QAM /non-1RB #mid/2.....	144
2.2.6.1.4	16QAM /full RBs.....	145
2.2.6.2	Channel =M.....	146
2.2.6.2.1	16QAM/1RB # 0.....	146
2.2.6.2.2	16QAM /1RB # max.....	147
2.2.6.2.3	16QAM /non-1RB #mid/2.....	148
2.2.6.2.4	16QAM /full RBs.....	149
2.2.6.3	Channel = T.....	150
2.2.6.3.1	16QAM/1RB # 0.....	150
2.2.6.3.2	16QAM /1RB # max.....	151
2.2.6.3.3	16QAM /non-1RB #mid/2.....	152
2.2.6.3.4	16QAM /full RBs.....	153



Result Table

NOTE: All relevant operation modes have been tested, and the full RB data is included in this report.

Table 1 Measurement Results BAND 2


Test Mode	RF Ch. RF Channel		Occupied Bandwidth [MHz]	Verdict
TM1	B		4.1507	Pass
	M		4.1507	Pass
	T		4.1827	Pass
Test Mode	Carrier Conf.	RF Ch.	Occupied Bandwidth [MHz]	Verdict
TM4	1.4 MHz	B	1.0838	Pass
		M	1.0774	Pass
		T	1.0847	Pass
	3 MHz	B	2.6867	Pass
		M	2.6861	Pass
		T	2.6834	Pass
	5 MHz	B	4.4655	Pass
		M	4.4657	Pass
		T	4.4573	Pass
	10 MHz	B	8.9661	Pass
		M	8.9278	Pass
		T	8.9215	Pass
	15 MHz	B	13.3675	Pass
		M	13.3946	Pass
		T	13.3481	Pass
TM5	1.4 MHz	B	17.8203	Pass
		M	17.8374	Pass
		T	17.8601	Pass
	1.4 MHz	B	1.0775	Pass
		M	1.0829	Pass
		T	1.0794	Pass
	3 MHz	B	2.6762	Pass
		M	2.6769	Pass
		T	2.6770	Pass
	5 MHz	B	4.4734	Pass
		M	4.4736	Pass
		T	4.4678	Pass
	10 MHz	B	8.9257	Pass
		M	8.9414	Pass
		T	8.9183	Pass
	15 MHz	B	13.3834	Pass
		M	13.3999	Pass
		T	13.3871	Pass
	20 MHz	B	17.8256	Pass
		M	17.8046	Pass
		T	17.7947	Pass



1 For WCDMA Band 2

1.1 Test Mode=TM1


1.1.1 Channel = B



Date: 18.SEP.2012 16:23:11




1.1.2 Channel = M



Date: 18.SEP.2012 16:23:25



1.1.3 Channel = T



Date: 18.SEP.2012 16:23:39




2 For LTE Band 2

2.1 Test Mode=TM4

2.1.1 Channel Bandwidth = 1.4 MHz


2.1.1.1 Channel = B

2.1.1.1.1 QPSK/1RB # 0






2.1.1.1.2 QPSK/1RB # max






2.1.1.1.3 QPSK/non-1RB #mid/2






2.1.1.1.4 QPSK/full RBs






2.1.1.2 Channel =M

2.1.1.2.1 QPSK/1RB # 0






2.1.1.2.2 QPSK/1RB # max






2.1.1.2.3 QPSK/non-1RB #mid/2






2.1.1.2.4 QPSK/full RBs






2.1.1.3 Channel = T

2.1.1.3.1 QPSK/1RB # 0






2.1.1.3.2 QPSK/1RB # max






2.1.1.3.3 QPSK/non-1RB #mid/2





2.1.1.3.4 QPSK/full RBs






2.1.2 Channel Bandwidth = 3 MHz


2.1.2.1 Channel = B

2.1.2.1.1 QPSK/1RB # 0






2.1.2.1.2 QPSK/1RB # max






2.1.2.1.3 QPSK/non-1RB #mid/2






2.1.2.1.4 QPSK/full RBs






2.1.2.2 Channel =M

2.1.2.2.1 QPSK/1RB # 0






2.1.2.2.2 QPSK/1RB # max






2.1.2.2.3 QPSK/non-1RB #mid/2






2.1.2.2.4 QPSK/full RBs






2.1.2.3 Channel = T

2.1.2.3.1 QPSK/1RB # 0






2.1.2.3.2 QPSK/1RB # max






2.1.2.3.3 QPSK/non-1RB #mid/2





2.1.2.3.4 QPSK/full RBs






2.1.3 Channel Bandwidth = 5 MHz


2.1.3.1 Channel = B

2.1.3.1.1 QPSK/1RB # 0






2.1.3.1.2 QPSK/1RB # max






2.1.3.1.3 QPSK/non-1RB #mid/2






2.1.3.1.4 QPSK/full RBs






2.1.3.2 Channel =M

2.1.3.2.1 QPSK/1RB # 0






2.1.3.2.2 QPSK/1RB # max






2.1.3.2.3 QPSK/non-1RB #mid/2






2.1.3.2.4 QPSK/full RBs






2.1.3.3 Channel = T

2.1.3.3.1 QPSK/1RB # 0






2.1.3.3.2 QPSK/1RB # max






2.1.3.3.3 QPSK/non-1RB #mid/2





2.1.3.3.4 QPSK/full RBs






2.1.4 Channel Bandwidth = 10 MHz


2.1.4.1 Channel = B

2.1.4.1.1 QPSK/1RB # 0






2.1.4.1.2 QPSK/1RB # max






2.1.4.1.3 QPSK/non-1RB #mid/2






2.1.4.1.4 QPSK/full RBs






2.1.4.2 Channel =M

2.1.4.2.1 QPSK/1RB # 0






2.1.4.2.2 QPSK/1RB # max






2.1.4.2.3 QPSK/non-1RB #mid/2






2.1.4.2.4 QPSK/full RBs






2.1.4.3 Channel = T

2.1.4.3.1 QPSK/1RB # 0






2.1.4.3.2 QPSK/1RB # max






2.1.4.3.3 QPSK/non-1RB #mid/2





2.1.4.3.4 QPSK/full RBs






2.1.5 Channel Bandwidth = 15 MHz


2.1.5.1 Channel = B

2.1.5.1.1 QPSK/1RB # 0






2.1.5.1.2 QPSK/1RB # max






2.1.5.1.3 QPSK/non-1RB #mid/2






2.1.5.1.4 QPSK/full RBs






2.1.5.2 Channel =M

2.1.5.2.1 QPSK/1RB # 0






2.1.5.2.2 QPSK/1RB # max






2.1.5.2.3 QPSK/non-1RB #mid/2






2.1.5.2.4 QPSK/full RBs






2.1.5.3 Channel = T

2.1.5.3.1 QPSK/1RB # 0






2.1.5.3.2 QPSK/1RB # max






2.1.5.3.3 QPSK/non-1RB #mid/2





2.1.5.3.4 QPSK/full RBs






2.1.6 Channel Bandwidth = 20 MHz


2.1.6.1 Channel = B

2.1.6.1.1 QPSK/1RB # 0






2.1.6.1.2 QPSK/1RB # max






2.1.6.1.3 QPSK/non-1RB #mid/2






2.1.6.1.4 QPSK/full RBs






2.1.6.2 Channel =M

2.1.6.2.1 QPSK/1RB # 0






2.1.6.2.2 QPSK/1RB # max






2.1.6.2.3 QPSK/non-1RB #mid/2






2.1.6.2.4 QPSK/full RBs






2.1.6.3 Channel = T

2.1.6.3.1 QPSK/1RB # 0






2.1.6.3.2 QPSK/1RB # max






2.1.6.3.3 QPSK/non-1RB #mid/2





2.1.6.3.4 QPSK/full RBs






2.2 Test Mode=TM5

2.2.1 Channel Bandwidth = 1.4 MHz


2.2.1.1 Channel =B

2.2.1.1.1 16QAM/1RB # 0






2.2.1.1.2 16QAM /1RB # max






2.2.1.1.3 16QAM /non-1RB #mid/2






2.2.1.1.4 16QAM /full RBs






2.2.1.2 Channel =M

2.2.1.2.1 16QAM/1RB # 0






2.2.1.2.2 16QAM /1RB # max






2.2.1.2.3 16QAM /non-1RB #mid/2






2.2.1.2.4 16QAM /full RBs






2.2.1.3 Channel = T

2.2.1.3.1 16QAM/1RB # 0






2.2.1.3.2 16QAM /1RB # max






2.2.1.3.3 16QAM /non-1RB #mid/2





2.2.1.3.4 16QAM /full RBs






2.2.2 Channel Bandwidth = 3 MHz


2.2.2.1 Channel =B

2.2.2.1.1 16QAM/1RB # 0






2.2.2.1.2 16QAM /1RB # max






2.2.2.1.3 16QAM /non-1RB #mid/2






2.2.2.1.4 16QAM /full RBs






2.2.2.2 Channel =M

2.2.2.2.1 16QAM/1RB # 0






2.2.2.2.2 16QAM /1RB # max






2.2.2.2.3 16QAM /non-1RB #mid/2






2.2.2.2.4 16QAM /full RBs






2.2.2.3 Channel = T

2.2.2.3.1 16QAM/1RB # 0






2.2.2.3.2 16QAM /1RB # max






2.2.2.3.3 16QAM /non-1RB #mid/2





2.2.2.3.4 16QAM /full RBs






2.2.3 Channel Bandwidth = 5 MHz


2.2.3.1 Channel =B

2.2.3.1.1 16QAM/1RB # 0






2.2.3.1.2 16QAM /1RB # max






2.2.3.1.3 16QAM /non-1RB #mid/2






2.2.3.1.4 16QAM /full RBs






2.2.3.2 Channel =M

2.2.3.2.1 16QAM/1RB # 0






2.2.3.2.2 16QAM /1RB # max






2.2.3.2.3 16QAM /non-1RB #mid/2






2.2.3.2.4 16QAM /full RBs






2.2.3.3 Channel = T

2.2.3.3.1 16QAM/1RB # 0






2.2.3.3.2 16QAM /1RB # max






2.2.3.3.3 16QAM /non-1RB #mid/2





2.2.3.3.4 16QAM /full RBs






2.2.4 Channel Bandwidth = 10 MHz


2.2.4.1 Channel =B

2.2.4.1.1 16QAM/1RB # 0






2.2.4.1.2 16QAM /1RB # max






2.2.4.1.3 16QAM /non-1RB #mid/2






2.2.4.1.4 16QAM /full RBs






2.2.4.2 Channel =M

2.2.4.2.1 16QAM/1RB # 0






2.2.4.2.2 16QAM /1RB # max






2.2.4.2.3 16QAM /non-1RB #mid/2






2.2.4.2.4 16QAM /full RBs






2.2.4.3 Channel = T

2.2.4.3.1 16QAM/1RB # 0






2.2.4.3.2 16QAM /1RB # max






2.2.4.3.3 16QAM /non-1RB #mid/2





2.2.4.3.4 16QAM /full RBs






2.2.5 Channel Bandwidth = 15 MHz


2.2.5.1 Channel =B

2.2.5.1.1 16QAM/1RB # 0






2.2.5.1.2 16QAM /1RB # max






2.2.5.1.3 16QAM /non-1RB #mid/2






2.2.5.1.4 16QAM /full RBs






2.2.5.2 Channel =M

2.2.5.2.1 16QAM/1RB # 0






2.2.5.2.2 16QAM /1RB # max






2.2.5.2.3 16QAM /non-1RB #mid/2






2.2.5.2.4 16QAM /full RBs






2.2.5.3 Channel = T

2.2.5.3.1 16QAM/1RB # 0






2.2.5.3.2 16QAM /1RB # max






2.2.5.3.3 16QAM /non-1RB #mid/2





2.2.5.3.4 16QAM /full RBs






2.2.6 Channel Bandwidth = 20 MHz


2.2.6.1 Channel =B

2.2.6.1.1 16QAM/1RB # 0






2.2.6.1.2 16QAM /1RB # max






2.2.6.1.3 16QAM /non-1RB #mid/2






2.2.6.1.4 16QAM /full RBs






2.2.6.2 Channel =M

2.2.6.2.1 16QAM/1RB # 0





2.2.6.2.2 16QAM /1RB # max





2.2.6.2.3 16QAM /non-1RB #mid/2

