


|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5692.6000    | 50.14                      | 43.46                   | 93.60                     | 54.00           | 39.60        | AVG      | No Limit |
| 2   | 5706.5000    | 60.36                      | 43.50                   | 103.86                    | 68.30           | 35.56        | Peak     | No Limit |
| 3   | 5725.0000    | 14.21                      | 43.56                   | 57.77                     | 68.30           | -10.53       | Peak     |          |
| 4   | 5725.0000    | 4.39                       | 43.56                   | 47.95                     | 54.00           | -6.05        | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5705.2000    | 55.30                      | 43.50                   | 98.80                     | 68.30           | 30.50        | Peak     | No Limit |
| 2 * | 5706.1000    | 45.80                      | 43.50                   | 89.30                     | 54.00           | 35.30        | AVG      | No Limit |
| 3   | 5725.0000    | 10.15                      | 43.56                   | 53.71                     | 68.30           | -14.59       | Peak     |          |
| 4   | 5725.0000    | 2.30                       | 43.56                   | 45.86                     | 54.00           | -8.14        | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

# Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 13.32                      | 42.68                   | 56.00                     | 68.30           | -12.30       | Peak     |          |
| 2   | 5460.0000    | 2.86                       | 42.68                   | 45.54                     | 54.00           | -8.46        | AVG      |          |
| 3   | 5470.0000    | 15.53                      | 42.73                   | 58.26                     | 68.30           | -10.04       | Peak     |          |
| 4   | 5470.0000    | 5.88                       | 42.73                   | 48.61                     | 54.00           | -5.39        | AVG      |          |
| 5 * | 5495.6000    | 44.13                      | 42.86                   | 86.99                     | 54.00           | 32.99        | AVG      | No Limit |
| 6   | 5497.4000    | 55.11                      | 42.87                   | 97.98                     | 68.30           | 29.68        | Peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 8.96                       | 42.68                   | 51.64                     | 68.30           | -16.66       | Peak     |          |
| 2   | 5460.0000    | 0.98                       | 42.68                   | 43.66                     | 54.00           | -10.34       | AVG      |          |
| 3   | 5470.0000    | 12.96                      | 42.73                   | 55.69                     | 68.30           | -12.61       | Peak     |          |
| 4   | 5470.0000    | 2.58                       | 42.73                   | 45.31                     | 54.00           | -8.69        | AVG      |          |
| 5 * | 5503.4000    | 39.76                      | 42.89                   | 82.65                     | 54.00           | 28.65        | AVG      | No Limit |
| 6   | 5505.6000    | 50.71                      | 42.90                   | 93.61                     | 68.30           | 25.31        | Peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal


**100 dBuV/m**



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

## Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5655.4000    | 56.30                      | 43.35                   | 99.65                     | 68.30           | 31.35        | Peak     | No Limit |
| 2 * | 5655.6000    | 45.24                      | 43.35                   | 88.59                     | 54.00           | 34.59        | AVG      | No Limit |
| 3   | 5725.0000    | 12.78                      | 43.56                   | 56.34                     | 68.30           | -11.96       | Peak     |          |
| 4   | 5725.0000    | 3.16                       | 43.56                   | 46.72                     | 54.00           | -7.28        | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5656.0000    | 49.60                      | 43.35                   | 92.95                     | 68.30           | 24.65        | Peak     | No Limit |
| 2 * | 5658.2000    | 38.09                      | 43.36                   | 81.45                     | 54.00           | 27.45        | AVG      | No Limit |
| 3   | 5725.0000    | 12.34                      | 43.56                   | 55.90                     | 68.30           | -12.40       | Peak     |          |
| 4   | 5725.0000    | 0.72                       | 43.56                   | 44.28                     | 54.00           | -9.72        | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

**Vertical**

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 12.51                      | 43.53                   | 56.04                     | 109.40          | -53.36       | Peak     |         |
| 2   | 5715.0000    | 3.52                       | 43.53                   | 47.05                     | 109.40          | -62.35       | AVG      |         |
| 3   | 5725.0000    | 23.39                      | 43.56                   | 66.95                     | 122.20          | -55.25       | Peak     |         |
| 4   | 5725.0000    | 11.35                      | 43.56                   | 54.91                     | 122.20          | -67.29       | AVG      |         |
| 5   | 5739.1000    | 51.48                      | 43.60                   | 95.08                     | 122.20          | -27.12       | AVG      |         |
| 6 * | 5739.5000    | 59.66                      | 43.60                   | 103.26                    | 122.20          | -18.94       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 13.24                      | 43.53                   | 56.77                     | 109.40          | -52.63       | Peak     |         |
| 2   | 5715.0000    | 1.79                       | 43.53                   | 45.32                     | 109.40          | -64.08       | AVG      |         |
| 3   | 5725.0000    | 15.28                      | 43.56                   | 58.84                     | 122.20          | -63.36       | Peak     |         |
| 4   | 5725.0000    | 6.72                       | 43.56                   | 50.28                     | 122.20          | -71.92       | AVG      |         |
| 5 * | 5743.3000    | 56.63                      | 43.61                   | 100.24                    | 122.20          | -21.96       | Peak     |         |
| 6   | 5748.1000    | 47.65                      | 43.63                   | 91.28                     | 122.20          | -30.92       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5823.8000    | 50.53                      | 43.86                   | 94.39                     | 122.20          | -27.81       | AVG      |         |
| 2 * | 5824.0000    | 58.76                      | 43.86                   | 102.62                    | 122.20          | -19.58       | Peak     |         |
| 3   | 5850.0000    | 11.79                      | 43.94                   | 55.73                     | 122.20          | -66.47       | Peak     |         |
| 4   | 5850.0000    | 3.65                       | 43.94                   | 47.59                     | 122.20          | -74.61       | AVG      |         |
| 5   | 5860.0000    | 11.73                      | 43.97                   | 55.70                     | 109.40          | -53.70       | Peak     |         |
| 6   | 5860.0000    | 2.19                       | 43.97                   | 46.16                     | 109.40          | -63.24       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5823.6000    | 45.62                      | 43.86                   | 89.48                     | 122.20          | -32.72       | AVG      |         |
| 2 * | 5828.8000    | 53.60                      | 43.87                   | 97.47                     | 122.20          | -24.73       | Peak     |         |
| 3   | 5850.0000    | 11.94                      | 43.94                   | 55.88                     | 122.20          | -66.32       | Peak     |         |
| 4   | 5850.0000    | 1.63                       | 43.94                   | 45.57                     | 122.20          | -76.63       | AVG      |         |
| 5   | 5860.0000    | 9.52                       | 43.97                   | 53.49                     | 109.40          | -55.91       | Peak     |         |
| 6   | 5860.0000    | 0.89                       | 43.97                   | 44.86                     | 109.40          | -64.54       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 15.30                      | 43.53                   | 58.83                     | 109.40          | -50.57       | Peak     |         |
| 2   | 5715.0000    | 4.12                       | 43.53                   | 47.65                     | 109.40          | -61.75       | AVG      |         |
| 3   | 5725.0000    | 22.38                      | 43.56                   | 65.94                     | 122.20          | -56.26       | Peak     |         |
| 4   | 5725.0000    | 11.94                      | 43.56                   | 55.50                     | 122.20          | -66.70       | AVG      |         |
| 5   | 5741.2000    | 49.32                      | 43.61                   | 92.93                     | 122.20          | -29.27       | AVG      |         |
| 6 * | 5751.3000    | 59.45                      | 43.64                   | 103.09                    | 122.20          | -19.11       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 9.98                       | 43.53                   | 53.51                     | 109.40          | -55.89       | Peak     |         |
| 2   | 5715.0000    | 2.01                       | 43.53                   | 45.54                     | 109.40          | -63.86       | AVG      |         |
| 3   | 5725.0000    | 18.90                      | 43.56                   | 62.46                     | 122.20          | -59.74       | Peak     |         |
| 4   | 5725.0000    | 7.93                       | 43.56                   | 51.49                     | 122.20          | -70.71       | AVG      |         |
| 5   | 5746.5000    | 46.01                      | 43.62                   | 89.63                     | 122.20          | -32.57       | AVG      |         |
| 6 * | 5747.4000    | 55.46                      | 43.63                   | 99.09                     | 122.20          | -23.11       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5829.6000    | 58.96                      | 43.88                   | 102.84                    | 122.20          | -19.36       | Peak     |         |
| 2   | 5830.0000    | 48.54                      | 43.88                   | 92.42                     | 122.20          | -29.78       | AVG      |         |
| 3   | 5850.0000    | 14.62                      | 43.94                   | 58.56                     | 122.20          | -63.64       | Peak     |         |
| 4   | 5850.0000    | 3.81                       | 43.94                   | 47.75                     | 122.20          | -74.45       | AVG      |         |
| 5   | 5860.0000    | 12.09                      | 43.97                   | 56.06                     | 109.40          | -53.34       | Peak     |         |
| 6   | 5860.0000    | 2.18                       | 43.97                   | 46.15                     | 109.40          | -63.25       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5818.8000    | 45.06                      | 43.84                   | 88.90                     | 122.20          | -33.30       | AVG      |         |
| 2 * | 5820.1000    | 54.25                      | 43.85                   | 98.10                     | 122.20          | -24.10       | Peak     |         |
| 3   | 5850.0000    | 10.71                      | 43.94                   | 54.65                     | 122.20          | -67.55       | Peak     |         |
| 4   | 5850.0000    | 1.94                       | 43.94                   | 45.88                     | 122.20          | -76.32       | AVG      |         |
| 5   | 5860.0000    | 8.85                       | 43.97                   | 52.82                     | 109.40          | -56.58       | Peak     |         |
| 6   | 5860.0000    | 1.06                       | 43.97                   | 45.03                     | 109.40          | -64.37       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 26.64                      | 43.53                   | 70.17                     | 109.40          | -39.23       | Peak     |         |
| 2   | 5715.0000    | 16.63                      | 43.53                   | 60.16                     | 109.40          | -49.24       | AVG      |         |
| 3   | 5725.0000    | 30.97                      | 43.56                   | 74.53                     | 122.20          | -47.67       | Peak     |         |
| 4   | 5725.0000    | 19.72                      | 43.56                   | 63.28                     | 122.20          | -58.92       | AVG      |         |
| 5 * | 5748.8000    | 59.05                      | 43.63                   | 102.68                    | 122.20          | -19.52       | Peak     |         |
| 6   | 5749.0000    | 47.07                      | 43.63                   | 90.70                     | 122.20          | -31.50       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

# Vertical


120 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 23.10                      | 43.53                   | 66.63                     | 109.40          | -42.77       | Peak     |         |
| 2   | 5715.0000    | 12.95                      | 43.53                   | 56.48                     | 109.40          | -52.92       | AVG      |         |
| 3   | 5725.0000    | 25.26                      | 43.56                   | 68.82                     | 122.20          | -53.38       | Peak     |         |
| 4   | 5725.0000    | 16.63                      | 43.56                   | 60.19                     | 122.20          | -62.01       | AVG      |         |
| 5   | 5750.8000    | 43.64                      | 43.64                   | 87.28                     | 122.20          | -34.92       | AVG      |         |
| 6 * | 5771.6000    | 54.88                      | 43.70                   | 98.58                     | 122.20          | -23.62       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5804.0000    | 59.01                      | 43.80                   | 102.81                    | 122.20          | -19.39       | Peak     |         |
| 2   | 5809.4000    | 47.24                      | 43.81                   | 91.05                     | 122.20          | -31.15       | AVG      |         |
| 3   | 5850.0000    | 23.51                      | 43.94                   | 67.45                     | 122.20          | -54.75       | Peak     |         |
| 4   | 5850.0000    | 11.63                      | 43.94                   | 55.57                     | 122.20          | -66.63       | AVG      |         |
| 5   | 5860.0000    | 21.72                      | 43.97                   | 65.69                     | 109.40          | -43.71       | Peak     |         |
| 6   | 5860.0000    | 9.71                       | 43.97                   | 53.68                     | 109.40          | -55.72       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5807.0000    | 43.48                      | 43.81                   | 87.29                     | 122.20          | -34.91       | AVG      |         |
| 2 * | 5808.6000    | 55.28                      | 43.81                   | 99.09                     | 122.20          | -23.11       | Peak     |         |
| 3   | 5850.0000    | 17.76                      | 43.94                   | 61.70                     | 122.20          | -60.50       | Peak     |         |
| 4   | 5850.0000    | 6.42                       | 43.94                   | 50.36                     | 122.20          | -71.84       | AVG      |         |
| 5   | 5860.0000    | 15.59                      | 43.97                   | 59.56                     | 109.40          | -49.84       | Peak     |         |
| 6   | 5860.0000    | 6.26                       | 43.97                   | 50.23                     | 109.40          | -59.17       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 14.87                      | 41.10                   | 55.97                     | 68.30           | -12.33       | Peak     |          |
| 2   | 5150.0000    | 3.40                       | 41.10                   | 44.50                     | 54.00           | -9.50        | AVG      |          |
| 3   | 5173.7000    | 58.38                      | 41.22                   | 99.60                     | 68.30           | 31.30        | Peak     | No Limit |
| 4 * | 5177.8000    | 47.88                      | 41.24                   | 89.12                     | 54.00           | 35.12        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Vertical

120 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 9.95                       | 41.10                   | 51.05                     | 68.30           | -17.25       | Peak     |          |
| 2   | 5150.0000    | 2.12                       | 41.10                   | 43.22                     | 54.00           | -10.78       | AVG      |          |
| 3   | 5182.0000    | 56.28                      | 41.26                   | 97.54                     | 68.30           | 29.24        | Peak     | No Limit |
| 4 * | 5182.3000    | 45.83                      | 41.27                   | 87.10                     | 54.00           | 33.10        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

# Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5238.0000    | 57.56                      | 41.55                   | 99.11                     | 68.30           | 30.81        | Peak     | No Limit |
| 2 * | 5246.7000    | 47.86                      | 41.59                   | 89.45                     | 54.00           | 35.45        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin | Detector | Comment |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        |          |         |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |



## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5243.7000    | 56.32                      | 41.58                   | 97.90                     | 68.30           | 29.60        | Peak     | No Limit |
| 2 * | 5246.7000    | 46.29                      | 41.59                   | 87.88                     | 54.00           | 33.88        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

# Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 17.76                      | 41.10                   | 58.86                     | 68.30           | -9.44        | Peak     |          |
| 2   | 5150.0000    | 7.20                       | 41.10                   | 48.30                     | 54.00           | -5.70        | AVG      |          |
| 3   | 5174.8000    | 55.47                      | 41.23                   | 96.70                     | 68.30           | 28.40        | Peak     | No Limit |
| 4 * | 5193.2000    | 45.21                      | 41.32                   | 86.53                     | 54.00           | 32.53        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin | Detector | Comment |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        |          |         |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 12.68                      | 41.10                   | 53.78                     | 68.30           | -14.52       | Peak     |          |
| 2   | 5150.0000    | 3.18                       | 41.10                   | 44.28                     | 54.00           | -9.72        | AVG      |          |
| 3   | 5178.0000    | 52.18                      | 41.24                   | 93.42                     | 68.30           | 25.12        | Peak     | No Limit |
| 4 * | 5183.0000    | 41.00                      | 41.27                   | 82.27                     | 54.00           | 28.27        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5213.4000    | 56.56                      | 41.42                   | 97.98                     | 68.30           | 29.68        | Peak     | No Limit |
| 2 * | 5217.0000    | 45.91                      | 41.44                   | 87.35                     | 54.00           | 33.35        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin |          |         |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        | Detector | Comment |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical


100 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5212.8000    | 53.13                      | 41.42                   | 94.55                     | 68.30           | 26.25        | Peak     | No Limit |
| 2 * | 5227.2000    | 41.83                      | 41.49                   | 83.32                     | 54.00           | 29.32        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin |          |         |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        | Detector | Comment |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 15.31                      | 41.10                   | 56.41                     | 68.30           | -11.89       | Peak     |          |
| 2   | 5150.0000    | 3.86                       | 41.10                   | 44.96                     | 54.00           | -9.04        | AVG      |          |
| 3   | 5178.8000    | 52.87                      | 41.25                   | 94.12                     | 68.30           | 25.82        | Peak     | No Limit |
| 4 * | 5214.8000    | 40.27                      | 41.43                   | 81.70                     | 54.00           | 27.70        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin | Detector | Comment |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        |          |         |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 13.96                      | 41.10                   | 55.06                     | 68.30           | -13.24       | Peak     |          |
| 2   | 5150.0000    | 3.67                       | 41.10                   | 44.77                     | 54.00           | -9.23        | AVG      |          |
| 3   | 5195.2000    | 50.58                      | 41.33                   | 91.91                     | 68.30           | 23.61        | Peak     | No Limit |
| 4 * | 5196.8000    | 37.58                      | 41.34                   | 78.92                     | 54.00           | 24.92        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

## Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5263.7000    | 58.32                      | 41.68                   | 100.00                    | 68.30           | 31.70        | Peak     | No Limit |
| 2 * | 5266.7000    | 48.25                      | 41.69                   | 89.94                     | 54.00           | 35.94        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5253.8000    | 56.38                      | 41.63                   | 98.01                     | 68.30           | 29.71        | Peak     | No Limit |
| 2 * | 5257.8000    | 45.14                      | 41.65                   | 86.79                     | 54.00           | 32.79        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5320.3000    | 60.02                      | 41.97                   | 101.99                    | 68.30           | 33.69        | Peak     | No Limit |
| 2 * | 5325.2000    | 49.38                      | 41.99                   | 91.37                     | 54.00           | 37.37        | AVG      | No Limit |
| 3   | 5350.0000    | 12.92                      | 42.12                   | 55.04                     | 68.30           | -13.26       | Peak     |          |
| 4   | 5350.0000    | 2.48                       | 42.12                   | 44.60                     | 54.00           | -9.40        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5312.9000    | 55.35                      | 41.93                   | 97.28                     | 68.30           | 28.98        | Peak     | No Limit |
| 2 * | 5325.4000    | 45.15                      | 41.99                   | 87.14                     | 54.00           | 33.14        | AVG      | No Limit |
| 3   | 5350.0000    | 11.64                      | 42.12                   | 53.76                     | 68.30           | -14.54       | Peak     |          |
| 4   | 5350.0000    | 1.84                       | 42.12                   | 43.96                     | 54.00           | -10.04       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5253.4000    | 45.62                      | 41.63                   | 87.25                     | 54.00           | 33.25        | AVG      | No Limit |
| 2   | 5262.4000    | 56.94                      | 41.67                   | 98.61                     | 68.30           | 30.31        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

**Vertical**


120 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5265.0000    | 40.78                      | 41.69                   | 82.47                     | 54.00           | 28.47        | AVG      | No Limit |
| 2   | 5275.8000    | 53.05                      | 41.74                   | 94.79                     | 68.30           | 26.49        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5293.4000    | 44.26                      | 41.83                   | 86.09                     | 54.00           | 32.09        | AVG      | No Limit |
| 2   | 5302.2000    | 54.55                      | 41.88                   | 96.43                     | 68.30           | 28.13        | Peak     | No Limit |
| 3   | 5350.0000    | 10.73                      | 42.12                   | 52.85                     | 68.30           | -15.45       | Peak     |          |
| 4   | 5350.0000    | 1.40                       | 42.12                   | 43.52                     | 54.00           | -10.48       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |


### Vertical

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5307.2000    | 40.68                      | 41.90                   | 82.58                     | 54.00           | 28.58        | AVG      | No Limit |
| 2   | 5323.6000    | 52.02                      | 41.98                   | 94.00                     | 68.30           | 25.70        | Peak     | No Limit |
| 3   | 5350.0000    | 9.50                       | 42.12                   | 51.62                     | 68.30           | -16.68       | Peak     |          |
| 4   | 5350.0000    | 1.00                       | 42.12                   | 43.12                     | 54.00           | -10.88       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5262.8000    | 40.46                      | 41.67                   | 82.13                     | 54.00           | 28.13        | AVG      | No Limit |
| 2   | 5263.2000    | 52.80                      | 41.68                   | 94.48                     | 68.30           | 26.18        | Peak     | No Limit |
| 3   | 5350.0000    | 9.46                       | 42.12                   | 51.58                     | 68.30           | -16.72       | Peak     |          |
| 4   | 5350.0000    | 1.27                       | 42.12                   | 43.39                     | 54.00           | -10.61       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |


### Vertical

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5286.4000    | 48.64                      | 41.79                   | 90.43                     | 68.30           | 22.13        | Peak     | No Limit |
| 2 * | 5296.8000    | 35.53                      | 41.85                   | 77.38                     | 54.00           | 23.38        | AVG      | No Limit |
| 3   | 5350.0000    | 9.38                       | 42.12                   | 51.50                     | 68.30           | -16.80       | Peak     |          |
| 4   | 5350.0000    | 0.99                       | 42.12                   | 43.11                     | 54.00           | -10.89       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.87                       | 42.68                   | 52.55                     | 68.30           | -15.75       | Peak     |          |
| 2   | 5460.0000    | 1.07                       | 42.68                   | 43.75                     | 54.00           | -10.25       | AVG      |          |
| 3   | 5470.0000    | 11.39                      | 42.73                   | 54.12                     | 68.30           | -14.18       | Peak     |          |
| 4   | 5470.0000    | 1.52                       | 42.73                   | 44.25                     | 54.00           | -9.75        | AVG      |          |
| 5   | 5502.2000    | 57.02                      | 42.89                   | 99.91                     | 68.30           | 31.61        | Peak     | No Limit |
| 6 * | 5507.0000    | 46.50                      | 42.90                   | 89.40                     | 54.00           | 35.40        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.38                       | 42.68                   | 52.06                     | 68.30           | -16.24       | Peak     |          |
| 2   | 5460.0000    | 1.16                       | 42.68                   | 43.84                     | 54.00           | -10.16       | AVG      |          |
| 3   | 5470.0000    | 11.14                      | 42.73                   | 53.87                     | 68.30           | -14.43       | Peak     |          |
| 4   | 5470.0000    | 1.46                       | 42.73                   | 44.19                     | 54.00           | -9.81        | AVG      |          |
| 5   | 5494.1000    | 54.71                      | 42.85                   | 97.56                     | 68.30           | 29.26        | Peak     | No Limit |
| 6 * | 5502.3000    | 43.83                      | 42.89                   | 86.72                     | 54.00           | 32.72        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5693.4000    | 50.13                      | 43.46                   | 93.59                     | 54.00           | 39.59        | AVG      | No Limit |
| 2   | 5706.2000    | 60.09                      | 43.50                   | 103.59                    | 68.30           | 35.29        | Peak     | No Limit |
| 3   | 5725.0000    | 13.83                      | 43.56                   | 57.39                     | 68.30           | -10.91       | Peak     |          |
| 4   | 5725.0000    | 4.89                       | 43.56                   | 48.45                     | 54.00           | -5.55        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5694.4000    | 53.06                      | 43.47                   | 96.53                     | 68.30           | 28.23        | Peak     | No Limit |
| 2 * | 5702.3000    | 41.89                      | 43.49                   | 85.38                     | 54.00           | 31.38        | AVG      | No Limit |
| 3   | 5725.0000    | 10.06                      | 43.56                   | 53.62                     | 68.30           | -14.68       | Peak     |          |
| 4   | 5725.0000    | 0.90                       | 43.56                   | 44.46                     | 54.00           | -9.54        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 11.44                      | 42.68                   | 54.12                     | 68.30           | -14.18       | Peak     |          |
| 2   | 5460.0000    | 3.01                       | 42.68                   | 45.69                     | 54.00           | -8.31        | AVG      |          |
| 3   | 5470.0000    | 14.97                      | 42.73                   | 57.70                     | 68.30           | -10.60       | Peak     |          |
| 4   | 5470.0000    | 6.27                       | 42.73                   | 49.00                     | 54.00           | -5.00        | AVG      |          |
| 5   | 5497.0000    | 54.84                      | 42.86                   | 97.70                     | 68.30           | 29.40        | Peak     | No Limit |
| 6 * | 5503.2000    | 44.06                      | 42.89                   | 86.95                     | 54.00           | 32.95        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading | Correct | Measure | Limit  | Margin |          |         |
|-----|-------|---------|---------|---------|--------|--------|----------|---------|
|     | MHz   | Level   | Factor  | ment    |        |        | Detector | Comment |
|     |       | dBuV/m  | dB      | dBuV/m  | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

**Vertical**


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 8.96                       | 42.68                   | 51.64                     | 68.30           | -16.66       | Peak     |          |
| 2   | 5460.0000    | 1.46                       | 42.68                   | 44.14                     | 54.00           | -9.86        | AVG      |          |
| 3   | 5470.0000    | 10.95                      | 42.73                   | 53.68                     | 68.30           | -14.62       | Peak     |          |
| 4   | 5470.0000    | 3.34                       | 42.73                   | 46.07                     | 54.00           | -7.93        | AVG      |          |
| 5 * | 5503.0000    | 40.42                      | 42.89                   | 83.31                     | 54.00           | 29.31        | AVG      | No Limit |
| 6   | 5506.4000    | 51.51                      | 42.90                   | 94.41                     | 68.30           | 26.11        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5667.2000    | 57.18                      | 43.38                   | 100.56                    | 68.30           | 32.26        | Peak     | No Limit |
| 2 * | 5673.8000    | 45.92                      | 43.40                   | 89.32                     | 54.00           | 35.32        | AVG      | No Limit |
| 3   | 5725.0000    | 11.19                      | 43.56                   | 54.75                     | 68.30           | -13.55       | Peak     |          |
| 4   | 5725.0000    | 2.12                       | 43.56                   | 45.68                     | 54.00           | -8.32        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |


### Vertical

100 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5655.2000    | 50.96                      | 43.35                   | 94.31                     | 68.30           | 26.01        | Peak     | No Limit |
| 2 * | 5655.6000    | 40.49                      | 43.35                   | 83.84                     | 54.00           | 29.84        | AVG      | No Limit |
| 3   | 5725.0000    | 10.52                      | 43.56                   | 54.08                     | 68.30           | -14.22       | Peak     |          |
| 4   | 5725.0000    | 1.10                       | 43.56                   | 44.66                     | 54.00           | -9.34        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 17.43                      | 42.68                   | 60.11                     | 68.30           | -8.19        | Peak     |          |
| 2   | 5460.0000    | 5.66                       | 42.68                   | 48.34                     | 54.00           | -5.66        | AVG      |          |
| 3   | 5470.0000    | 15.95                      | 42.73                   | 58.68                     | 68.30           | -9.62        | Peak     |          |
| 4   | 5470.0000    | 6.17                       | 42.73                   | 48.90                     | 54.00           | -5.10        | AVG      |          |
| 5   | 5502.4000    | 51.95                      | 42.89                   | 94.84                     | 68.30           | 26.54        | Peak     | No Limit |
| 6 * | 5517.2000    | 39.00                      | 42.93                   | 81.93                     | 54.00           | 27.93        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 13.34                      | 42.68                   | 56.02                     | 68.30           | -12.28       | Peak     |          |
| 2   | 5460.0000    | 2.76                       | 42.68                   | 45.44                     | 54.00           | -8.56        | AVG      |          |
| 3   | 5470.0000    | 12.98                      | 42.73                   | 55.71                     | 68.30           | -12.59       | Peak     |          |
| 4   | 5470.0000    | 3.51                       | 42.73                   | 46.24                     | 54.00           | -7.76        | AVG      |          |
| 5   | 5524.8000    | 48.64                      | 42.95                   | 91.59                     | 68.30           | 23.29        | Peak     | No Limit |
| 6 * | 5524.8000    | 35.63                      | 42.95                   | 78.58                     | 54.00           | 24.58        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

## Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5623.2000    | 39.54                      | 43.25                   | 82.79                     | 54.00           | 28.79        | AVG      | No Limit |
| 2   | 5639.6000    | 51.66                      | 43.30                   | 94.96                     | 68.30           | 26.66        | Peak     | No Limit |
| 3   | 5725.0000    | 9.58                       | 43.56                   | 53.14                     | 68.30           | -15.16       | Peak     |          |
| 4   | 5725.0000    | 1.39                       | 43.56                   | 44.95                     | 54.00           | -9.05        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

**Vertical**

120 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |


### Vertical

100 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5593.2000    | 46.84                      | 43.16                   | 90.00                     | 68.30           | 21.70        | Peak     | No Limit |
| 2 * | 5602.8000    | 35.06                      | 43.19                   | 78.25                     | 54.00           | 24.25        | AVG      | No Limit |
| 3   | 5725.0000    | 8.67                       | 43.56                   | 52.23                     | 68.30           | -16.07       | Peak     |          |
| 4   | 5725.0000    | 0.37                       | 43.56                   | 43.93                     | 54.00           | -10.07       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

# Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 14.09                      | 43.53                   | 57.62                     | 109.40          | -51.78       | Peak     |         |
| 2   | 5715.0000    | 4.16                       | 43.53                   | 47.69                     | 109.40          | -61.71       | AVG      |         |
| 3   | 5725.0000    | 22.56                      | 43.56                   | 66.12                     | 122.20          | -56.08       | Peak     |         |
| 4   | 5725.0000    | 12.09                      | 43.56                   | 55.65                     | 122.20          | -66.55       | AVG      |         |
| 5   | 5738.4000    | 49.49                      | 43.60                   | 93.09                     | 122.20          | -29.11       | AVG      |         |
| 6 * | 5743.1000    | 59.26                      | 43.61                   | 102.87                    | 122.20          | -19.33       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Vertical

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 10.83                      | 43.53                   | 54.36                     | 109.40          | -55.04       | Peak     |         |
| 2   | 5715.0000    | 2.33                       | 43.53                   | 45.86                     | 109.40          | -63.54       | AVG      |         |
| 3   | 5725.0000    | 18.27                      | 43.56                   | 61.83                     | 122.20          | -60.37       | Peak     |         |
| 4   | 5725.0000    | 8.02                       | 43.56                   | 51.58                     | 122.20          | -70.62       | AVG      |         |
| 5   | 5746.4000    | 45.77                      | 43.62                   | 89.39                     | 122.20          | -32.81       | AVG      |         |
| 6 * | 5749.3000    | 55.30                      | 43.63                   | 98.93                     | 122.20          | -23.27       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5822.3000    | 59.34                      | 43.85                   | 103.19                    | 122.20          | -19.01       | Peak     |         |
| 2   | 5822.7000    | 49.29                      | 43.85                   | 93.14                     | 122.20          | -29.06       | AVG      |         |
| 3   | 5850.0000    | 13.92                      | 43.94                   | 57.86                     | 122.20          | -64.34       | Peak     |         |
| 4   | 5850.0000    | 3.39                       | 43.94                   | 47.33                     | 122.20          | -74.87       | AVG      |         |
| 5   | 5860.0000    | 10.33                      | 43.97                   | 54.30                     | 109.40          | -55.10       | Peak     |         |
| 6   | 5860.0000    | 2.31                       | 43.97                   | 46.28                     | 109.40          | -63.12       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5823.8000    | 43.89                      | 43.86                   | 87.75                     | 122.20          | -34.45       | AVG      |         |
| 2 * | 5827.7000    | 53.33                      | 43.87                   | 97.20                     | 122.20          | -25.00       | Peak     |         |
| 3   | 5850.0000    | 12.23                      | 43.94                   | 56.17                     | 122.20          | -66.03       | Peak     |         |
| 4   | 5850.0000    | 1.60                       | 43.94                   | 45.54                     | 122.20          | -76.66       | AVG      |         |
| 5   | 5860.0000    | 9.37                       | 43.97                   | 53.34                     | 109.40          | -56.06       | Peak     |         |
| 6   | 5860.0000    | 0.95                       | 43.97                   | 44.92                     | 109.40          | -64.48       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

## Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 16.50                      | 43.53                   | 60.03                     | 109.40          | -49.37       | Peak     |         |
| 2   | 5715.0000    | 7.46                       | 43.53                   | 50.99                     | 109.40          | -58.41       | AVG      |         |
| 3   | 5725.0000    | 20.11                      | 43.56                   | 63.67                     | 122.20          | -58.53       | Peak     |         |
| 4   | 5725.0000    | 9.99                       | 43.56                   | 53.55                     | 122.20          | -68.65       | AVG      |         |
| 5   | 5748.2000    | 44.49                      | 43.63                   | 88.12                     | 122.20          | -34.08       | AVG      |         |
| 6 * | 5764.4000    | 55.44                      | 43.68                   | 99.12                     | 122.20          | -23.08       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Vertical

120 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |


## Vertical



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

## Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 11.76                      | 43.53                   | 55.29                     | 109.40          | -54.11       | Peak     |         |
| 2   | 5715.0000    | 3.88                       | 43.53                   | 47.41                     | 109.40          | -61.99       | AVG      |         |
| 3   | 5725.0000    | 18.87                      | 43.56                   | 62.43                     | 122.20          | -59.77       | Peak     |         |
| 4   | 5725.0000    | 5.93                       | 43.56                   | 49.49                     | 122.20          | -72.71       | AVG      |         |
| 5   | 5748.0000    | 41.31                      | 43.63                   | 84.94                     | 122.20          | -37.26       | AVG      |         |
| 6 * | 5748.8000    | 51.64                      | 43.63                   | 95.27                     | 122.20          | -26.93       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5791.8000    | 44.33                      | 43.76                   | 88.09                     | 122.20          | -34.11       | AVG      |         |
| 2 * | 5805.6000    | 55.51                      | 43.80                   | 99.31                     | 122.20          | -22.89       | Peak     |         |
| 3   | 5850.0000    | 11.60                      | 43.94                   | 55.54                     | 122.20          | -66.66       | Peak     |         |
| 4   | 5850.0000    | 2.32                       | 43.94                   | 46.26                     | 122.20          | -75.94       | AVG      |         |
| 5   | 5860.0000    | 10.60                      | 43.97                   | 54.57                     | 109.40          | -54.83       | Peak     |         |
| 6   | 5860.0000    | 2.54                       | 43.97                   | 46.51                     | 109.40          | -62.89       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

**Vertical**

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5780.8000    | 51.21                      | 43.73                   | 94.94                     | 122.20          | -27.26       | Peak     |         |
| 2   | 5800.6000    | 40.84                      | 43.79                   | 84.63                     | 122.20          | -37.57       | AVG      |         |
| 3   | 5850.0000    | 9.87                       | 43.94                   | 53.81                     | 122.20          | -68.39       | Peak     |         |
| 4   | 5850.0000    | 1.51                       | 43.94                   | 45.45                     | 122.20          | -76.75       | AVG      |         |
| 5   | 5860.0000    | 8.84                       | 43.97                   | 52.81                     | 109.40          | -56.59       | Peak     |         |
| 6   | 5860.0000    | 1.21                       | 43.97                   | 45.18                     | 109.40          | -64.22       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

120 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 19.11                      | 43.53                   | 62.64                     | 109.40          | -46.76       | Peak     |         |
| 2   | 5715.0000    | 7.38                       | 43.53                   | 50.91                     | 109.40          | -58.49       | AVG      |         |
| 3   | 5725.0000    | 20.22                      | 43.56                   | 63.78                     | 122.20          | -58.42       | Peak     |         |
| 4   | 5725.0000    | 8.80                       | 43.56                   | 52.36                     | 122.20          | -69.84       | AVG      |         |
| 5 * | 5763.8000    | 53.96                      | 43.68                   | 97.64                     | 122.20          | -24.56       | Peak     |         |
| 6   | 5789.0000    | 39.99                      | 43.75                   | 83.74                     | 122.20          | -38.46       | AVG      |         |
| 7   | 5850.0000    | 11.48                      | 43.94                   | 55.42                     | 122.20          | -66.78       | Peak     |         |
| 8   | 5850.0000    | 1.57                       | 43.94                   | 45.51                     | 122.20          | -76.69       | AVG      |         |
| 9   | 5860.0000    | 10.22                      | 43.97                   | 54.19                     | 109.40          | -55.21       | Peak     |         |
| 10  | 5860.0000    | 1.41                       | 43.97                   | 45.38                     | 109.40          | -64.02       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical


120 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |



## Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 14.52                      | 43.53                   | 58.05                     | 109.40          | -51.35       | Peak     |         |
| 2   | 5715.0000    | 3.63                       | 43.53                   | 47.16                     | 109.40          | -62.24       | AVG      |         |
| 3   | 5725.0000    | 13.84                      | 43.56                   | 57.40                     | 122.20          | -64.80       | Peak     |         |
| 4   | 5725.0000    | 4.53                       | 43.56                   | 48.09                     | 122.20          | -74.11       | AVG      |         |
| 5   | 5762.2000    | 36.61                      | 43.67                   | 80.28                     | 122.20          | -41.92       | AVG      |         |
| 6 * | 5768.6000    | 47.87                      | 43.69                   | 91.56                     | 122.20          | -30.64       | Peak     |         |
| 7   | 5850.0000    | 7.43                       | 43.94                   | 51.37                     | 122.20          | -70.83       | Peak     |         |
| 8   | 5850.0000    | 0.48                       | 43.94                   | 44.42                     | 122.20          | -77.78       | AVG      |         |
| 9   | 5860.0000    | 9.07                       | 43.97                   | 53.04                     | 109.40          | -56.36       | Peak     |         |
| 10  | 5860.0000    | 0.35                       | 43.97                   | 44.32                     | 109.40          | -65.08       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

120 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |