


Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.000	15.0	0.0	15.0	-15.0	30.0		


Test Mode: LTE Band 4_TX CH20175_1.4M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.00	25.00	0.00	25.00	-10.00	35.00		

Test Mode: LTE Band 4_TX CH20175_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3420.000	-66.16	13.97	-52.19	-13.00	-39.19	peak	
2	*	5130.000	-59.84	14.97	-44.87	-13.00	-31.87	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3420.000	-61.56	10.32	-51.24	-13.00	-38.24	peak	
2		5130.000	-67.53	15.16	-52.37	-13.00	-39.37	peak	


Test Mode: LTE Band 4_TX CH20175_1.4M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 4_TX CH20175_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-59.33	1.21	-58.12	-13.00	-45.12	peak	
2	*	62.010	-57.58	0.73	-56.85	-13.00	-43.85	peak	
3		86.260	-61.79	-5.91	-67.70	-13.00	-54.70	peak	
4		159.010	-70.18	3.18	-67.00	-13.00	-54.00	peak	
5		188.110	-63.08	-1.31	-64.39	-13.00	-51.39	peak	
6		280.260	-76.66	2.64	-74.02	-13.00	-61.02	peak	


Test Mode: LTE Band 4_TX CH20175_20M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-70.76	1.63	-69.13	-13.00	-56.13	peak	
2		62.010	-72.75	-0.97	-73.72	-13.00	-60.72	peak	
3		84.320	-63.38	-7.87	-71.25	-13.00	-58.25	peak	
4	*	159.010	-68.98	2.90	-66.08	-13.00	-53.08	peak	
5		195.870	-65.64	-1.77	-67.41	-13.00	-54.41	peak	
6		420.910	-79.32	6.78	-72.54	-13.00	-59.54	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 4_TX CH20175_20M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.00	25.00	0.00	25.00	-15.00	40.00		

Test Mode: LTE Band 4_TX CH20175_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3420.000	-65.32	13.97	-51.35	-13.00	-38.35	peak	
2	*	5130.000	-64.17	14.97	-49.20	-13.00	-36.20	peak	

Test Mode: LTE Band 4_TX CH20175_20M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3420.000	-61.07	10.32	-50.75	-13.00	-37.75	peak	
2		5190.000	-71.15	15.39	-55.76	-13.00	-42.76	peak	


Test Mode: LTE Band 4_TX CH20175_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-59.47	1.21	-58.26	-13.00	-45.26	peak	
2	*	62.010	-57.22	0.73	-56.49	-13.00	-43.49	peak	
3		86.260	-61.55	-5.91	-67.46	-13.00	-54.46	peak	
4		159.980	-70.59	3.18	-67.41	-13.00	-54.41	peak	
5		191.020	-63.58	-1.85	-65.43	-13.00	-52.43	peak	
6		288.990	-75.26	2.26	-73.00	-13.00	-60.00	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-70.53	1.88	-68.65	-13.00	-55.65	peak	
2		38.730	-71.51	1.63	-69.88	-13.00	-56.88	peak	
3		61.040	-72.69	-0.87	-73.56	-13.00	-60.56	peak	
4		84.320	-64.77	-7.87	-72.64	-13.00	-59.64	peak	
5	*	158.040	-68.68	3.04	-65.64	-13.00	-52.64	peak	
6		194.900	-64.94	-1.74	-66.68	-13.00	-53.68	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2550.00	20.00	0.00	20.00	-15.00	35.00		


Test Mode: LTE Band 7_TX CH21100_5M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment


Test Mode: LTE Band 7_TX CH21100_5M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5130.000	-69.09	14.97	-54.12	-13.00	-41.12	peak	
2	*	10260.000	-68.57	21.83	-46.74	-13.00	-33.74	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: LTE Band 7_TX CH21100_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		39.700	-60.72	1.90	-58.82	-13.00	-45.82	peak	
2	*	62.010	-57.78	0.73	-57.05	-13.00	-44.05	peak	
3		87.230	-61.75	-5.46	-67.21	-13.00	-54.21	peak	
4		161.920	-69.91	2.55	-67.36	-13.00	-54.36	peak	
5		189.080	-62.97	-1.56	-64.53	-13.00	-51.53	peak	
6		288.990	-76.01	2.26	-73.75	-13.00	-60.75	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-70.84	1.63	-69.21	-13.00	-56.21	peak	
2		62.010	-72.28	-0.97	-73.25	-13.00	-60.25	peak	
3		85.290	-64.23	-7.88	-72.11	-13.00	-59.11	peak	
4	*	158.040	-69.63	3.04	-66.59	-13.00	-53.59	peak	
5		196.840	-65.20	-1.81	-67.01	-13.00	-54.01	peak	
6		380.170	-77.37	6.10	-71.27	-13.00	-58.27	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2550.000	18.0	0.0	18.0	-10.0	28.0		

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5130.000	-67.35	14.97	-52.38	-13.00	-39.38	peak	
2	*	10275.000	-67.55	21.86	-45.69	-13.00	-32.69	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 7_TX CH21100_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------


Test Mode: LTE Band 7_TX CH21100_20M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

ATTACHMENT E - BAND EDGE


WCDMA Band 4_WCDMA



WCDMA Band 4_HSDPA



WCDMA Band 4_HSUPA



LTE Band 4_1.4M

1RB0



1RB5

Channel

19957

Channel

20393



6RB0

Channel

19957

Channel

20393



LTE Band 4_3M

1RB0



1RB14

Channel

19965

Channel

20385




15RB0

Channel

19965

Channel

20385



LTE Band 4_5M

1RB0


1RB24

Channel

19975

Channel

20375




25RB0

Channel

19975

Channel

20375



LTE Band 4_10M

1RB0


1RB49

Channel

20000

Channel

20350



50RB0

Channel

20000

Channel

20350



LTE Band 4_15M

1RB0


1RB74

Channel

20025

Channel

20325



75RB0

Channel

20025

Channel

20325



LTE Band 4_20M

1RB0


1RB99

Channel

20050

Channel

20300




100RB0

Channel

20050

Channel

20300



LTE Band 7_5M

1RB0


1RB24

Channel

20775

Channel

21425




25RB0

Channel

20775

Channel

21425



LTE Band 7_10M

1RB0



1RB49

Channel

20800

Channel

21400



50RB0

Channel

20800

Channel

21400



LTE Band 7_15M

1RB0


1RB74

Channel

20825

Channel

21375





75RB0

Channel

20825

Channel

21375



LTE Band 7_20M

1RB0

1RB99

Channel

20850

Channel

21350





100RB0

Channel

20850


Channel

21350




ATTACHMENT F - PEAK TO AVERAGE RATIO


WCDMA Band 4 Spectrum Plot_WCDMA



WCDMA Band 4 Spectrum Plot_HSDPA




WCDMA Band 4 Spectrum Plot_HSUPA




LTE Band 4 Spectrum Plot_1.4M




LTE Band 4 Spectrum Plot_3M




LTE Band 4 Spectrum Plot_5M




LTE Band 4 Spectrum Plot_10M




LTE Band 4 Spectrum Plot_15M




LTE Band 4 Spectrum Plot_20M




LTE Band 7 Spectrum Plot_5M




LTE Band 7 Spectrum Plot_10M



LTE Band 7 Spectrum Plot_15M



LTE Band 7 Spectrum Plot_20M



ATTACHMENT G - FREQUENCY STABILITY

Test Mode:	WCDMA Band 4_CH1413
------------	---------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	7.69	0.004438416	2.5
5	8.54	0.004929008	2.5
10	7.66	0.004421101	2.5
15	9.05	0.005223364	2.5
20	7.47	0.004311439	2.5
25	7.28	0.004201778	2.5
30	8.34	0.004813575	2.5
35	9.13	0.005269537	2.5
Max. Deviation (ppm)	9.13	0.005269537	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	8.89	0.005131017	2.5
Middle	9.32	0.005379199	2.5
High	8.52	0.004917465	2.5
Max. Deviation (ppm)	9.32	0.005379199	2.5

Test Mode:	LTE Band 4_CH20175_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.88	0.002239538	2.5
5	2.56	0.001477633	2.5
10	-3.45	0.001991342	2.5
15	6.37	0.003676768	2.5
20	1.78	0.001027417	2.5
25	-2.33	0.001344877	2.5
30	-4.12	0.002378066	2.5
35	3.48	0.002008658	2.5
Max. Deviation (ppm)	6.37	0.003676768	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.15	0.001240981	2.5
4.0	3.67	0.002118326	2.5
4.2	2.09	0.001206349	2.5
Max. Deviation (ppm)	3.67	0.002118326	2.5

Test Mode:	LTE Band 4_CH20175_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.69	0.00155267	2.5
5	-3.33	0.001922078	2.5
10	5.69	0.003284271	2.5
15	4.59	0.002649351	2.5
20	2.36	0.001362193	2.5
25	-6.32	0.003647908	2.5
30	5.79	0.003341991	2.5
35	5.51	0.003180375	2.5
Max. Deviation (ppm)	6.32	0.003647908	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	1.28	0.000738817	2.5
4.0	-2.60	0.001500722	2.5
4.2	-5.34	0.003082251	2.5
Max. Deviation (ppm)	5.34	0.003082251	2.5

Test Mode:	LTE Band 4_CH20175_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.22	0.001858586	2.5
5	-1.48	0.000854257	2.5
10	1.83	0.001056277	2.5
15	-2.36	0.001362193	2.5
20	5.68	0.003278499	2.5
25	-4.56	0.002632035	2.5
30	1.84	0.001062049	2.5
35	3.66	0.002112554	2.5
Max. Deviation (ppm)	5.68	0.003278499	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.77	0.003907648	2.5
4.0	-5.03	0.002903319	2.5
4.2	4.16	0.002401154	2.5
Max. Deviation (ppm)	6.77	0.003907648	2.5

Test Mode:	LTE Band 4_CH20175_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.56	0.002632035	2.5
5	-3.92	0.002262626	2.5
10	-1.89	0.001090909	2.5
15	1.33	0.000767677	2.5
20	-2.68	0.001546898	2.5
25	-2.45	0.001414141	2.5
30	3.18	0.001835498	2.5
35	5.87	0.003388167	2.5
Max. Deviation (ppm)	5.87	0.003388167	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.75	0.002164502	2.5
4.0	-1.03	0.000594517	2.5
4.2	2.62	0.001512266	2.5
Max. Deviation (ppm)	3.75	0.002164502	2.5

Test Mode:	LTE Band 4_CH20175_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.32	0.002493506	2.5
5	2.14	0.001235209	2.5
10	-6.08	0.00350938	2.5
15	2.33	0.001344877	2.5
20	-5.88	0.003393939	2.5
25	2.09	0.001206349	2.5
30	3.73	0.002152958	2.5
35	4.10	0.002366522	2.5
Max. Deviation (ppm)	6.08	0.00350938	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	5.51	0.003180375	2.5
4.0	6.38	0.00368254	2.5
4.2	-2.10	0.001212121	2.5
Max. Deviation (ppm)	6.38	0.00368254	2.5

Test Mode:	LTE Band 4_CH20175_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.39	0.001379509	2.5
5	5.25	0.003030303	2.5
10	-5.42	0.003128427	2.5
15	2.30	0.001327561	2.5
20	5.08	0.002932179	2.5
25	4.09	0.00236075	2.5
30	4.11	0.002372294	2.5
35	7.77	0.004484848	2.5
Max. Deviation (ppm)	7.77	0.004484848	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	5.34	0.003082251	2.5
4.0	2.13	0.001229437	2.5
4.2	4.82	0.002782107	2.5
Max. Deviation (ppm)	5.34	0.003082251	2.5

Test Mode:	LTE Band 7_CH21100_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.20	0.001262327	2.5
5	-6.24	0.002461538	2.5
10	1.98	0.000781065	2.5
15	-3.99	0.001573964	2.5
20	1.07	0.000422091	2.5
25	5.16	0.002035503	2.5
30	2.34	0.000923077	2.5
35	-1.99	0.00078501	2.5
Max. Deviation (ppm)	6.24	0.002461538	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.64	0.002619329	2.5
4.0	6.27	0.002473373	2.5
4.2	3.57	0.001408284	2.5
Max. Deviation (ppm)	6.64	0.002619329	2.5

Test Mode:	LTE Band 7_CH21100_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.22	0.001270217	2.5
5	6.14	0.002422091	2.5
10	-6.97	0.002749507	2.5
15	3.28	0.001293886	2.5
20	3.74	0.001475345	2.5
25	-4.61	0.00181854	2.5
30	5.14	0.002027613	2.5
35	3.24	0.001278107	2.5
Max. Deviation (ppm)	6.14	0.002749507	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.19	0.001258383	2.5
4.0	5.21	0.002055227	2.5
4.2	-3.69	0.001455621	2.5
Max. Deviation (ppm)	5.21	0.002055227	2.5

Test Mode:	LTE Band 7_CH21100_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.14	0.001238659	2.5
5	-5.21	0.002055227	2.5
10	-6.28	0.002477318	2.5
15	-3.08	0.00121499	2.5
20	2.27	0.000895464	2.5
25	1.66	0.000654832	2.5
30	5.14	0.002027613	2.5
35	2.68	0.001057199	2.5
Max. Deviation (ppm)	6.28	0.002477318	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.12	0.000836292	2.5
4.0	1.87	0.000737673	2.5
4.2	-2.94	0.001159763	2.5
Max. Deviation (ppm)	2.94	0.001159763	2.5

Test Mode:	LTE Band 7_CH21100_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.75	0.00147929	2.5
5	1.28	0.000504931	2.5
10	-6.29	0.002481262	2.5
15	1.82	0.000717949	2.5
20	4.37	0.001723866	2.5
25	5.24	0.002067061	2.5
30	-1.18	0.000465483	2.5
35	5.02	0.001980276	2.5
Max. Deviation (ppm)	6.29	0.002481262	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	1.33	0.000524655	2.5
4.0	5.14	0.002027613	2.5
4.2	3.62	0.001428008	2.5
Max. Deviation (ppm)	5.14	0.002027613	2.5