






6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0












6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0












6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0












6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0












6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0












6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


We tested all modes, but the data presented below is the worst case.

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H








7.1.1.3 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	0.41	0.00024	PASS
					VN	4.66	0.00272	PASS
					VH	1.97	0.00115	PASS
			MCH	TN	VL	3.12	0.0018	PASS
					VN	3.1	0.00179	PASS
					VH	1.77	0.00102	PASS
			HCH	TN	VL	2.98	0.0017	PASS
					VN	4.69	0.00267	PASS
					VH	3.09	0.00176	PASS
		3	LCH	TN	VL	-1.2	-0.0007	PASS
					VN	4.25	0.00248	PASS
					VH	0.76	0.00044	PASS
			MCH	TN	VL	2	0.00115	PASS
					VN	3.53	0.00204	PASS
					VH	2.99	0.00173	PASS
			HCH	TN	VL	0.79	0.00045	PASS
					VN	1.44	0.00082	PASS
					VH	0.09	0.00005	PASS
		5	LCH	TN	VL	-1.69	-0.00099	PASS
					VN	0.19	0.00011	PASS
					VH	1.07	0.00062	PASS
			MCH	TN	VL	1.69	0.00098	PASS
					VN	1.24	0.00072	PASS
					VH	1.24	0.00072	PASS
			HCH	TN	VL	-0.27	-0.00015	PASS
					VN	-1.95	-0.00111	PASS
					VH	-2.57	-0.00147	PASS
		10	LCH	TN	VL	1.23	0.00072	PASS
					VN	2.3	0.00134	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
	LTE/TM2	15	MCH	TN	VH	1.04	0.00061	PASS	
					VL	-0.36	-0.00021	PASS	
					VN	0.46	0.00027	PASS	
			HCH	TN	VH	-1.23	-0.00071	PASS	
					VL	0.26	0.00015	PASS	
					VN	-0.46	-0.00026	PASS	
			LCH	TN	VH	-1.42	-0.00081	PASS	
					VL	2.5	0.00146	PASS	
					VN	1.57	0.00091	PASS	
			MCH	TN	VH	4.36	0.00254	PASS	
					VL	2.62	0.00151	PASS	
					VN	2.22	0.00128	PASS	
		VH			-0.21	-0.00012	PASS		
		VL			-1.83	-0.00105	PASS		
		VN			0.27	0.00015	PASS		
		HCH	TN	VH	-3.18	-0.00182	PASS		
				VL	2.32	0.00135	PASS		
				VN	4.29	0.00249	PASS		
		20	MCH	LCH	TN	VH	0.14	0.00008	PASS
						VL	3.32	0.00192	PASS
						VN	3.09	0.00178	PASS
				HCH	TN	VH	1.57	0.00091	PASS
						VL	4.59	0.00263	PASS
						VN	1.26	0.00072	PASS
		LCH	TN	VH	4.23	0.00242	PASS		
				VL	2.3	0.00134	PASS		
				VN	4.56	0.00267	PASS		
		1.4	MCH	LCH	TN	VH	-2.35	-0.00137	PASS
						VL	4.18	0.00241	PASS
						VN	5.09	0.00294	PASS
				HCH	TN	VH	2.52	0.00145	PASS
						VL	1.39	0.00079	PASS
						VN	3.03	0.00173	PASS
		3	MCH	LCH	TN	VH	1.53	0.00087	PASS
						VL	1.2	0.0007	PASS
						VN	8.57	0.00501	PASS
				HCH	TN	VH	9.21	0.00538	PASS
						VL	6.44	0.00372	PASS
						VN	7.81	0.00451	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
			HCH	TN	VH	1.96	0.00113	PASS	
					VL	2.88	0.00164	PASS	
					VN	2	0.00114	PASS	
					VH	2.69	0.00153	PASS	
		5	LCH	TN	VL	3.6	0.0021	PASS	
					VN	3.89	0.00227	PASS	
					VH	1.85	0.00108	PASS	
			MCH	TN	VL	4.13	0.00238	PASS	
					VN	1.33	0.00077	PASS	
					VH	0.41	0.00024	PASS	
			HCH	TN	VL	2.5	0.00143	PASS	
					VN	-1.47	-0.00084	PASS	
					VH	0.29	0.00017	PASS	
			10	LCH	TN	VL	-0.1	-0.00006	PASS
						VN	-0.39	-0.00023	PASS
						VH	-1.3	-0.00076	PASS
		MCH		TN	VL	5.09	0.00294	PASS	
					VN	2.6	0.0015	PASS	
					VH	1.59	0.00092	PASS	
		HCH		TN	VL	-0.66	-0.00038	PASS	
					VN	-0.27	-0.00015	PASS	
					VH	-1.29	-0.00074	PASS	
		15	LCH	TN	VL	3.22	0.00187	PASS	
					VN	1.09	0.00063	PASS	
					VH	0.13	0.00008	PASS	
			MCH	TN	VL	4.21	0.00243	PASS	
					VN	1.54	0.00089	PASS	
					VH	0.76	0.00044	PASS	
			HCH	TN	VL	3.72	0.00213	PASS	
					VN	-2.53	-0.00145	PASS	
					VH	-1.46	-0.00084	PASS	
		20	LCH	TN	VL	1.36	0.00079	PASS	
					VN	-0.2	-0.00012	PASS	
					VH	3	0.00174	PASS	
			MCH	TN	VL	4.45	0.00257	PASS	
					VN	0.51	0.00029	PASS	
					VH	1.77	0.00102	PASS	
			HCH	TN	VL	2.22	0.00127	PASS	
					VN	1.4	0.0008	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	2.6	0.00149	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	-0.17	-0.0001	PASS
					-20	7.21	0.00421	PASS
					-10	7.2	0.00421	PASS
					0	9.06	0.0053	PASS
					10	4.39	0.00257	PASS
					20	3.65	0.00213	PASS
					30	1.3	0.00076	PASS
					40	4.28	0.0025	PASS
			50	1.5	0.00088	PASS		
			MCH	VN	-30	0.73	0.00042	PASS
					-20	2.95	0.0017	PASS
					-10	2.57	0.00148	PASS
					0	3.98	0.0023	PASS
					10	0.31	0.00018	PASS
					20	0.03	0.00002	PASS
					30	0.46	0.00027	PASS
					40	-0.51	-0.00029	PASS
			50	1.06	0.00061	PASS		
			HCH	VN	-30	1.02	0.00058	PASS
					-20	2.9	0.00165	PASS
					-10	3.56	0.00203	PASS
					0	1.44	0.00082	PASS
					10	1.3	0.00074	PASS
					20	-0.93	-0.00053	PASS
		30			1.9	0.00108	PASS	
		40			-0.11	-0.00006	PASS	
		50	-0.37	-0.00021	PASS			
		3	LCH	VN	-30	1.46	0.00085	PASS
					-20	2.06	0.0012	PASS
					-10	3.48	0.00203	PASS
0	2.43				0.00142	PASS		
10	3.46				0.00202	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					20	3.62	0.00212	PASS	
					30	1.97	0.00115	PASS	
					40	-0.51	-0.0003	PASS	
					50	0.11	0.00006	PASS	
			MCH	VN	-30	0.07	0.00004	PASS	
					-20	2.78	0.0016	PASS	
					-10	4.23	0.00244	PASS	
					0	3.03	0.00175	PASS	
					10	0.49	0.00028	PASS	
					20	0.62	0.00036	PASS	
					30	1.72	0.00099	PASS	
					40	-1.37	-0.00079	PASS	
					50	0.56	0.00032	PASS	
					HCH	VN	-30	3.56	0.00203
			-20	3.08			0.00176	PASS	
			-10	-0.77			-0.00044	PASS	
			0	-0.27			-0.00015	PASS	
			10	1.66			0.00095	PASS	
			20	1.53			0.00087	PASS	
			30	-0.11			-0.00006	PASS	
			40	0.83			0.00047	PASS	
			50	0.84	0.00048	PASS			
			5	LCH	VN	-30	0.77	0.00045	PASS
						-20	3.63	0.00212	PASS
						-10	1.14	0.00067	PASS
						0	0.49	0.00029	PASS
						10	-1.37	-0.0008	PASS
						20	-0.72	-0.00042	PASS
						30	-1.12	-0.00065	PASS
						40	-1.26	-0.00074	PASS
				50	0.44	0.00026	PASS		
				MCH	VN	-30	2.83	0.00163	PASS
						-20	4.79	0.00276	PASS
						-10	0.77	0.00044	PASS
						0	1.75	0.00101	PASS
						10	3.76	0.00217	PASS
20	1.97	0.00114	PASS						
30	1.73	0.001	PASS						
40	-0.97	-0.00056	PASS						



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
			HCH	VN	50	2.13	0.00123	PASS			
					-30	-1.76	-0.001	PASS			
					-20	-0.01	-0.00001	PASS			
					-10	-2.06	-0.00118	PASS			
					0	-2.73	-0.00156	PASS			
					10	-3.76	-0.00215	PASS			
					20	-3.12	-0.00178	PASS			
					30	-1.42	-0.00081	PASS			
					40	-2.57	-0.00147	PASS			
					50	-3.82	-0.00218	PASS			
						LCH	VN	-30	2.73	0.00159	PASS
								-20	2.55	0.00149	PASS
								-10	-0.6	-0.00035	PASS
								0	0.79	0.00046	PASS
		10	-2.26	-0.00132				PASS			
		20	0.54	0.00031				PASS			
		30	-0.9	-0.00052				PASS			
		40	2.17	0.00127				PASS			
		50	-0.53	-0.00031				PASS			
			MCH	VN				-30	0.7	0.0004	PASS
								-20	0.97	0.00056	PASS
								-10	0.57	0.00033	PASS
								0	1.67	0.00096	PASS
								10	1.96	0.00113	PASS
					20	0.04	0.00002	PASS			
					30	1	0.00058	PASS			
					40	0.54	0.00031	PASS			
					50	1.39	0.0008	PASS			
						HCH	VN	-30	0.82	0.00047	PASS
								-20	0.24	0.00014	PASS
								-10	3.29	0.00188	PASS
								0	0.82	0.00047	PASS
								10	-1.34	-0.00077	PASS
		20	0.13	0.00007				PASS			
		30	-2	-0.00114				PASS			
		40	-2.43	-0.00139				PASS			
			LCH	VN	-30	0.21	0.00012	PASS			
					-20	-3.82	-0.00222	PASS			
				15	LCH	VN	-30	0.21	0.00012	PASS	
				15	LCH	VN	-20	-3.82	-0.00222	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		20			-10	-6.67	-0.00388	PASS
					0	-1.77	-0.00103	PASS
					10	-3.73	-0.00217	PASS
					20	-0.92	-0.00054	PASS
					30	1.82	0.00106	PASS
					40	-3.1	-0.0018	PASS
					50	-2.35	-0.00137	PASS
			MCH	VN	-30	1.56	0.0009	PASS
					-20	1.69	0.00098	PASS
					-10	1.75	0.00101	PASS
					0	2.39	0.00138	PASS
					10	-0.87	-0.0005	PASS
					20	1.75	0.00101	PASS
					30	3.4	0.00196	PASS
					40	-1.65	-0.00095	PASS
			HCH	VN	-30	-0.44	-0.00025	PASS
					-20	3.49	0.002	PASS
					-10	3.66	0.00209	PASS
					0	2.92	0.00167	PASS
					10	-0.96	-0.00055	PASS
					20	-1.33	-0.00076	PASS
					30	-1.95	-0.00112	PASS
					40	-1.75	-0.001	PASS
			LCH	VN	-30	1.69	0.00098	PASS
					-20	0.03	0.00002	PASS
					-10	-1.17	-0.00068	PASS
					0	0.03	0.00002	PASS
					10	-1.75	-0.00102	PASS
					20	-3.76	-0.00219	PASS
					30	-1.24	-0.00072	PASS
					40	5.68	0.0033	PASS
			MCH	VN	-30	2.27	0.00132	PASS
					-30	0.21	0.00012	PASS
					-20	1.37	0.00079	PASS
					-10	-0.04	-0.00002	PASS
					0	1.67	0.00097	PASS
			10	-2.25	-0.0013	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					20	-0.84	-0.00048	PASS		
					30	0.72	0.00042	PASS		
					40	-1	-0.00058	PASS		
					50	-1.54	-0.00089	PASS		
			HCH	VN	-30	0.97	0.00056	PASS		
					-20	1.29	0.00074	PASS		
					-10	2.69	0.00154	PASS		
					0	1.47	0.00084	PASS		
					10	2	0.00115	PASS		
					20	-0.06	-0.00003	PASS		
					30	-0.1	-0.00006	PASS		
					40	-0.24	-0.00014	PASS		
					50	-1.56	-0.00089	PASS		
					LCH	VN	-30	-3.03	-0.00177	PASS
							-20	6.04	0.00353	PASS
							-10	7.04	0.00412	PASS
			0	4.61			0.00269	PASS		
			10	-0.03			-0.00002	PASS		
			20	3.85			0.00225	PASS		
			30	1.63			0.00095	PASS		
	40	0.43	0.00025	PASS						
	MCH	VN	50	-0.14	-0.00008	PASS				
			-30	3.19	0.00184	PASS				
			-20	5.41	0.00312	PASS				
			-10	5.64	0.00326	PASS				
			0	3.12	0.0018	PASS				
			10	2.47	0.00143	PASS				
			20	2.96	0.00171	PASS				
			30	1.79	0.00103	PASS				
	HCH	VN	40	2.42	0.0014	PASS				
			50	2.45	0.00141	PASS				
			-30	2.1	0.0012	PASS				
			-20	4.92	0.0028	PASS				
			-10	0.74	0.00042	PASS				
			0	1.23	0.0007	PASS				
			10	0.62	0.00035	PASS				
			20	-0.46	-0.00026	PASS				
	30	-2.85	-0.00162	PASS						
	40	-3.29	-0.00188	PASS						



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		3	LCH	VN	50	-2.19	-0.00125	PASS
					-30	0.4	0.00023	PASS
					-20	6.9	0.00403	PASS
					-10	6.92	0.00404	PASS
					0	3.13	0.00183	PASS
					10	0.33	0.00019	PASS
					20	-1.44	-0.00084	PASS
					30	0.89	0.00052	PASS
			40	-0.21	-0.00012	PASS		
			50	-0.33	-0.00019	PASS		
			MCH	VN	-30	3.49	0.00201	PASS
					-20	4.05	0.00234	PASS
					-10	4.38	0.00253	PASS
					0	2.33	0.00134	PASS
					10	-0.31	-0.00018	PASS
		20			2.32	0.00134	PASS	
		30			0.9	0.00052	PASS	
		40			-1.19	-0.00069	PASS	
		HCH	VN	-30	6.32	0.0036	PASS	
				-20	4.58	0.00261	PASS	
				-10	2.09	0.00119	PASS	
				0	4.16	0.00237	PASS	
				10	4.28	0.00244	PASS	
				20	3.86	0.0022	PASS	
				30	0.46	0.00026	PASS	
				40	3.58	0.00204	PASS	
		5	LCH	VN	-30	5.46	0.00319	PASS
					-20	2.59	0.00151	PASS
					-10	1.59	0.00093	PASS
					0	-0.63	-0.00037	PASS
					10	1.03	0.0006	PASS
					20	-1.42	-0.00083	PASS
					30	-2.65	-0.00155	PASS
					40	-1.97	-0.00115	PASS
			50	-1.56	-0.00091	PASS		
			MCH	VN	-30	1.63	0.00094	PASS
-20	0.89	0.00051			PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	2.07	0.00119	PASS
					0	-1.79	-0.00103	PASS
					10	-1.02	-0.00059	PASS
					20	-3.36	-0.00194	PASS
					30	-2.9	-0.00167	PASS
					40	-1.52	-0.00088	PASS
					50	-0.49	-0.00028	PASS
			HCH	VN	-30	2.59	0.00148	PASS
					-20	1	0.00057	PASS
					-10	-0.26	-0.00015	PASS
					0	0.82	0.00047	PASS
					10	-2.29	-0.00131	PASS
					20	-0.6	-0.00034	PASS
					30	0.97	0.00055	PASS
					40	-2.46	-0.0014	PASS
		10	LCH	VN	-30	5.58	0.00325	PASS
					-20	1.24	0.00072	PASS
					-10	-4.69	-0.00273	PASS
					0	1.67	0.00097	PASS
					10	2.93	0.00171	PASS
					20	-1.52	-0.00089	PASS
					30	-3.26	-0.0019	PASS
			MCH	VN	-30	2.55	0.00147	PASS
					-20	-2.6	-0.0015	PASS
					-10	-0.23	-0.00013	PASS
					0	2.03	0.00117	PASS
					10	-2.92	-0.00169	PASS
					20	-3.32	-0.00192	PASS
					30	-2.82	-0.00163	PASS
					40	-2.93	-0.00169	PASS
		HCH	VN	-30	2.37	0.00135	PASS	
				-20	1.39	0.00079	PASS	
				-10	0.63	0.00036	PASS	
				0	0.34	0.00019	PASS	
				10	-0.92	-0.00053	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					20	0.5	0.00029	PASS		
					30	-3.5	-0.002	PASS		
					40	-1.65	-0.00094	PASS		
					50	0.39	0.00022	PASS		
		15	LCH	VN	-30	1.02	0.00059	PASS		
					-20	-2.5	-0.00146	PASS		
					-10	-1.53	-0.00089	PASS		
					0	-4.49	-0.00261	PASS		
					10	0.07	0.00004	PASS		
					20	-3.92	-0.00228	PASS		
					30	-3.03	-0.00176	PASS		
					40	-2.13	-0.00124	PASS		
					50	-3.86	-0.00225	PASS		
					MCH	VN	-30	6.49	0.00375	PASS
							-20	0.94	0.00054	PASS
							-10	1.23	0.00071	PASS
							0	-1.14	-0.00066	PASS
							10	-1.56	-0.0009	PASS
							20	1.46	0.00084	PASS
							30	3.63	0.0021	PASS
		40	1.46	0.00084			PASS			
		HCH	VN	-30	2.3	0.00132	PASS			
				-20	22.69	0.01298	PASS			
				-10	13.26	0.00759	PASS			
				0	3.75	0.00215	PASS			
				10	8.58	0.00491	PASS			
				20	5.66	0.00324	PASS			
				30	23.23	0.01329	PASS			
				40	-6.28	-0.00359	PASS			
		20	LCH	VN	-30	-5.21	-0.00303	PASS		
					-20	-4.61	-0.00268	PASS		
					-10	2.99	0.00174	PASS		
0	3.35				0.00195	PASS				
10	0.86				0.0005	PASS				
20	-0.66				-0.00038	PASS				
30	2.23				0.0013	PASS				
40	-3.4				-0.00198	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					50	1.5	0.00087	PASS
			MCH	VN	-30	4.39	0.00253	PASS
					-20	2.73	0.00158	PASS
					-10	-0.29	-0.00017	PASS
					0	2.89	0.00167	PASS
					10	4.38	0.00253	PASS
					20	1.57	0.00091	PASS
					30	-1.14	-0.00066	PASS
					40	0.16	0.00009	PASS
					50	0.67	0.00039	PASS
			HCH	VN	-30	0.82	0.00047	PASS
					-20	-2.03	-0.00116	PASS
					-10	-0.3	-0.00017	PASS
					0	0.43	0.00025	PASS
					10	1.23	0.0007	PASS
					20	0.94	0.00054	PASS
					30	4.52	0.00259	PASS
					40	-1.13	-0.00065	PASS
					50	1.29	0.00074	PASS

END