



Annex 2A: Transmitter Output Power

1 Result Table

1.1 Channel Power, Total

NOTE: If applicable, the EIPR [W] = $10^{((\text{Channel Power [dBm]} + \text{Antenna Gain [dBi]}) / 10 - 3)}$, and the ERP [W] = EIPR [W] / 1.64.

1.1.1 Ant_#1

EUT Conf.	Channel Power [dBm]	Offset from Rated [dB]	Antenna Gain [dBi]	EIPR [W]	ERP [W]	Verdict
TM1-B	---	---	---	0.682	0.416	Pass
TM1-M	---	---	---	0.556	0.339	Pass
TM1-T	---	---	---	0.408	0.249	Pass

1.1.2 Ant_#2

EUT Conf.	Channel Power [dBm]	Offset from Rated [dB]	Antenna Gain [dBi]	EIPR [W]	ERP [W]	Verdict
TM1-B	---	---	---	0.23	0.14	Pass
TM1-M	---	---	---	0.243	0.148	Pass
TM1-T	---	---	---	0.207	0.126	Pass

1.2 Power Spectral Density

(Not applicable)

1.3 Peak-to-Average Ratio


(Not applicable)

2 Test Plot


2.1 Channel Power, Total

2.1.1 Ant_#1


2.1.1.1 TM1-B



2.1.1.2 TM1-M




2.1.1.3 TM1-T




2.1.2 Ant_#2


2.1.2.1 TM1-B



2.1.2.2 TM1-M



2.1.2.3 TM1-T



2.2 Power Spectral Density

(Not applicable)

2.3 Peak-to-Average Ratio

(Not applicable)



Annex 2B: Bandwidth



(REFER TO ORIGINAL TEST RESULTS)



Annex 2C: Band Edges Compliance



(REFER TO ORIGINAL TEST RESULTS)



Annex 2D: Spurious Emission at Antenna Terminals



(REFER TO ORIGINAL TEST RESULTS)



Annex 2E: Field Strength of Spurious Radiation



1 Result Table

1.1.1 Ant_#1

EUT Conf.	Maximum Emission [dBm]	Verdict
TM1-M	< -25	Pass


1.1.2 Ant_#2


EUT Conf.	Maximum Emission [dBm]	Verdict
TM1-M	< -25	Pass

2 Test Plot

2.1 Ant_#1



2.1.1 TM1-M





2.2 Ant_#2

2.2.1 TM1-M





Annex 2F: Frequency Stability



(REFER TO ORIGINAL TEST RESULTS)



Annex 2G: Receiver Spurious Emissions



(Not applicable)



Annex 2H: Photos of Test Setups

1 Test Setup 3

1.1 Frequency range below 1 GHz

1.1.1 Ant_#1



1.1.2 Ant_#2



1.2 Frequency range above 1 GHz

1.2.1 Ant_#1



1.2.2 Ant_#2



END