







6.2.1.2.2.3 Test Channel = HCH

6.2.1.2.2.3.1 Test RB = RB1#0









6.2.1.2.3 Test Bandwidth = 5

6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0








6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0








6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0








6.2.1.2.4 Test Bandwidth = 10

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0








6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0








6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0








6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0








6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0








6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0









6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0








6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0








6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band4


7.1.1.1 Test Bandwidth = 1.4




LTE FDD RSE-TX-DIRECT OR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECT OR ABOVE 1.5G_H




Band4/TM1_Ant2




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD Band 7 RSE-TX-DIRECTOR ABOVE 1.5G_H -25dBm limit




7.1.1.2 Test Bandwidth = 20




LTE FDD RSE-TX-DIRECT OR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECT OR ABOVE 1.5G_H




Band4/TM1_Ant2



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L





8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	TN	VL	-4.01974	-0.00235	PASS
					VN	178.72810	0.10448	PASS
					VH	-87.07523	-0.05090	PASS
			MCH	TN	VL	-122.33730	-0.07061	PASS
					VN	-229.01060	-0.13219	PASS
					VH	-37.80842	-0.02182	PASS
			HCH	TN	VL	-254.30200	-0.14496	PASS
					VN	-87.60452	-0.04994	PASS
					VH	317.91690	0.18122	PASS
		3	LCH	TN	VL	-9.92775	-0.00580	PASS
					VN	-25.29144	-0.01478	PASS
					VH	-9.65595	-0.00564	PASS
			MCH	TN	VL	-11.60145	-0.00670	PASS
					VN	-14.97746	-0.00864	PASS
					VH	-7.85351	-0.00453	PASS
			HCH	TN	VL	-2.73228	-0.00156	PASS
					VN	-22.91679	-0.01307	PASS
					VH	-3.14712	-0.00179	PASS
		5	LCH	TN	VL	-4.57764	-0.00267	PASS
					VN	-7.33852	-0.00429	PASS
					VH	-1.23024	-0.00072	PASS
			MCH	TN	VL	-8.03947	-0.00464	PASS
					VN	-6.46591	-0.00373	PASS
					VH	0.07153	0.00004	PASS
			HCH	TN	VL	-1.08719	-0.00062	PASS
					VN	21.28601	0.01215	PASS
					VH	-0.71526	-0.00041	PASS
		10	LCH	TN	VL	-4.36306	-0.00254	PASS
					VN	-18.32485	-0.01069	PASS
					VH	-1.02997	-0.00060	PASS
			MCH	TN	VL	-8.39710	-0.00485	PASS
					VN	-4.90665	-0.00283	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	15	HCH	TN	VH	-2.16007	-0.00125	PASS
					VL	3.81947	0.00218	PASS
					VN	-5.23567	-0.00299	PASS
					VH	1.24455	0.00071	PASS
			LCH	TN	VL	-7.89642	-0.00460	PASS
					VN	-5.73635	-0.00334	PASS
					VH	-15.24925	-0.00888	PASS
					VH	-8.39710	-0.00485	PASS
			MCH	TN	VL	-4.79221	-0.00277	PASS
					VN	-5.23567	-0.00302	PASS
					VH	-8.39710	-0.00485	PASS
					VH	-2.60353	-0.00149	PASS
			HCH	TN	VL	-2.53200	-0.00145	PASS
					VN	-0.04292	-0.00002	PASS
					VH	-2.60353	-0.00149	PASS
					VH	-2.60353	-0.00149	PASS
		20	LCH	TN	VL	-7.23839	-0.00421	PASS
					VN	-23.91815	-0.01391	PASS
					VH	-3.86238	-0.00225	PASS
					VH	-3.86238	-0.00225	PASS
			MCH	TN	VL	-5.59330	-0.00323	PASS
					VN	-10.02789	-0.00579	PASS
					VH	-5.87940	-0.00339	PASS
					VH	-5.87940	-0.00339	PASS
			HCH	TN	VL	-2.08855	-0.00120	PASS
					VN	-9.78470	-0.00561	PASS
					VH	-1.04427	-0.00060	PASS
					VH	-1.04427	-0.00060	PASS
		1.4	LCH	TN	VL	-0.01431	-0.00001	PASS
					VN	-109.09080	-0.06377	PASS
					VH	606.47960	0.35452	PASS
					VH	606.47960	0.35452	PASS
			MCH	TN	VL	-153.70850	-0.08872	PASS
					VN	196.69530	0.11353	PASS
					VH	-265.98930	-0.15353	PASS
					VH	-265.98930	-0.15353	PASS
			HCH	TN	VL	-168.90050	-0.09628	PASS
					VN	151.04770	0.08610	PASS
					VH	-210.94320	-0.12024	PASS
					VH	-210.94320	-0.12024	PASS
		3	LCH	TN	VL	-7.93934	-0.00464	PASS
					VN	-23.76080	-0.01388	PASS
					VH	-5.73635	-0.00335	PASS
					VH	-5.73635	-0.00335	PASS
			MCH	TN	VL	-7.18117	-0.00414	PASS
					VN	-18.58234	-0.01073	PASS
					VH	-13.03196	-0.00752	PASS
					VH	-13.03196	-0.00752	PASS
			HCH	TN	VL	-2.07424	-0.00118	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-11.24382	-0.00641	PASS
					VH	-7.65324	-0.00436	PASS
		5	LCH	TN	VL	-0.07153	-0.00004	PASS
					VN	-8.89778	-0.00520	PASS
					VH	-4.92096	-0.00287	PASS
			MCH	TN	VL	-1.23024	-0.00071	PASS
					VN	-9.87053	-0.00570	PASS
					VH	-13.04626	-0.00753	PASS
			HCH	TN	VL	1.87397	0.00107	PASS
					VN	-3.40462	-0.00194	PASS
					VH	-0.65804	-0.00038	PASS
		10	LCH	TN	VL	-0.20027	-0.00012	PASS
					VN	-16.79420	-0.00979	PASS
					VH	1.31607	0.00077	PASS
			MCH	TN	VL	4.33445	0.00250	PASS
					VN	-7.12395	-0.00411	PASS
					VH	-4.89235	-0.00282	PASS
			HCH	TN	VL	2.83241	0.00162	PASS
					VN	-7.71046	-0.00441	PASS
					VH	-1.21593	-0.00069	PASS
		15	LCH	TN	VL	-3.80516	-0.00222	PASS
					VN	-7.25269	-0.00422	PASS
					VH	-6.65188	-0.00387	PASS
			MCH	TN	VL	-0.25749	-0.00015	PASS
					VN	-5.22137	-0.00301	PASS
					VH	-3.54767	-0.00205	PASS
			HCH	TN	VL	2.48909	0.00142	PASS
					VN	1.27316	0.00073	PASS
					VH	-1.24455	-0.00071	PASS
		20	LCH	TN	VL	0.08583	0.00005	PASS
					VN	-16.66546	-0.00969	PASS
					VH	-6.45161	-0.00375	PASS
			MCH	TN	VL	-0.52929	-0.00031	PASS
					VN	-7.13825	-0.00412	PASS
					VH	-3.71933	-0.00215	PASS
			HCH	TN	VL	2.87533	0.00165	PASS
					VN	-2.88963	-0.00166	PASS
					VH	-2.14577	-0.00123	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	VN	-30	-93.55545	-0.05469	PASS
					-20	-49.10946	-0.02871	PASS
					-10	370.76000	0.21673	PASS
					0	120.47770	0.07043	PASS
					10	138.17310	0.08077	PASS
					20	178.72810	0.10448	PASS
					30	2.74658	0.00161	PASS
					40	-151.84880	-0.08876	PASS
					50	279.32170	0.16328	PASS
			MCH	VN	-30	-33.70285	-0.01945	PASS
					-20	-87.00371	-0.05022	PASS
					-10	138.03010	0.07967	PASS
					0	193.77710	0.11185	PASS
					10	-119.19020	-0.06880	PASS
					20	-229.01060	-0.13219	PASS
					30	28.63884	0.01653	PASS
					40	-277.90550	-0.16041	PASS
					50	-115.31350	-0.06656	PASS
			HCH	VN	-30	-25.86365	-0.01474	PASS
					-20	-126.84350	-0.07230	PASS
					-10	136.88560	0.07803	PASS
					0	5.14984	0.00294	PASS
					10	162.77790	0.09279	PASS
					20	-87.60452	-0.04994	PASS
					30	-17.68112	-0.01008	PASS
					40	-801.91610	-0.45711	PASS
					50	87.53300	0.04990	PASS
		3	LCH	VN	-30	-12.13074	-0.00709	PASS
					-20	-11.84464	-0.00692	PASS
					-10	-20.07008	-0.01173	PASS
					0	-21.30032	-0.01245	PASS
					10	-29.09660	-0.01700	PASS
					20	-25.29144	-0.01478	PASS
					30	-24.06120	-0.01406	PASS
					40	-25.72060	-0.01503	PASS
					50	-21.07143	-0.01231	PASS
			MCH	VN	-30	-12.00199	-0.00693	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-8.22544	-0.00475	PASS
					-10	-10.09941	-0.00583	PASS
					0	-13.58986	-0.00784	PASS
					10	-14.31942	-0.00827	PASS
					20	-14.97746	-0.00864	PASS
					30	-8.62598	-0.00498	PASS
					40	-12.38823	-0.00715	PASS
					50	-15.49244	-0.00894	PASS
			HCH	VN	-30	-7.20978	-0.00411	PASS
					-20	-7.38144	-0.00421	PASS
					-10	-17.80987	-0.01016	PASS
					0	-17.56668	-0.01002	PASS
					10	-16.88004	-0.00963	PASS
					20	-22.91679	-0.01307	PASS
					30	-14.16206	-0.00808	PASS
					40	-9.14097	-0.00521	PASS
					50	-20.89977	-0.01192	PASS
		5	LCH	VN	-30	-25.80643	-0.01507	PASS
					-20	-22.38750	-0.01307	PASS
					-10	-21.40045	-0.01250	PASS
					0	-25.80643	-0.01507	PASS
					10	-26.13544	-0.01526	PASS
					20	-7.33852	-0.00429	PASS
					30	-23.31734	-0.01362	PASS
					40	-9.74178	-0.00569	PASS
					50	-9.18388	-0.00536	PASS
			MCH	VN	-30	-12.53128	-0.00723	PASS
					-20	-13.01765	-0.00751	PASS
					-10	-10.82897	-0.00625	PASS
					0	-10.27107	-0.00593	PASS
					10	-14.23359	-0.00822	PASS
					20	-6.46591	-0.00373	PASS
					30	-16.03603	-0.00926	PASS
					40	-3.53336	-0.00204	PASS
					50	-11.30104	-0.00652	PASS
			HCH	VN	-30	-12.14504	-0.00693	PASS
					-20	-10.37121	-0.00592	PASS
					-10	-10.94341	-0.00624	PASS
					0	-12.25948	-0.00700	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		10			10	-11.12938	-0.00635	PASS
					20	21.28601	0.01215	PASS
					30	-19.31190	-0.01102	PASS
					40	-8.12531	-0.00464	PASS
					50	-9.38415	-0.00535	PASS
			LCH	VN	-30	-19.66953	-0.01147	PASS
					-20	-5.56469	-0.00324	PASS
					-10	-21.02852	-0.01226	PASS
					0	-17.96722	-0.01048	PASS
					10	-16.02173	-0.00934	PASS
					20	-18.32485	-0.01069	PASS
					30	-17.35210	-0.01012	PASS
					40	-16.26492	-0.00948	PASS
					50	-14.27650	-0.00832	PASS
			MCH	VN	-30	-7.69615	-0.00444	PASS
					-20	-3.66211	-0.00211	PASS
					-10	-11.20090	-0.00647	PASS
					0	-6.38008	-0.00368	PASS
					10	-9.46999	-0.00547	PASS
					20	-4.90665	-0.00283	PASS
					30	-9.36985	-0.00541	PASS
					40	-7.08103	-0.00409	PASS
					50	-8.82626	-0.00509	PASS
			HCH	VN	-30	-6.22272	-0.00356	PASS
					-20	-3.96252	-0.00226	PASS
					-10	-5.22137	-0.00298	PASS
					0	-10.54287	-0.00602	PASS
					10	-8.49724	-0.00486	PASS
					20	-5.23567	-0.00299	PASS
					30	-6.46591	-0.00369	PASS
					40	-10.94341	-0.00625	PASS
					50	-10.72884	-0.00613	PASS
		15	LCH	VN	-30	-3.87669	-0.00226	PASS
					-20	-6.88076	-0.00401	PASS
					-10	-3.97682	-0.00232	PASS
					0	-5.24998	-0.00306	PASS
					10	-22.70222	-0.01322	PASS
					20	-5.73635	-0.00334	PASS
					30	-19.68384	-0.01146	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-18.89706	-0.01100	PASS
					50	-6.12259	-0.00356	PASS
			MCH	VN	-30	-6.25134	-0.00361	PASS
					-20	-5.13554	-0.00296	PASS
					-10	-5.46455	-0.00315	PASS
					0	-8.21114	-0.00474	PASS
					10	-9.55582	-0.00552	PASS
					20	-5.23567	-0.00302	PASS
					30	-7.08103	-0.00409	PASS
					40	-8.05378	-0.00465	PASS
					50	-7.82490	-0.00452	PASS
			HCH	VN	-30	-1.18732	-0.00068	PASS
					-20	-2.30312	-0.00132	PASS
					-10	-4.74930	-0.00272	PASS
					0	-1.35899	-0.00078	PASS
					10	-6.75201	-0.00386	PASS
					20	-0.04292	-0.00002	PASS
					30	-5.90801	-0.00338	PASS
					40	-6.83784	-0.00391	PASS
					50	-1.41621	-0.00081	PASS
		20	LCH	VN	-30	-17.39502	-0.01011	PASS
					-20	-22.81666	-0.01327	PASS
					-10	-7.88212	-0.00458	PASS
					0	-6.03676	-0.00351	PASS
					10	-24.90520	-0.01448	PASS
					20	-23.91815	-0.01391	PASS
					30	-24.77646	-0.01440	PASS
					40	-9.05514	-0.00526	PASS
					50	-5.69344	-0.00331	PASS
			MCH	VN	-30	-5.95093	-0.00343	PASS
					-20	-8.23975	-0.00476	PASS
					-10	-3.13282	-0.00181	PASS
					0	-7.35283	-0.00424	PASS
					10	-7.56741	-0.00437	PASS
					20	-10.02789	-0.00579	PASS
					30	-6.42300	-0.00371	PASS
					40	-2.78950	-0.00161	PASS
					50	-4.99249	-0.00288	PASS
			HCH	VN	-30	-7.49588	-0.00430	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-8.08239	-0.00463	PASS
					-10	-3.77655	-0.00216	PASS
					0	-3.33309	-0.00191	PASS
					10	-9.49860	-0.00544	PASS
					20	-9.78470	-0.00561	PASS
					30	-9.45568	-0.00542	PASS
					40	-2.67506	-0.00153	PASS
					50	-0.22888	-0.00013	PASS
	LTE/TM2	1.4	LCH	VN	-30	220.65640	0.12899	PASS
					-20	110.83600	0.06479	PASS
					-10	91.56704	0.05353	PASS
					0	246.21960	0.14393	PASS
					10	-2.67506	-0.00156	PASS
					20	-109.09080	-0.06377	PASS
					30	129.48990	0.07569	PASS
					40	7.61032	0.00445	PASS
					50	6.60896	0.00386	PASS
			MCH	VN	-30	-98.67668	-0.05696	PASS
					-20	-147.07090	-0.08489	PASS
					-10	-159.03000	-0.09179	PASS
					0	-418.76790	-0.24171	PASS
					10	-260.03840	-0.15009	PASS
					20	196.69530	0.11353	PASS
					30	11.91616	0.00688	PASS
					40	243.74490	0.14069	PASS
					50	-60.02426	-0.03465	PASS
			HCH	VN	-30	-20.71381	-0.01181	PASS
					-20	-11.30104	-0.00644	PASS
					-10	-246.50570	-0.14052	PASS
					0	-99.84970	-0.05692	PASS
					10	86.24554	0.04916	PASS
					20	151.04770	0.08610	PASS
					30	-153.45100	-0.08747	PASS
					40	-81.92539	-0.04670	PASS
					50	37.16469	0.02118	PASS
		3	LCH	VN	-30	-8.13961	-0.00476	PASS
					-20	-5.90801	-0.00345	PASS
					-10	-13.74722	-0.00803	PASS
					0	-15.32078	-0.00895	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-21.80099	-0.01274	PASS
					20	-23.76080	-0.01388	PASS
					30	-16.96587	-0.00991	PASS
					40	-15.79285	-0.00923	PASS
					50	-17.60960	-0.01029	PASS
			MCH	VN	-30	-8.68320	-0.00501	PASS
					-20	-15.77854	-0.00911	PASS
					-10	-8.29697	-0.00479	PASS
					0	-11.78741	-0.00680	PASS
					10	-17.58099	-0.01015	PASS
					20	-18.58234	-0.01073	PASS
					30	-16.55102	-0.00955	PASS
					40	-13.68999	-0.00790	PASS
					50	-19.39774	-0.01120	PASS
			HCH	VN	-30	-8.72612	-0.00498	PASS
					-20	-5.55039	-0.00317	PASS
					-10	-12.18796	-0.00695	PASS
					0	-14.19067	-0.00809	PASS
					10	-14.53400	-0.00829	PASS
					20	-11.24382	-0.00641	PASS
					30	-20.22743	-0.01154	PASS
					40	-19.54079	-0.01114	PASS
					50	-85.98804	-0.04904	PASS
		5	LCH	VN	-30	-22.90249	-0.01337	PASS
					-20	-20.74242	-0.01211	PASS
					-10	-16.99448	-0.00992	PASS
					0	-15.39230	-0.00899	PASS
					10	-20.32757	-0.01187	PASS
					20	-8.89778	-0.00520	PASS
					30	-19.38343	-0.01132	PASS
					40	-4.63486	-0.00271	PASS
					50	0.60081	0.00035	PASS
			MCH	VN	-30	-13.00335	-0.00751	PASS
					-20	-15.10620	-0.00872	PASS
					-10	-15.39230	-0.00888	PASS
					0	-15.82146	-0.00913	PASS
					10	-16.09325	-0.00929	PASS
					20	-9.87053	-0.00570	PASS
					30	-16.56532	-0.00956	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-9.87053	-0.00570	PASS
					50	-9.87053	-0.00570	PASS
			HCH	VN	-30	-13.68999	-0.00781	PASS
					-20	-7.42436	-0.00424	PASS
					-10	-13.67569	-0.00780	PASS
					0	-16.05034	-0.00916	PASS
					10	-12.83169	-0.00732	PASS
					20	-3.40462	-0.00194	PASS
					30	-6.38008	-0.00364	PASS
					40	-6.53744	-0.00373	PASS
					50	-3.69072	-0.00211	PASS
		10	LCH	VN	-30	-16.60824	-0.00968	PASS
					-20	-4.46320	-0.00260	PASS
					-10	-12.97474	-0.00757	PASS
					0	-17.73834	-0.01034	PASS
					10	-17.60960	-0.01027	PASS
					20	-16.79420	-0.00979	PASS
					30	-17.00878	-0.00992	PASS
					40	-13.73291	-0.00801	PASS
					50	-19.52648	-0.01139	PASS
			MCH	VN	-30	-13.30376	-0.00768	PASS
					-20	-7.42436	-0.00429	PASS
					-10	-11.18660	-0.00646	PASS
					0	-8.82626	-0.00509	PASS
					10	-10.87189	-0.00628	PASS
					20	-7.12395	-0.00411	PASS
					30	-8.15391	-0.00471	PASS
					40	-6.75201	-0.00390	PASS
					50	-12.71725	-0.00734	PASS
			HCH	VN	-30	-8.25405	-0.00472	PASS
					-20	5.20706	0.00298	PASS
					-10	-9.39846	-0.00537	PASS
					0	-7.96795	-0.00455	PASS
					10	-7.72476	-0.00441	PASS
					20	-7.71046	-0.00441	PASS
					30	-5.19276	-0.00297	PASS
					40	-8.64029	-0.00494	PASS
					50	-4.22001	-0.00241	PASS
		15	LCH	VN	-30	-3.37601	-0.00197	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-5.59330	-0.00326	PASS
					-10	-5.47886	-0.00319	PASS
					0	-6.70910	-0.00391	PASS
					10	-17.05170	-0.00993	PASS
					20	-7.25269	-0.00422	PASS
					30	-14.01901	-0.00816	PASS
					40	-15.10620	-0.00880	PASS
					50	-7.43866	-0.00433	PASS
			MCH	VN	-30	-2.17438	-0.00126	PASS
					-20	-3.80516	-0.00220	PASS
					-10	-3.79086	-0.00219	PASS
					0	-6.72340	-0.00388	PASS
					10	-10.15663	-0.00586	PASS
					20	-5.22137	-0.00301	PASS
					30	-8.06808	-0.00466	PASS
					40	-9.16958	-0.00529	PASS
					50	-5.80788	-0.00335	PASS
			HCH	VN	-30	-0.74387	-0.00043	PASS
					-20	1.84536	0.00106	PASS
					-10	-1.53065	-0.00088	PASS
					0	1.24455	0.00071	PASS
					10	-5.33581	-0.00305	PASS
					20	1.27316	0.00073	PASS
					30	-4.27723	-0.00245	PASS
					40	-5.40733	-0.00309	PASS
					50	-0.51498	-0.00029	PASS
		20	LCH	VN	-30	-13.90457	-0.00808	PASS
					-20	-16.89434	-0.00982	PASS
					-10	-8.61168	-0.00501	PASS
					0	-8.22544	-0.00478	PASS
					10	-17.93861	-0.01043	PASS
					20	-16.66546	-0.00969	PASS
					30	-19.36913	-0.01126	PASS
					40	-9.19819	-0.00535	PASS
					50	-6.16550	-0.00358	PASS
			MCH	VN	-30	-6.42300	-0.00371	PASS
					-20	-6.56605	-0.00379	PASS
					-10	-5.79357	-0.00334	PASS
					0	-2.31743	-0.00134	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-8.86917	-0.00512	PASS
					20	-7.13825	-0.00412	PASS
					30	-7.68185	-0.00443	PASS
					40	-2.38895	-0.00138	PASS
					50	-6.52313	-0.00377	PASS
			HCH	VN	-30	-4.76360	-0.00273	PASS
					-20	-5.23567	-0.00300	PASS
					-10	-0.44346	-0.00025	PASS
					0	2.23160	0.00128	PASS
					10	-5.50747	-0.00316	PASS
					20	-2.88963	-0.00166	PASS
					30	-6.65188	-0.00381	PASS
					40	-3.10421	-0.00178	PASS
					50	0.24319	0.00014	PASS

END