


ANNEX I: The EUT Appearances and Test Configuration



a: EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1

Page 189 of 195




b: Battery

Picture 8: Constituents of EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1

Page 190 of 195



Picture 9: Left Hand Touch Cheek Position




Picture 10: Left Hand Tilt 15 Degree Position


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1

Page 191 of 195



Picture 11: Right Hand Touch Cheek Position




Picture 12: Right Hand Tilt 15 Degree Position


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1


Page 192 of 195



Picture 13: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm



Picture 15: Body with Earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Body with Earphone, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1

Page 194 of 195



Picture 17: Left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: Right edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1106 -1064SAR01R1

Page 195 of 195



Picture 19: Bottom edge, the distance from handset to the bottom of the Phantom is 10mm